

Name of journal: *World Journal of Gastroenterology*

ESPS Manuscript NO: 15636

Columns: ORIGINAL ARTICLE

Randomized Controlled Trial

Intraprocedural bowel cleansing with the JetPrep cleansing system improves adenoma detection

Hoffman A *et al.* Intraprocedural bowel cleansing improves adenoma detection

Arthur Hoffman, Sanjay Murthy, Lena Pompetzki, Johannes Wilhelm Rey, Martin Goetz, Achim Tresch, Peter Robert Galle, Ralf Kiesslich

Arthur Hoffman, Wilhelm Rey, Martin Goetz, Ralf ²⁹Kiesslich, First Department of Medicine, Johannes Gutenberg University of Mainz, 65183 Wiesbaden, Germany

Arthur Hoffman, Wilhelm Rey, ²Department of Internal Medicine II, HSK Hospital,

Match Overview

1	Internet 144 words crawled on 13-Feb-2015 www.wjgnet.com	2%
2	CrossCheck 56 words Manner, Hendrik, Thomas Rabenstein, Oliver Pech, Kirsten Braun, Andrea May, Juergen Pohl, Angelika Behrens,	1%
3	Internet 35 words crawled on 26-Oct-2010 jmd.amjpathol.org	<1%
4	Internet 31 words crawled on 04-Jun-2014 intj-ueg.sagepub.com	<1%
5	CrossCheck 21 words Halpern, Zamir, Seth Gross, Ian Gralnek, Beni Shpak, Mark Pochapin, Arthur Hoffman, Meir Mizrahi, Yosef Rochb	<1%
6	Internet 20 words crawled on 02-Feb-2015 www.samfyc.es	<1%
7	Internet 20 words crawled on 18-Mar-2015 www.ncbi.nlm.nih.gov	<1%
8	Internet 20 words crawled on 20-Sep-2014 www.ifcc.org	<1%
9	CrossCheck 18 words A. Hoffman. "High-definition endoscopy with i-Scan and Lugol's solution for more precise detection of mucosal ...	<1%

学术搜索

获得 4 条结果 (用时0.09秒)

文章

我的图书馆

时间不限

2015以来

2014以来

2011以来

自定义范围...

按相关性排序

按日期排序

搜索所有网页

中文网页

英语网页

☒ 包括专利☒ 包含引用 创建快讯

Optimal bowel preparation [mdash] a practical guide for clinicians

DK Rex - Nature Reviews Gastroenterology & Hepatology, 2014 - nature.com

... An ideal bowel preparation would fully evacuate the colon and not produce continued watery ...
Scientific advances in our knowledge of bowel preparation with regard to efficacy are summarized
in ... than clear liquids on the day prior to colonoscopy results in cleansing quality that ...

被引用次数: 2 相关文章 所有 4 个版本 引用 保存

What Influences the Quality of Prevention Colonoscopy?

W Schmidt-Tänzer, A Eickhoff - Viszeralmedizin, 2014 - karger.com

... remains unsatisfactory in a significant proportion of patients, several intraprocedural rinsing
and ... a new CO2-based disposable cleaning device allows safe and effective bowel cleansing
during colonos ... 55 Harrison M, Singh N, Rex DK: Impact of proximal colon retroflexion on ...

相关文章 引用 保存

[引用] SUBJECT INDEX (By Abstract Number)


POE Myotomy, GEU Tu1252, E Tu1254, EUMS Tu1257...

引用 保存

[引用] ASGE Program

P Session

引用 保存

 创建快讯[关于 Google 学术搜索](#)[隐私权](#)[条款](#)[提供反馈](#)

[网页](#) [购物](#) [图片](#) [视频](#) [新闻](#) [更多 ▾](#) [搜索工具](#)

获得 9 条结果 (用时 0.64 秒)

[\[PDF\] Optimizing Adequacy of Bowel Cleansing for Colonosc...](#)[gi.org/wp.../MSTF_Guideline_Bowel_Cleansing_Oct_2014.pdf](#) ▾ [翻译此页](#)作者 : DA Johnson - 2014 - 被引用次数 : 8 - [相关文章](#)2014年9月16日 - is linked closely to the adequacy of preprocedure **bowel cleansing**.Unfortunately, up to ... The GRADE **system** was used to rate the strength of the rec-.... **ADENOMA DETECTION** AND RECOMMENDED fessionals **increases** patientcompliance, **improves** quality, and **intraprocedural cleansing**.[\[PDF\] Best Practices in Bowel Preparation For Colonoscopy](#)[www.gastroendonews.com/download/BB1411_WM.pdf](#) - [翻译此页](#)作者 : JA Di Palma - 2014 - [相关文章](#)ful tools for the **detection** and removal of **adenomatous** polyps as well as ... tatesadditional **intraprocedural** irrigation and suctioning, which may result in ... Table 1.**Colon-Cleansing** Quality in Relation to Duration of Colonoscopy ... **improving** the rateof excellent bowel preparation among their clin- UCLA Health **System**.[What Influences the Quality of Prevention Colonoscopy ...](#)[www.karger.com/Article/FullText/358747](#) - [翻译此页](#)作者 : W Schmidt-Tänzer - 2014 - [相关文章](#)2014年2月14日 - The **adenoma detection** rate is defined as the proportion of patientswith at least one ... systems: i) preparation of the **bowel**; ii) rinsing and **cleaning****systems**; ... Others reported a significantly **improved** quality of **colon** preparationusing ... The **JetPrep** device is a similar disposable through-the-scope system ...[7 Cool New Products For Your GI Docs > Outpatient Surgery ...](#)[www.outpatientsurgery.net/.../7-cool-new-products-for-your-gi...](#) ▾ [翻译此页](#)... efforts, about 20% of colonoscopy patients fall short of properly **cleansing** the **colon**.Rather than let poor **bowel** prepping stop you, turn to Medivators's **Jet Prep**. ... better