

17

Name of journal: *World Journal of Gastroenterology*

ESPS Manuscript NO: 13429

Columns: META-ANALYSIS

Interleukin-18 genetic polymorphisms differentially contribute to the susceptibility to Crohn's disease

Gao SJ *et al.* IL-18 genetic polymorphisms and CD risk

Su-Jun Gao, Li Zhang, Wei Lu, Lu Wang, Lei Chen, Zhen Zhu, Hai-Hang Zhu

Su-Jun Gao, Li Zhang, Wei Lu, Lu Wang, Lei Chen, Zhen Zhu, Hai-Hang Zhu,
 Department of Gastroenterology, Subei People's Hospital, Yangzhou 225001, Zhejiang
 Province, China

Author contributions: Gao SJ, Zhang L and Lu W designed the study, analyzed data and

Match Overview

1	CrossCheck 274 words Wang, Ying, Jing Tong, Bing Chang, Bai-Fang Wang, Da i Zhang, and Bing-Yuan Wang. "Genetic Polymorphism ...	5%
2	CrossCheck 260 words Wang, He-Ling, Ping-Yi Zhou, Peng Liu, and Yu Zhang. "ALDH2 and ADH1 Genetic Polymorphisms May Contri ...	4%
3	CrossCheck 237 words Chen, Jing-Jiong, Yu-Mei Li, Wen-Ying Zou, and Jian-Li ang Fu. "Relationships Between CETP Genetic Polymc ...	4%
4	CrossCheck 229 words Shen, Wen-Jing, Tian-Ren Li, Yan-Jie Hu, Hong-Bo Liu, and Min Song. "Relationships Between TCF7L2 Genetic	4%
5	Internet 90 words crawled on 17-Nov-2014 www.science.gov	2%
6	CrossCheck 71 words Fan, Shu-Li, Xu Li, Si-Jiao Chen, and Guo-Xian Qi. "ABC A1 rs4149313 Polymorphism and Susceptibility to Coron	1%
7	Internet 58 words crawled on 24-May-2014 archsix.com	1%
8	CrossCheck 51 words Lu, Yao, Chun-Yu Li, Shu-Sen Lin, and Peng Yuan. "IRG M rs13361189 polymorphism may contribute to suscep ...	1%
9	CrossCheck 50 words Li, Bing, Quan Chen, Ya-Di Wang, and Min Wang. "EF	1%

Articles

Case law

My library

Any time

Since 2015

Since 2014

Since 2011

Custom range...

Sort by relevance

Sort by date

☒ include patents☒ include citations☒ Create alert**Analysing biological pathways in genome-wide association studies**[\[PDF\] from isb-sib.ch](#)[K Wang](#), [M Li](#), [H Hakonarson](#) - *Nature Reviews Genetics*, 2010 - nature.com... Local and systemic **interleukin-18** and **interleukin-18**-binding protein in children with inflammatory ...
Tintle, NL, Borchers, B., Brown, M. & Bekmetjev, A. Comparing **gene** set analysis methods on single-nucleotide **polymorphism** data from **Genetic Analysis Workshop 16**. ...Cited by 386 [Related articles](#) [All 12 versions](#) [Cite](#) [Save](#)**[HTML] Genetic analysis of innate immunity in Crohn's disease and ulcerative colitis identifies two susceptibility loci harboring CARD9 and IL18RAP**[\[HTML\] from sciencedirect.com](#)[A Zhemakova](#), [EM Festen](#), [L Franke](#), [G Trynka](#)... - ... of *Human Genetics*, 2008 - Elsevier... Since the discovery of NOD2 as a CD **susceptibility gene**, the role of the innate immune ... in IBD has been studied extensively, and mutations in a number of **genes** of the ... recent years have been remarkably successful in providing better insight into the **genetic** background of CD. ...Cited by 139 [Related articles](#) [All 8 versions](#) [Cite](#) [Save](#)**Lack of common NOD2 variants in Japanese patients with Crohn's disease**[N Inoue](#), [K Tamura](#), [Y Kinouchi](#), [Y Fukuda](#), [S Takahashi](#)... - *Gastroenterology*, 2002 - Elsevier... laboratory and others suggest that increased production of interleukin 12 and **interleukin 18** by monocyte ... to arise from the heterogeneity of the **disease** and differences in **genetic** backgrounds of ... of patients with CD and their relatives are warranted to identify **gene(s) susceptible** ...Cited by 437 [Related articles](#) [All 6 versions](#) [Cite](#) [Save](#)**IL23 differentially regulates the Th1/Th17 balance in ulcerative colitis and Crohn's disease**[\[PDF\] from researchgate.net](#)[T Kobayashi](#), [S Okamoto](#), [T Hisamatsu](#), [N Kamada](#)... - *Gut*, 2008 - gut.bmj.com... We also examined the expression levels of several **genes** associated with Th17 polarisation. ... This idea may also be consistent with **genetic** studies on IL23R **gene polymorphisms** that have demonstrated altered prevalences of both UC and CD in patients with IL23R **gene** ...Cited by 296 [Related articles](#) [All 10 versions](#) [Cite](#) [Save](#)**Inflammation and cancer: interweaving microRNA, free radical, cytokine and p53 pathways**[\[HTML\] from oxfordjournals.org](#)[AJ Schetter](#), [NHH Heegaard](#), [CC Harris](#) - *Carcinogenesis*, 2010 - Oxford Univ Press... **genes** (including both protein coding **genes** and non-coding microRNA **genes**) to promote ... exogenous (acquired infections and noxious insults) inducers of inflammation **contribute** to chronic ... primary cause of chronic pancreatitis and hereditary pancreatitis also **contributes** with a ...Cited by 317 [Related articles](#) [All 11 versions](#) [Cite](#) [Save](#)

网页 图片 新闻 购物 视频 更多 ▾ 搜索工具

找到约 281,000 条结果 (用时 0.57 秒)

Google 学术 : Interleukin-18 genetic polymorphisms differentially contribute to the susceptibility to Crohn's disease

Analysing biological pathways in genome-wide ... - Wang - 被引用次数 : 386

Genetic analysis of innate immunity in Crohn's disease ... - Zhernakova - 被引用次数 : 139

... variants in Japanese patients with Crohn's disease - Inoue - 被引用次数 : 437

Interleukin and interleukin receptor gene polymorphisms in ...

www.ncbi.nlm.nih.gov > ... > Literature > PubMed Central (PMC) - 翻译此页

作者 : L Magyari - 2014 - 被引用次数 : 2 - 相关文章

2014年3月28日 - Core tip: Inflammatory bowel diseases (Crohn's disease and ulcerative ... IL18RAP expression which may lead to differential IL18-mediated ... the C-819T polymorphisms in the IL10 gene contribute to susceptibility to CD[61].

IL18 interleukin 18 [(human)]

www.ncbi.nlm.nih.gov/gene/3606 ▾ 翻译此页

3 天前 - These data suggest that IL18 gene polymorphisms at position -137 might be a ... The Interleukin-18 promoter -607C>A polymorphism contributes to ... but not crohn disease, providing a strong support for an IBD susceptibility gene ... and secretion of interleukins-1beta and -18 are differentially regulated in ...

Association between IL-18 gene promoter polymorphisms ...

onlinelibrary.wiley.com/doi/10.1097/01.MIB...67025.../pdf ▾ 翻译此页

作者 : T Takagawa - 2005 - 被引用次数 : 39 - 相关文章

associated with disease susceptibility but related to the extent of disease in UC. Key Words: Crohn's disease, inflammatory bowel disease, interleukin-18 ...