



Pre-lung transplant measures of reflux on impedance are superior to pH testing ▾



学术搜索

我的著作引用情况 ▾

文章

我的图书馆

时间不限

2015以来

2014以来

2011以来

自定义范围...

按相关性排序

按日期排序

搜索所有网页

中文网页

简体中文网页

☒ 包括专利

☐ 包含引用

创建快讯

您的搜索 - **Pre-lung transplant measures of reflux on impedance are superior to pH testing alone in predicting early allograft injury** - 与所有文章均不相符。

建议:

请检查输入字词有无错误。

请尝试其他的查询词

请改用较常见的字词。

请减少查询字词的数量。

[请向所有网络查询](#)

[关于 Google 学术搜索](#)

[隐私权](#)

[条款](#)

[提供反馈](#)

# Match Overview

17065-Review

1	CrystalQuartz (27 words) The Role of Impedance in Reflux (Luo et al. 2015) Impedance is a measure of the resistance to the flow of current in a circuit.	1%
2	Impedance (27 words) Impedance is a measure of the resistance to the flow of current in a circuit.	1%
3	CrystalQuartz (27 words) The Role of Impedance in Reflux (Luo et al. 2015) Impedance is a measure of the resistance to the flow of current in a circuit.	<1%

Name of journal: World Journal of Gastroenterology

ESPS Manuscript NO: 17065

Columns: ORIGINAL ARTICLE

Retrospective Cohort Study

Pre-lung transplant measures of reflux on impedance are superior to pH testing alone in predicting early allograft injury

Wai-Kai Lo, Robert Burdick, Hilary J Goldberg, Nathan Feldman, Walter W Chan

## Abstract

**AIM:** To evaluate pre-lung transplant acid reflux on pH-testing vs corresponding bolus reflux on multichannel intraluminal impedance (MII) in predicting early allograft injury.

**METHODS:** This was a retrospective cohort study of lung transplant recipients who underwent pre-transplant combined MII-pH-testing at a tertiary care center from



Pre-lung transplant measures of reflux on impedance are superior to pH



网页

图片

新闻

视频

更多 ▾

搜索工具

找到约 84,000 条结果 (用时 1.14 秒)

### ACG practice guidelines: esophageal reflux testing ...

[www.researchgate.net/.../6472192\\_ACG\\_practice\\_guidelines\\_es...](http://www.researchgate.net/.../6472192_ACG_practice_guidelines_es...) - 翻译此页

Article: Pre-Transplant Impedance Measures of Reflux are Associated with Early ... between pre-transplant MII-pH measures and early allograft injury in lung transplant patients. .... testing compared with pH testing alone (77% vs 68%). AI- .... Impedance is superior ... results of pharyngeal testing do not predict a more favor-

### Gastroesophageal Reflux and Altered Motility in Lung ...

[www.ncbi.nlm.nih.gov/.../PubMedCentral\(PMC\)](http://www.ncbi.nlm.nih.gov/.../PubMedCentral(PMC)) ▾ 翻译此页

作者: JM Castor - 2010 - 被引用次数: 12 - 相关文章

2010年5月26日 - Lung transplantation has become an effective therapeutic option for .... They also found that reflux symptoms were not predictive of finding GER on pH-metry. .... Impedance testing is able to discriminate between gas and fluid reflux .... and provide additional candidate biomarkers involved in allograft injury.

### Fundoplication After Lung Transplantation Prevents the ...

[www.ncbi.nlm.nih.gov/.../PubMedCentral\(PMC\)](http://www.ncbi.nlm.nih.gov/.../PubMedCentral(PMC)) ▾ 翻译此页

作者: MG Hartwig - 2011 - 被引用次数: 29 - 相关文章

This study evaluates fundoplication in preventing GERD-related allograft dysfunction. .... Lung transplant candidates underwent esophageal pH probe testing before .... an abnormal pH probe study before or early after transplantation and 157 (53%) .... FEV1 measurements and 1-year percent predicted FEV1 measurements.

### Gastro-oesophageal reflux and aspiration in patients with ...

[thorax.bmj.com/.../Volume64,Issue2](http://thorax.bmj.com/.../Volume64,Issue2) ▾ 翻译此页

作者: MP Sweet - 2009 - 被引用次数: 67 - 相关文章

Impedance monitoring may be a superior measure of aspiration risk as it ... have had





Pre-lung transplant measures of reflux on impedance are superior to pH t



网页 图片 新闻 购物 视频 更多 搜索工具

找到约 65,900 条结果 (用时 0.80 秒)

### Gastroesophageal Reflux and Altered Motility in Lung ...

[www.ncbi.nlm.nih.gov](http://www.ncbi.nlm.nih.gov) > ... > PubMed Central (PMC) ▾ 翻译此页

作者: JM Castor - 2010 - 被引用次数: 12 - 相关文章

2010年5月26日 - Lung transplantation has become an effective therapeutic option for .... Impedance testing is able to discriminate between gas and fluid reflux regardless of pH [52] .... provide additional candidate biomarkers involved in allograft injury. .... fundoplication in all patients with an abnormal pre-transplant pH study ...

### Gastroesophageal reflux disease after lung transplantation ...

[www.ncbi.nlm.nih.gov](http://www.ncbi.nlm.nih.gov) > ... > PubMed Central (PMC) ▾ 翻译此页

作者: CS Davis - 2010 - 被引用次数: 25 - 相关文章

2010年8月21日 - Our study shows that, after lung transplantation, more than half of patients had ... function testing (esophageal high-resolution impedance manometry and ... This allowed us to measure the pH in the distal (5 cm above the LES) and in .... factor for microaspiration and allograft injury in lung transplant patients.

### GERD Research Page 10 - MedWorm

[www.medworm.com/.../search.php?...\(GERD...%2Breflux...](http://www.medworm.com/.../search.php?...(%2B(GERD...%2Breflux...) - 翻译此页

Pre-Transplant Impedance Measures of Reflux are Associated with Early Allograft ... pre-transplant MII-pH measures and early allograft injury in lung transplant patients. ... intraluminal impedance testing is superior to pHP alone (Source: ENTtoday ..... Reflux pattern and role of impedance-pH variables in predicting PPI ...

### <sup>[PDF]</sup>an international consensus guideline statement - America...

[www.thoracic.org/.../Its/BOS-CPG-online-supplement-1.pdf](http://www.thoracic.org/.../Its/BOS-CPG-online-supplement-1.pdf) ▾ 翻译此页

作者: G Verleden - 相关文章

form of lung allograft dysfunction that can cause an irreversible decline in ... PGD affects 10-25% of all lung transplants and is a leading cause of early ... PGD is a form of acute lung injury that is thought to be largely due to the .... correlation was found between increasing severity of acid reflux (as measured by 24 hour pH ...