

Name of journal: *World Journal of Gastroenterology*

ESPS Manuscript NO: 16076

Columns: EDITORIAL

Iron deficiency anemia in celiac disease

Freeman HJ. Anemia in celiac disease

Hugh James Freeman

Hugh James Freeman, MD, CM, FRCPC, FACP, ³Department of Medicine
(Gastroenterology), University of British Columbia, Vancouver, BC V6T 1W5,
Canada

Author contributions: Freeman HJ contributed all to this paper.

Conflict-of-interest: Freeman HJ declares no conflict of interest related ²to this
publication.

Match Overview

1	Internet 204 words crawled on 26-May-2015 pubs.sciepub.com	5%
2	Internet 95 words crawled on 01-Apr-2015 www.wjgnet.com	2%
3	Internet 21 words crawled on 13-Nov-2013 www.ncbi.nlm.nih.gov	<1%

学术搜索

找到约 19,100 条结果 (用时0.08秒)

文章

我的图书馆

时间不限

2015以来

2014以来

2011以来

自定义范围...

按相关性排序

按日期排序

搜索所有网页

中文网页

英语网页

☒ 包括专利☒ 包含引用☐ 创建快讯

Evaluation of the gastrointestinal tract in patients with iron-deficiency anemia

DC Rockey, JP Cello - New England Journal of Medicine, 1993 - Mass Medical Soc

... Many patients believed at first to be iron-deficient may not have decreased iron stores, and careful screening is therefore important before potentially expensive and ... Anemias excluding cobalamin and folate deficiencies. ... (2012) Evaluation of iron deficiency anaemia in tertiary ...

被引用次数: 455 相关文章 所有 7 个版本 引用 保存

Role of small bowel biopsy in the endoscopic evaluation of adults with iron deficiency anemia.

Z Ackerman, R Eliakim, R Stalnikowicz... - The American journal ..., 1996 - europepmc.org

... Or filter your current search. Anemia, Iron-Deficiency. Used for organ, tissue, or cell structure in ... Or filter your current search. Celiac Disease. A non-invasive imaging method that uses computed ... also with geographical headings for the location of epidemiologic aspects of a disease ...

被引用次数: 103 相关文章 所有 4 个版本 引用 保存 更多

Role of autoimmune gastritis, Helicobacter pylori and celiac disease in refractory or unexplained iron deficiency anemia

C Hershko, AV Hoffbrand, D Keret, M Souroujon... - ..., 2005 - haematologica.org

BACKGROUND AND OBJECTIVES: Conventional endoscopic and radiographic methods fail to identify a probable source of gastrointestinal blood loss in about one third of males and post-menopausal females and in most women of reproductive age with iron ...

被引用次数: 128 相关文章 所有 9 个版本 引用 保存

Subclinical coeliac disease is a frequent cause of iron-deficiency anaemia

GR Corazza, RA Valentini... - Scandinavian ..., 1995 - informahealthcare.com

Background: Although it is known that anaemia may be the only presenting symptom in coeliac disease, prevalence figures of unsuspected coeliac disease in anaemic patients are not available. The aim of this study was to assess the clinical usefulness of antigliadin and ...

被引用次数: 184 相关文章 所有 6 个版本 引用 保存

[HTML] Prevalence of occult celiac disease in patients with iron-deficiency anemia: a prospective study

US Karnam, LR Felder, JB Raskin - South Med J, 2004 - sma.org

Background: Occult celiac disease has been reported in 0 to 6% of adults presenting with iron-deficiency anemia. Most prior studies have been retrospective or screened only a selected population of patients with small bowel biopsies. To more accurately define the ...

被引用次数: 61 相关文章 所有 5 个版本 引用 保存 更多

Gastrointestinal causes of refractory iron deficiency anemia in patients without gastrointestinal

researchgate.net 中的 [PDF]

sma.org 中的 [HTML]

[网页](#)[图片](#)[新闻](#)[视频](#)[购物](#)[更多 ▾](#)[搜索工具](#)

找到约 282,000 条结果 (用时 0.39 秒)

Google 学术 : Iron deficiency anemia in celiac disease

... tract in **patients** with **iron-deficiency anemia** - Rockey - 被引用次数 : 451

... evaluation of adults with **iron deficiency anemia**. - Ackerman - 被引用次数 : 100

... **disease** in refractory or unexplained **iron deficiency** ... - Hershko - 被引用次数 : 130

The Link Between Celiac Disease and Iron-Deficiency Anemia

info.dhcla.com/.../The-Link-Between-Celiac-Disease-and-Iron-... ▾ [翻译此页](#)

2013年8月5日 - Louisiana board certified gastroenterologists explain the connection between **anemia** and **celiac disease**.

Iron Deficiency Anemia and Celiac Disease

celiacdisease.about.com ▸ ... ▸ Celiac Disease Symptoms ▾ [翻译此页](#)

2014年12月29日 - Anemia has multiple causes. The most common type of anemia -- both worldwide, and in **celiac disease** -- is known as **iron-deficiency anemia**.

Ironing out the mechanism of anemia in celiac disease ...

www.haematologica.org/content/93/12/1761 ▾ [翻译此页](#)

作者 : C Hershko - 2008 - 被引用次数 : 17 - 相关文章

Iron deficiency anemia was reported in up to 46% of patients with subclinical **celiac disease** in one study, and its prevalence was higher in adults than in children ...

Iron-deficiency anemia due to silent celiac sprue

www.ncbi.nlm.nih.gov ▸ ... ▸ PubMed Central (PMC) ▾ [翻译此页](#)

作者 : RT Waldo - 2002 - 被引用次数 : 6 - 相关文章

Celiac sprue, a gluten-induced enteropathy, was once considered primarily an immunologic **disease** of infants and children. Gluten is a protein found in grains, ...