

**Name of journal:** *World Journal of Gastroenterology*

**ESPS Manuscript NO:** 15714

**Columns:** ORIGINAL ARTICLE

### *Retrospective Study*

**Fluid resuscitation in acute pancreatitis: normal saline or lactated Ringer's solution?**

Lipinski M *et al.* Fluid resuscitation in acute pancreatitis

Michał Lipinski, Alicja Rydzewska-Rosolowska, Andrzej Rydzewski, Grazyna Rydzewska

Michał Lipinski, Grazyna Rydzewska, Department of Gastroenterology, Central Clinical Hospital of The Ministry of Interior, 02-507 Warsaw, Poland

Alicja Rydzewska-Rosolowska, Department of Nephrology and Transplantation,

### Match Overview

1	Internet 96 words crawled on 31-Mar-2015 <a href="http://www.wjgnet.com">www.wjgnet.com</a>	2%
2	CrossCheck 25 words Lipinski, Michał, Alicja Rydzewska-Rosolowska, Andrzej Rydzewski, and Grazyna Rydzewska. 'Urinary Neutrophil Ge	<1%
3	Internet 20 words crawled on 29-Apr-2013 <a href="http://www.bmj.com">www.bmj.com</a>	<1%

## 学术搜索

找到约 10,300 条结果 (用时0.10秒)

## 文章

我的图书馆

## 时间不限

2015以来

2014以来

2011以来

自定义范围...


## 按相关性排序

按日期排序

搜索所有网页

中文网页

英语网页

☒ 包括专利☒ 包含引用 创建快讯**Lactated Ringer's solution reduces systemic inflammation compared with saline in patients with acute pancreatitis**

BU Wu, JQ Hwang, TH Gardner, K Repas... - Clinical ..., 2011 - Elsevier

... We were unable to assess whether goal-directed fluid resuscitation was superior to standard volume replacement on the basis of the lower than expected prevalence of ... Practice guidelines currently do not comment on the role of different types of fluid in early resuscitation. ...

被引用次数: 114 相关文章 所有 6 个版本 引用 保存

**Fluid resuscitation in acute pancreatitis**

TB Gardner, SS Vege, RK Pearson, ST Chari - Clinical Gastroenterology ..., 2008 - Elsevier

... 96 The American Gastroenterological Association technical review recommended "adequate early fluid resuscitation" and stated ... addressed was the issue of crystalloid vs colloid fluids, stating "crystalloid ... practice guidelines read as follows, "Aggressive IV fluid replacement is of ...

被引用次数: 97 相关文章 所有 8 个版本 引用 保存

**Ringer's ethyl pyruvate solution ameliorates ischemia/reperfusion-induced intestinal mucosal injury in rats**

CA Sims, S Wattanasirichaigoon, MJ Menconi... - Critical care ..., 2001 - journals.lww.com

... Indeed, pyruvate, which normally is present in cells at millimolar concentrations, almost certainly serves as a ... schedule: 1.5 mL/kg bolus before ischemia, 3.0 mL/kg bolus before resuscitation, and 1.5 mL ... The fluid on the serosal side was aspirated to determine FD4 concentration. ...

被引用次数: 201 相关文章 所有 7 个版本 引用 保存

**Prehospital hypertonic saline/dextran infusion for post-traumatic hypotension. The USA Multicenter Trial.**

KL Mattox, PA Maningas, EE Moore, JR Mateer... - Annals of ..., 1991 - ncbi.nlm.nih.gov

... the only other difference among centers was the choice of 'routine' prehospital and emergency center re- suscitative fluids. ... end points included: improvement in 24-hour physiologic status, reduced postinjury complications, decreased fluid volume resuscitation needs in ...

被引用次数: 490 相关文章 所有 7 个版本 引用 保存

**Resuscitation from hemorrhagic shock: experimental model comparing normal saline, dextran, and hypertonic saline solutions**

O Chiara, P Pelosi, L Brazzi, N Bottino... - Critical care ..., 2003 - journals.lww.com

... compare their effects on systemic hemodynamic recovery, splanchnic reperfusion, and duration of effects after resuscitation. ... fluids and 0.24 mL/kg/min for hypertonic (HS and HSDX) fluids, in order ... Asanguineous fluid administration continued until restoration of baseline V aor ...

cghjournal.org 中的 [HTML]

nih.gov 中的 [PDF]



[网页](#) [图片](#) [购物](#) [视频](#) [新闻](#) [更多 ▾](#) [搜索工具](#)

找到约 90,400 条结果 (用时 0.58 秒)

## Google 学术 : Fluid resuscitation in acute pancreatitis: normal saline or lactated Ringer's solution?

[Lactated Ringer's solution](#) reduces systemic ... - Wu - 被引用次数 : 115[Fluid resuscitation in acute pancreatitis](#) - Gardner - 被引用次数 : 98[Ringer's ethyl pyruvate solution](#) ameliorates ischemia/ ... - Sims - 被引用次数 : 201

## Fluid Resuscitation in Acute Pancreatitis • AGA

[www.gastro.org](#) > ... > October-November 2014 ▾ [翻译此页](#)

2014年11月14日 - The rationale behind [fluid resuscitation](#) is that [acute pancreatitis](#) is an ... to either receive [normal saline or lactated Ringer's solution](#) in standard ...

## Lactated Ringer's solution reduces systemic inflammation ...

[www.ncbi.nlm.nih.gov/pubmed/21645639](#) ▾ [翻译此页](#)作者 : BU Wu - 2011 - 被引用次数 : 114 - [相关文章](#)

2011年5月12日 - (1)Center for Pancreatic Disease, Division of Gastroenterology, Brigham and ... is recommended for initial management of [acute pancreatitis](#). ... with [lactated Ringer's solution](#), goal-directed [fluid resuscitation](#) with [normal saline](#) ...

## Editorial: Fluid Resuscitation in Acute Pancreatitis ... - Nature

[www.nature.com](#) > ... > Archive > Original Contributions ▾ [翻译此页](#)作者 : BU Wu - 2011 - 被引用次数 : 7 - [相关文章](#)

Editorial: [Fluid Resuscitation in Acute Pancreatitis](#): Striking the Right Balance .... impact of resuscitation with either [normal saline or Lactated Ringer's solution](#) on ...

## Lactated Ringer's Solution Reduces Systemic Inflammation ...

[www.elsevier.es/es-revista---pdf-90064468-S300](#) - [翻译此页](#)

... [fluid resuscitation](#) is recommended for initial management of [acute pancreatitis](#). ...