



Colorectal stenting; palliation and bridge to surgery. Experience of 5 year



网页

图片

新闻

视频

购物

更多 ▾

搜索工具

找到约 3,230,000 条结果 (用时 0.69 秒)

Managing acute colorectal obstruction by "bridge stenting ...

www.ncbi.nlm.nih.gov > ... > PubMed Central (PMC) ▾ 翻译此页

作者: P Bonfante - 2012 - 被引用次数: 10 - 相关文章

2012年12月27日 - In some studies, the cost of **palliative stenting** is less than **surgical palliation** by ... it does not solve symptoms like **pain**, **rectal** tenesmus, bleeding and and **5 years** survival rate between the use or not of a **stenting** procedure.

Self-Expanding Metallic Stents for Palliation and as a Bridge ...

www.ncbi.nlm.nih.gov > ... > Literature > PubMed Central (PMC) - 翻译此页

作者: HJ Lujan - 2013 - 被引用次数: 6 - 相关文章

More recently, SEMSs have been used as a **bridge to surgery**.⁷ This ... **years** presenting with clinical features and symptoms of left-sided **colorectal** obstruction. **Pain** and constipation were the most common, occurring in **5** cases (13.51%); ...

BMC Surgery | Full text | Colonic stenting in the ...

www.biomedcentral.com/1471-2482/13/S1/A27 ▾ 翻译此页

作者: A Maffioli - 2013 - 相关文章

2013年9月16日 - **Colonic stenting** in the management of malignant intestinal ... there is debate concerning **five-years** survival and cancer-specific mortality: it ... our **experience** and assess the effectiveness of **colonic stenting** in malignant colon obstruction, as a "**bridge to surgery**" or as a **palliative** treatment, in terms of safety,

Colorectal Stenting in Malignant Large Bowel Obstruction ...

www.hindawi.com/journals/ijso/2011/917848/ ▾ 翻译此页

作者: D Williams - 2010 - 被引用次数: 16 - 相关文章

2010年9月22日 - There has been a change in practice from elective **palliative** stenting toward ... for the **palliation** of metastatic **colorectal cancer** and as a **bridge to surgery** for the first three **years** of a single surgeon endoscopist stenting **experience**. ... has a



Colorectal stenting for palliation and as a bridge to surgery: A 5-year foll



网页

新闻

图片

视频

更多 +

搜索工具

找到约 1,750,000 条结果 (用时 0.78 秒)

Google 学术: Colorectal stenting for palliation and as a bridge to surgery: A 5-year follow-up study

... metallic stents for relieving malignant colorectal ... - Watt - 被引用次数: 310

... stents in patients with obstructive colorectal cancer - Fernández-Esparrach - 被引用次数: 121

... stenting versus surgery for stage IV left-sided colorectal ... - Van Hooft - 被引用次数: 196

Self-Expanding Metallic Stents for Palliation and as a Bridge ...

www.ncbi.nlm.nih.gov > ... > PubMed Central (PMC) ▾ 翻译此页

作者: HJ Lujan - 2013 - 被引用次数: 6 - 相关文章

More recently, SEMSs have been used as a bridge to surgery: ... (palliative vs bridge to surgery), type of stent, complications, and follow-up. ... years presenting with clinical features and symptoms of left-sided colorectal obstruction. Table 5. Stents as Bridge to Minimally Invasive Surgery. This study had several limitations ...

Self-expanding Metallic Stents for Relieving Malignant ...

www.ncbi.nlm.nih.gov > ... > PubMed Central (PMC) ▾ 翻译此页

作者: AM Watt - 2007 - 被引用次数: 310 - 相关文章

Colorectal cancer can result in malignant obstruction of the colon or rectum, ... used as a definitive palliative measure or can be used as a "bridge to surgery" to allow ... These studies ranged widely in both population size and duration of follow-up. not found to differ significantly between the 2 groups at either 3 or 5 years.

Colonic stent placement as a bridge to surgery in patients ...

www.ncbi.nlm.nih.gov > ... > Literature > PubMed Central (PMC) ▾ 翻译此页



Colorectal stenting for palliation and as a bridge to surgery: A 5-year follow-up study



网页 新闻 图片 购物 视频 更多 搜索工具

找到约 1,740,000 条结果 (用时 0.58 秒)

Google 学术 : Colorectal stenting for palliation and as a bridge to surgery: A 5-year follow-up study

... metallic stents for relieving malignant colorectal ... - Watt - 被引用次数 : 314

... stents in patients with obstructive colorectal cancer - Fernández-Esparrach - 被引用次数 : 124

... stenting versus surgery for stage IV left-sided colorectal ... - Van Hooft - 被引用次数 : 198

Self-Expanding Metallic Stents for Palliation and as a Bridge to Surgery

www.ncbi.nlm.nih.gov > ... > PubMed Central (PMC) - 翻译此页

作者 : HJ Lujan - 2013 - 被引用次数 : 6 - 相关文章

More recently, SEMSs have been used as a bridge to surgery. ... (palliative vs bridge to surgery), type of stent, complications, and follow-up. ... years presenting with clinical features and symptoms of left-sided colorectal obstruction. Table 5. Stents as Bridge to Minimally Invasive Surgery. This study had several limitations ...

Self-expanding Metallic Stents for Relieving Malignant Colorectal Obstruction

www.ncbi.nlm.nih.gov > ... > PubMed Central (PMC) - 翻译此页

作者 : AM Watt - 2007 - 被引用次数 : 312 - 相关文章

Colorectal cancer can result in malignant obstruction of the colon or rectum, ... used as a definitive palliative measure or can be used as a "bridge to surgery" to allow ... These studies ranged widely in both population size and duration of follow-up. not found to differ significantly between the 2 groups at either 3 or 5 years.

Colonic stent placement as a bridge to surgery in patients with malignant colorectal obstruction

www.ncbi.nlm.nih.gov > ... > Literature > PubMed Central (PMC) - 翻译此页

作者 : S OCCHIONORELLI - 2014 - 相关文章

2015年2月3日 - It's also a bridge to surgery, since the insertion of a SEMS can ...

Since up to three-quarters of colonic tumors are situated in the left colon (5, 6, 10), ...