



β -elemene enhances radiosensitivity of gastric cancer cells through inhi



网页

图片

新闻

购物

视频

更多

搜索工具

找到约 9,710 条结果 (用时 0.82 秒)

您是不是要找: **β -element** enhances radiosensitivity of gastric cancer cells through inhibition of Pak1 activation

β -Elemene-Attenuated Tumor Angiogenesis by Targeting ...

www.ncbi.nlm.nih.gov > ... > PubMed Central (PMC) > 翻译此页

作者: B Yan - 2013 - 被引用次数: 15 - 相关文章

2013年4月24日 - Here, we report that CD44+ gastric cancer stem-like cells (GCSCs) ... that CSCs are involved in tumor angiogenesis not only by enhanced of cancer cells through the downregulation of Bcl-2 and the activation of JNK [64]. by β -elemene enhances the radiosensitivity of lung adenocarcinoma xenograft.

缺少字词: pak1

MIR145 microRNA 145 [(human)]

www.ncbi.nlm.nih.gov/gene/406937 > 翻译此页

2015年7月5日 - Data indicate that p21-activated kinase 1 (PAK1) is a target of ... in cervical cancer cells enhances radiosensitivity in vitro and in vivo. MiR-145 has a critical role in the inhibition of invasive and metastatic capacities of colorectal cancer ... invasion and cell cycle progression of gastric cancer cells through ...

Antiproliferative and apoptotic effects of β -elemene on ...

www.cancer-ci.com/content/13/1/27 > 翻译此页

作者: ZJ Dai - 2013 - 被引用次数: 10 - 相关文章

2013年3月14日 - β -elemene, a natural sesquiterpene extracted from the essential oils .. MTT assay was used to determine the growth inhibition of hepatoma HepG2 cells in vitro. Our results showed β -elemene had positive effect on apoptosis through in gastric carcinoma cells via alteration of Fas/FasL and activation of ...

Name of Journal: World Journal of Gastroenterology
ESPS Manuscript NO: 17424
Manuscript Type: Basic Study

β -elemene enhances radiosensitivity of gastric cancer cells through inhibition of Pak1 activation

Jun-Song Liu, Xiang-Ming Che, Shuai Chang, Guang-Lin Qiu, Shi-Cai He, Lin Fan, Wei Zhao, Zheng-Liang Zhang, Shu-Feng Wang

Abstract

AIM: To explore the potential of β -elemene as a radiosensitizer for gastric cancer cells and the underlying mechanisms.

METHODS: SGC7901, MKN45, MKN28, N87 and AGS human gastric cancer cell lines were used to screen for radioresistant gastric cancer cell lines. A

Match Overview

1	Internet 53 words crawled on 31-Mar-2014 www.biomedcentral.com	1%
2	CrossCheck 40 words Li, Yumin. "Protective role of autophagy in matrine-indu ... ed gastric cancer cell death", International Journal of On	1%
3	CrossCheck 26 words Xu, Yinghui. " β -elemene inhibits proliferation of human g lioblastoma cells through the activation of glia maturat ...	<1%
4	CrossCheck 26 words Jing Liu. "beta-Elemene-induced autophagy protects h ... man gastric cancer cells from undergoing apoptosis", B	<1%
5	CrossCheck 20 words Dai, Zhi-Jun, Wei Tang, Wang-Feng Lu, Jie Gao, Hua-Fe ng Kang, Xiao-Bin Ma, Wei-Li Min, Xi-Jing Wang, and We	<1%
6	CrossCheck 19 words Guoquan Li. "Down-Regulation of Survivin and Hypoxia-I nducible Factor-1 α by β -elemene Enhances the Radio ...	<1%
7	CrossCheck 17 words Shi, Hong, Lei Liu, Limin Liu, Jin Geng, Yun Zhou, and L ei Chen. " β -Elemene inhibits the metastasis of B16F10	<1%
8	CrossCheck 12 words Jing Liu. " β -Elemene induces apoptosis as well as prot ective autophagy in human non-small-cell lung cancer ...	<1%



β -elemene enhances radiosensitivity of gastric cancer cells through inhi



网页

图片

新闻

购物

视频

更多

搜索工具

找到约 8,270 条结果 (用时 0.89 秒)

您是不是要找: **β -element** enhances radiosensitivity of gastric cancer cells through inhibition of Pak1 activation

β -Elemene-Attenuated Tumor Angiogenesis by Targeting ...

www.ncbi.nlm.nih.gov > ... > PubMed Central (PMC) > 翻译此页

作者: B Yan - 2013 - 被引用次数: 15 - 相关文章

2013年4月24日 - Here, we report that CD44+ gastric cancer stem-like cells (GCSCs) ... that CSCs are involved in tumor angiogenesis not only by enhanced of cancer cells through the downregulation of Bcl-2 and the activation of JNK [64]. by β -elemene enhances the radiosensitivity of lung adenocarcinoma xenograft.

缺少字词: pak1

MIR145 microRNA 145 [(human)]

www.ncbi.nlm.nih.gov/gene/406937 > 翻译此页

2015年7月5日 - Data indicate that p21-activated kinase 1 (PAK1) is a target of ... in cervical cancer cells enhances radiosensitivity in vitro and in vivo. MiR-145 has a critical role in the inhibition of invasive and metastatic capacities of colorectal cancer ... invasion and cell cycle progression of gastric cancer cells through ...

Antiproliferative and apoptotic effects of β -elemene on ...

www.cancer-ci.com/content/13/1/27 > 翻译此页

作者: ZJ Dai - 2013 - 被引用次数: 10 - 相关文章

2013年3月14日 - β -elemene, a natural sesquiterpene extracted from the essential oils .. MTT assay was used to determine the growth inhibition of hepatoma HepG2 cells in vitro. Our results showed β -elemene had positive effect on apoptosis through in gastric carcinoma cells via alteration of Fas/FasL and activation of ...

网页 图片 新闻 购物 视频 更多 ▾ 搜索工具

找到约 8,290 条结果 (用时 1.00 秒)

您是不是要找：**β-*element* enhances radiosensitivity of gastric cancer cells through inhibition of Pak1 activation**

β-Elemene-Attenuated Tumor Angiogenesis by Targeting ...

www.ncbi.nlm.nih.gov > ... > PubMed Central (PMC) ▾ [翻译此页](#)

作者：B Yan - 2013 - 被引用次数：15 - [相关文章](#)

2013年4月24日 - Here, we report that CD44+ **gastric cancer stem-like cells** (GCSCs) ... that CSCs are involved in tumor angiogenesis not only by **enhanced** of cancer **cells through** the downregulation of Bcl-2 and the **activation** of JNK [64]. by **β-elemene enhances** the **radiosensitivity** of lung adenocarcinoma xenograft.

缺少字词：[pak1](#)

MIR145 microRNA 145 [(human)]

www.ncbi.nlm.nih.gov/gene/406937 ▾ [翻译此页](#)

2015年7月5日 - Data indicate that p21-**activated** kinase 1 (**PAK1**) is a target of ... in cervical cancer **cells enhances radiosensitivity** in vitro and in vivo. ... MiR-145 has a critical role in the **inhibition of** invasive and metastatic capacities of colorectal cancer ... invasion and cell cycle progression of **gastric cancer cells through** ...

Antiproliferative and apoptotic effects of β-elemene on ...

www.cancer-ci.com/content/13/1/27 ▾ [翻译此页](#)

作者：ZJ Dai - 2013 - 被引用次数：10 - [相关文章](#)

2013年3月14日 - **β-elemene**, a natural sesquiterpene extracted from the essential oils ... MTT assay was used to determine the growth **inhibition of** hepatoma HepG2 **cells** in vitro. ... Our results showed **β-elemene** had positive effect on apoptosis **through** in **gastric carcinoma cells** via alteration of Fas/FasL and **activation** of ...

缺少字词：[pak1](#)