

学术搜索

找到约 238 条结果 (用时0.12秒)

文章

我的图书馆

时间不限

2015以来

2014以来

2011以来

自定义范围...

按相关性排序

按日期排序

搜索所有网页

中文网页

英语网页

☒ 包括专利☒ 包含引用☐ 创建快讯[\[HTML\] Dual Energy and Low kVp CT in the Abdomen](#)

BM Yeh, JA Shepherd, ZJ Wang, HS Teh... - American journal of ..., 2009 - ncbi.nlm.nih.gov
... While repeat imaging was of minimal concern when evaluating bony structures [2, 10], the low ...
For example, the evaluation of adrenal masses should be approached with caution using DECT
until ... 6. Figure 6. CT cholangiogram of 32 year old woman being evaluated for possible ...
被引用次数: 161 相关文章 所有 7 个版本 引用 保存

[nih.gov 中的 \[HTML\]](#)[Technical principles of dual source CT](#)

M Petersilka, H Bruder, B Krauss, K Stierstorfer... - European journal of ..., 2008 - Elsevier
... is beneficial in particular for cardiac step-and-shoot examinations, as well as for the evaluation
of cardiac ... larger than 3 without image distortions inside the scan field of view of detector B (see
Fig ... time: by virtue of the high spiral pitch value, each of the two detectors contributes 90 ...
被引用次数: 271 相关文章 所有 6 个版本 引用 保存

[ejradiology.com 中的 \[HTML\]](#)[Dual energy CT characterization of urinary calculi: initial in vitro and clinical experience](#)

A Graser, TRC Johnson, M Bader, M Staehler... - Investigative ..., 2008 - journals.lww.com
... at identical potentials has only recently been shown to be beneficial in the evaluation of coronary ...
Secondly, we examined patients with suspected urinary calculi to evaluate the feasibility of a
simultaneous ... used in a single-source 64-slice system, and the "B" detector which also ...
被引用次数: 263 相关文章 所有 5 个版本 引用 保存

[\[PDF\] Dual-energy CT revisited with multidetector CT: review of principles and clinical applications](#)

M Karcaaltincaba, A Aktaş - Diagn Interv Radiol, 2011 - researchgate.net
... but the dual-source CT and 64-MDCT have not been compared to evaluate this issue. ... The DECT
data acquired by both systems can be evaluated with a dedicated workstation using dual ... This
phenomenon appears to be useful for the evaluation of enhanced liver lesions in the ...
被引用次数: 115 相关文章 所有 3 个版本 引用 保存 更多

[researchgate.net 中的 \[PDF\]](#)[CT evaluation of gallstones in vitro: correlation with chemical analysis](#)

RL Baron, CA Rohmann Jr, SP Lee... - American Journal of ..., 1988 - Am Roentgen Ray Soc
... surgery. A single stone from each patient was selected for evaluation. ... areas of higher and lower
densities), or isodense (stones that were not visualized sepa- rate from saline ... No other changes
in stone detection or character- ization of CT pattern resulted from altering collimation ...
被引用次数: 83 相关文章 所有 4 个版本 引用 保存

[CT technology overview: 64-slice and beyond](#)

B Bonella, C Klesters, BA Hein, Radiologic clinics of North America, 2009 - Elsevier

[theclinics.com 中的 \[HTML\]](#)

Name of journal: *World Journal of Gastroenterology*

ESPS Manuscript NO: 17797

Columns: ORIGINAL ARTICLE

Retrospective Study

Evaluation on detection rate of gallbladder stone by dual-energy spectral computed tomography imaging

An-Liang Chen, Ai-Lian Liu, Sheng Wang, Jing-Hong Liu, Ye Ju, Mei-Yu Sun, Yi-Jun Liu

An-Liang Chen, Ai-Lian Liu, Sheng Wang, Jing-Hong Liu, Ye Ju, Mei-Yu Sun, Yi-Jun Liu, Department of Radiology, The First Affiliated Hospital of Dalian Medical University, Dalian 116011, Liaoning Province, China

Author contributions: Chen AL, Liu AL, and Wang S designed the research; Chen AL, Wang S, Ju Y and Liu YJ performed the research; Liu JH and Sun MY analyzed the data;

Match Overview

1

Internet 92 words
crawled on 04-May-2015
www.wjgnet.com

2%



Evaluation on detection rate of gallbladder stone by dual-energy spectral coi



学术搜索

找到约 224 条结果 (用时0.04秒)

文章

我的图书馆

时间不限

2015以来

2014以来

2011以来

自定义范围...

按相关性排序

按日期排序

搜索所有网页

中文网页

英语网页

☒ 包括专利

☒ 包含引用

创建快讯

[HTML] Dual Energy and Low kVp CT in the abdomen

BM Yeh, JA Shepherd, ZJ Wang, HS Teh... - American journal of ..., 2009 - ncbi.nlm.nih.gov
... While repeat imaging was of minimal concern when evaluating bony structures [2, 10], the low ...
For example, the evaluation of adrenal masses should be approached with caution using DECT
until ... 6. Figure 6. CT cholangiogram of 32 year old woman being evaluated for possible ...
被引用次数: 177 相关文章 所有 7 个版本 引用 保存

nih.gov 中的 [HTML]

Technical principles of dual source CT

M Petersilka, H Bruder, B Krauss, K Stierstorfer... - European journal of ..., 2008 - Elsevier
... is beneficial in particular for cardiac step-and-shoot examinations, as well as for the evaluation
of cardiac ... larger than 3 without image distortions inside the scan field of view of detector B (see
Fig ... time: by virtue of the high spiral pitch value, each of the two detectors contributes 90 ...
被引用次数: 286 相关文章 所有 6 个版本 引用 保存

Dual energy CT characterization of urinary calculi: initial in vitro and clinical experience

A Graser, TRC Johnson, M Bader, M Staehler... - Investigative ..., 2008 - journals.lww.com
... at identical potentials has only recently been shown to be beneficial in the evaluation of coronary ...
Secondly, we examined patients with suspected urinary calculi to evaluate the feasibility of a
simultaneous ... 19 There is a 64-slice detector corresponding to each of the tubes: the "A ...
被引用次数: 269 相关文章 所有 5 个版本 引用 保存

[PDF] Dual-energy CT revisited with multidetector CT: review of principles and clinical applications

M Karcaaltincaba, A Aktaş - Diagn Interv Radiol, 2011 - researchgate.net
... but the dual-source CT and 64-MDCT have not been compared to evaluate this issue. ... The DECT
data acquired by both systems can be evaluated with a dedicated workstation using dual ... This
phenomenon appears to be useful for the evaluation of enhanced liver lesions in the ...
被引用次数: 128 相关文章 所有 4 个版本 引用 保存 更多

researchgate.net 中的 [PDF]

Compound analysis of gallstones using dual energy computed tomography—Results in a phantom model

RW Bauer, JR Schulz, B Zedler, TG Graf... - European journal of ..., 2010 - Elsevier
... For the above reasons, early detection of gallstones, that may be suitable for non-invasive
treatment ... Germany) equipped with 2 X-ray tubes (tubes A and B) and 2 detector arrays mounted ...
a noise optimized condition, a collimation of 2 × 32 × 0.6 mm on both detectors was used ...
被引用次数: 12 相关文章 所有 10 个版本 引用 保存

journal-of-hepatology.eu 中的 [HTML]

[网页](#) [图片](#) [新闻](#) [购物](#) [视频](#) [更多 ▾](#) [搜索工具](#)

找到约 46,900 条结果 (用时 0.79 秒)

Google 学术 : Evaluation on detection rate of gallbladder stone by dual-energy spectral computed tomography imaging

Dual Energy and Low kVp CT in the abdomen - Yeh - 被引用次数 : 181

Technical principles of dual source CT - Petersilka - 被引用次数 : 286

Dual energy CT characterization of urinary calculi: ... - Graser - 被引用次数 : 270

The utility of dual-energy computed tomography in ...

www.appliedradiology.com/.../the-utility-of-dual-energy-comp... ▾ 翻译此页

作者 : AJ Del Gaizo - 被引用次数 : 3 - 相关文章

2014年1月3日 - The upper limit of the energy **spectrum** produced by an x-ray tube is ... to renal **stone detection** on excretory-phase **imaging**.^{30,31} By creating ... For instance, the dissolution of cholesterol **gallstones** by various In vivo identification of uric acid **stones** with **dualenergy CT**: diagnostic performance **evaluation** ...

Which should be the routine cross-sectional reconstruction ...

www.ncbi.nlm.nih.gov > ... > PubMed Central (PMC) ▾ 翻译此页

作者 : Y Cui - 2012 - 被引用次数 : 10 - 相关文章

Although the utility of **dual-energy spectral CT** was demonstrated as early as the ... The scanning parameters were as follows: **spectral imaging** scan mode with fast ... but the data acquisition duration for any given **detection** view (mA multiplied by ... with a power injector at a **rate** of 3 ml s⁻¹ through the median cubital vein.

Dual Energy and Low kVp CT in the Abdomen

www.ncbi.nlm.nih.gov > ... > PubMed Central (PMC) ▾ 翻译此页

作者 : BM Yeh - 2009 - 被引用次数 : 178 - 相关文章

Material decomposition at **dual energy CT** can differentiate renal **stones** by their ...