

Name of journal: *World Journal of Gastroenterology*

ESPS Manuscript NO: 16320

Columns: ORIGINAL ARTICLE

Basic Study

Effects of salvianolic acid B on liver mitochondria of rats with non-alcoholic steatohepatitis

Wang YC *et al.* Sal B affects liver mitochondria

Ying-Chun Wang, Wei-Zong Kong, Qing-Mei Jin, Juan Chen, Lei Dong

Ying-Chun Wang, Lei Dong, Department of Gastroenterology, The Second Affiliated Hospital, Xi'an Jiaotong University, Xi'an 710004, Shaanxi Province, China

Ying-Chun Wang, Wei-Zong Kong, Qing-Mei Jin, Juan Chen, Department

Match Overview

1

Internet 98 words
crawled on 31-Mar-2015
www.wjgnet.com

2%



Effects of Sal B on liver mitochondria in NASH of rats with NASH



学术搜索

获得 1 条结果 (用时 0.11 秒)

文章

我的图书馆

时间不限

2015 以来

2014 以来

2011 以来

自定义范围...

按相关性排序

按日期排序

搜索所有网页

中文网页

英语网页

☒ 包括专利

☒ 包含引用

创建快讯

您是不是要找: Effects of Sal B on liver mitochondria in **NASH of** rats with NASH

[图书] Toxic archipelago: a history of industrial disease in Japan

BL Walker - 2009 - books.google.com

... insects, it had precursors, like copper sulphate and lead arsenate, whose biological effects and longterm ... The results were even more disturbing than the image of an entire pod being crushed ... have been simplified, toxins move through them more easily and, in effect, directly to ...

被引用次数: 32 相关文章 所有 4 个版本 引用 保存 更多

创建快讯

您是不是要找: Effects of Sal B on liver mitochondria in **NASH of** rats with NASH

关于 Google 学术搜索

隐私权

条款

提供反馈

[网页](#) [图片](#) [新闻](#) [购物](#) [视频](#) [更多 ▾](#) [搜索工具](#)

找到约 6,660 条结果 (用时 0.31 秒)

Liver Fibrosis and Mechanisms of the Protective Action of ...

www.hindawi.com/journals/iji/aa/943497/ ▾ [翻译此页](#)作者：F Duval - [相关文章](#)

2014年11月29日 - Indeed, bile duct-ligated **rats** depleted of neutrophils showed no difference in ... an animal model of **nonalcoholic** fatty **liver** disease, and depleted in NKT cells Curcumin, silymarin, extract of G. biloba (EGB), **salvianolic acid B** from S. B and **hepatitis C** patients to assess the hepatoprotective **effects** of ...

Salvianolic Acid A Prevents the Pathological Progression of ...

www.worldscientific.com/doi/pdf/10.../S0192415X14500748 - [翻译此页](#)作者：G Qiang - 2014 - 被引用次数：3 - [相关文章](#)

2014年9月3日 - Picro **acid**-Sirius red staining **results** indicated that SalA significantly alleviated the lesions of ... In addition, SalA improved **hepatic mitochondrial** ... fatty liver disease (**NAFLD**) in diabetic patients is significantly higher than in non-diabetic (B). (C). Figure 4. **Effect** of SalA on the liver tissue of diabetic **rats** ...

Effect of Fuzheng Huayu formula and its actions against liver ...

www.cmjournal.org/content/4/1/12 ▾ [翻译此页](#)作者：C Liu - 2009 - 被引用次数：44 - [相关文章](#)

2009年6月29日 - The **effects** of FZHY on **liver** fibrosis caused by chronic **hepatitis B** were ... In an in vitro study, we isolated and cultured primary HSCs from **rats**, caspase-3 activity and apoptotic factors expression in **mitochondria**, such as ... Action of Radix Salviae Miltiorrhizae and **salvianolic acid B** against **liver** fibrosis.

Fluvastatin attenuates hepatic steatosis-induced ...

www.ncbi.nlm.nih.gov > ... > Literature > PubMed Central (PMC) - [翻译此页](#)

作者：LW Chong - 2015

2015年2月15日 - **Non-alcoholic steatohepatitis** (NASH) is associated with **hepatic**