

 No items found.



You are here: [NCBI](#) > [Literature](#) > [PubMed](#)

[Write to the Help Desk](#)

GETTING STARTED

[NCBI Education](#)
[NCBI Help Manual](#)
[NCBI Handbook](#)
[Training & Tutorials](#)

RESOURCES

[Chemicals & Bioassays](#)
[Data & Software](#)
[DNA & RNA](#)
[Domains & Structures](#)
[Genes & Expression](#)
[Genetics & Medicine](#)
[Genomes & Maps](#)
[Homology](#)
[Literature](#)
[Proteins](#)
[Sequence Analysis](#)
[Taxonomy](#)
[Training & Tutorials](#)
[Variation](#)

POPULAR

[PubMed](#)
[Bookshelf](#)
[PubMed Central](#)
[PubMed Health](#)
[BLAST](#)
[Nucleotide](#)
[Genome](#)
[SNP](#)
[Gene](#)
[Protein](#)
[PubChem](#)

FEATURED

[Genetic Testing Registry](#)
[PubMed Health](#)
[GenBank](#)
[Reference Sequences](#)
[Gene Expression Omnibus](#)
[Map Viewer](#)
[Human Genome](#)
[Mouse Genome](#)
[Influenza Virus](#)
[Primer-BLAST](#)
[Sequence Read Archive](#)

NCBI INFORMATION

[About NCBI](#)
[Research at NCBI](#)
[NCBI News](#)
[NCBI FTP Site](#)
[NCBI on Facebook](#)
[NCBI on Twitter](#)
[NCBI on YouTube](#)

Name of journal: World Journal of Gastroenterology

ESPS Manuscript NO: 16465

Manuscript Type: ORIGINAL ARTICLE

Basic Study

Temporary ischemic injury to bile canaliculi lessened by hepatic artery bridging

Wang JZ *et al.* Hepatic artery bridging diminished ischemic injury

Jia-Zhong Wang, Yang Liu, Jin-Long Wang, Le Lu, Ya-Fei Zhang, Hong-Wei Lu,
Yi-Ming Li

Jia-Zhong Wang, Yang Liu, Jin-Long Wang, Le Lu, Ya-Fei Zhang, Hong-Wei Lu,
Yi-Ming Li, Department of General Surgery, Second Affiliated Hospital, Xi'an
Jiaotong University School of Medicine, Xi'an 710061, Shaanxi Province, China

Author contributions: Li YM conceived the research and critically reviewed and

Match Overview

1	CrossCheck 768 words Liu, Yang, Jiazhong Wang, Peng Yang, Hongwei Lu, Le Lu, Jinlong Wang, Hua Li, Yanxia Duan, Jun Wang, and Yimin	11%
2	Internet 114 words crawled on 01-Jul-2015 www.wjgnet.com	2%
3	CrossCheck 50 words Molecular Medicine, 2014.	1%
4	CrossCheck 41 words Jens G. Brockmann: "Sequence of reperfusion influences is chemia/reperfusion injury and primary graft function follow ...	1%
5	Internet 30 words crawled on 18-Dec-2013 www.science.gov	<1%
6	Publications 26 words Qin-Song Sheng, "Establishment of an animal model of is ... hemic type intrahepatic biliary lesion in rabbits", World Jour	<1%
7	CrossCheck 25 words Paige M. Porrett, "Late surgical complications following live r transplantation", Liver Transplantation, 10/29/2009	<1%
8	Internet 22 words crawled on 10-Feb-2014 www.ncbi.nlm.nih.gov	<1%

学术搜索

找到约 711 条结果 (用时0.03秒)

文章

我的图书馆

时间不限

2015以来

2014以来

2011以来

自定义范围...

按相关性排序

按日期排序

搜索所有网页

中文网页

英语网页

☒ 包括专利☒ 包含引用☐ 创建快讯

[引用] The liver in heart failure

CC Giallourakis, PM Rosenberg, LS Friedman - Clinics in liver disease, 2002 - Elsevier

被引用次数: 147 相关文章 所有 6 个版本 引用 保存

Hepatocyte transplantation as a bridge to orthotopic liver transplantation in terminal liver failure

SC Strom, RA Fisher, MT Thompson, AJ Sanyal... - ..., 1997 - journals.lww.com

... Biochemical evidence of liver injury improved significantly (P=0.004) and blood ammonia levels

decreased ... direct cellular or indirect trophic mechanism can result in decreased ammonia levels ...

for not using livers for whole organ transplantation included traumatic damage to the ...

被引用次数: 457 相关文章 所有 5 个版本 引用 保存

[图书] Diseases of the liver and biliary system

S Sherlock, J Dooley - 2008 - books.google.com

... amino acids, 106 Other precipitating factors, 106 Shunt occlusion, 106 Temporary hepatic support,

107 ... Hepatic changes in acute heart failure and shock, 199 Ischaemic hepatitis, 200 ... liver diseases,

381 Metabolism of alcohol, 382 Mechanisms of liver injury, 384 Morphological ...

被引用次数: 3507 相关文章 所有 11 个版本 引用 保存 更多

[HTML] Sclerosing cholangitis following severe trauma: Description of a remarkable disease entity with emphasis on possible pathophysiologic mechanisms

J Benninger, R Grobholz, Y Oeztuerk, CH Antoni... - World J ..., 2005 - wjgnet.com

... It can be assumed that through temporary hypoperfusion, possibly aggravated by vasopressor therapy, an ... may cause the vulnerability of the intrahepatic bile ducts to ischemic events ... may be ischemia and subsequent damage of the bile ducts due to transient arterial hypotension ...

被引用次数: 51 相关文章 所有 2 个版本 引用 保存

[引用] Postoperative jaundice

TW Faust, KR Reddy - Clinics in liver disease, 2004 - Elsevier

被引用次数: 34 相关文章 所有 4 个版本 引用 保存

Pathophysiology of hepatic dysfunction and intrahepatic cholestasis in heart failure and after left ventricular assist device support

Y Wadia, W Etheridge, F Smart, RP Wood... - The Journal of heart and ..., 2005 - Elsevier

... liver cell necrosis, in each case liver cell necrosis followed an transient fall of ... 25 Moore et al 26

showed that the ischemic gut creates an inflammatory environment that ... operative organ dysfunction

is believed to be endotoxemia, caused by splanchnic ischemia during surgery. ...

被引用次数: 18 相关文章 所有 6 个版本 引用 保存

wjgnet.com 中的 [HTML]



Temporary ischemic injury to bile canaliculi lessened by hepatic artery bridging



网页 图片 购物 新闻 视频 更多 ▾ 搜索工具

找到约 28,900 条结果 (用时 0.91 秒)

Google 学术 : Temporary ischemic injury to bile canaliculi lessened by hepatic artery bridging

The liver in heart failure - Giallourakis - 被引用次数 : 147

... transplantation as a bridge to orthotopic liver ... - Strom - 被引用次数 : 457

Diseases of the liver and biliary system - Sherlock - 被引用次数 : 3507

Delayed rearterialization unlikely leads to nonanastomotic ...

www.ncbi.nlm.nih.gov > ... > Literature > PubMed Central (PMC) - 翻译此页

作者 : Y Liu - 2015 - 相关文章

2014年12月1日 - Delayed rearterialization caused temporary injury to bile canaliculi and intrahepatic ... Keywords: biliary injury, delayed rearterialization, nonanastomotic strictures, warm ischemia ... The hepatic artery supplies blood to both intrahepatic and extrahepatic ducts. After 1 month, it decreased in all groups (Fig.

缺少字词 : bridging

Ischemia-Reperfusion Injury and Ischemic-Type Biliary ...

www.hindawi.com/journals/jtrans/2012/164329/ ▾ 翻译此页

作者 : R Cursio - 2012 - 被引用次数 : 27 - 相关文章

2011年12月23日 - Liver ischemia-reperfusion injury following LT causes up to 10% of early transplant ... NASs with an open hepatic artery represent a separate entity and are Decreased biliary glutathione excretion is due to impaired transport across the ... The impairment of bile canaliculi structure following I-R, and ...

缺少字词 : bridging

Preservation injury

tpis.upmc.com/tpislibrary/dlp/CHAP13h.html ▾ 翻译此页