

Scholar

About 250 results (0.10 sec)

Articles

Case law

My library

Any time

Since 2015


Since 2014

Since 2011

Custom range...

Sort by relevance

Sort by date

☒ include patents☒ include citations Create alert

[HTML] A revisit of prophylactic lamivudine for chemotherapy – associated **hepatitis B reactivation in non – Hodgkin's lymphoma**: A randomized trial

C Hsu, CA Hsiung, IJ Su, WS Hwang, MC Wang... - ..., 2008 - Wiley Online Library

... mutant usually resulted in clinical hepatitis; thus, agents with more favorable resistance profiles, such as adefovir or **entecavir**, may be better ... Patterns of **HBV reactivation**, 0.324. ... 1 Lok AS, Liang RH, Chiu EK, Wong KL, Chan TK, Todd D. **Reactivation of hepatitis B** virus replication ...

Cited by 208 Related articles All 11 versions Cite Save

[HTML] from wiley.com

[HTML] Diagnosis, prevention and management of **hepatitis B** virus **reactivation** during anticancer therapy

W Yeo, PJ Johnson - Hepatology, 2006 - Wiley Online Library

... core promoter **HBV** mutants (ie, HBeAg-negative/**hepatitis B** e antigen-positive chronic **hepatitis B** infection).80 ... is the avoidance of corticosteroid therapy as part of chemotherapeutic/antiemetic regimens in **HBsAg** carriers.14–15, 106, 107 However, **HBV reactivation** may still ...

Cited by 439 Related articles All 4 versions Cite Save

[HTML] from wiley.com

[HTML] Systematic review: the effect of preventive lamivudine on **hepatitis B** reactivation during chemotherapy

R Loomba, A Rowley, R Wesley... - Annals of Internal ..., 2008 - Am Coll Physicians

1.

Cited by 312 Related articles All 8 versions Cite Save

[HTML] from annals.org

[HTML] Screening, prevention and treatment of viral **hepatitis B** reactivation in patients with haematological malignancies

G Lalazar, D Rund, D Shouval - British journal of haematology, 2007 - Wiley Online Library

... While adefovir and lamivudine seem to suppress **hepatitis B** viral load equally well, **entecavir** is the ... against **HBV**, leading to a 5–6 log suppression in viral load in **HBsAg**/HBeAg positive ... There have been a few reports on the successful use of adefovir for **HBV reactivation** by a ...

Cited by 292 Related articles All 9 versions Cite Save

[HTML] from wiley.com

[HTML] Retrospective and prospective studies of **hepatitis B** virus **reactivation** in malignant lymphoma with occult **HBV** carrier

N Fukushima, T Mizuta, M Tanaka... - Annals of ..., 2009 - Eur Soc Med Oncology

... of **HBV** DNA in the early stage and successfully controlled it by administration of **entecavir**. ... Use of antiviral agent as prophylaxis of **HBV** in **HBsAg**-seropositive patients undergoing cytotoxic ...

[HTML] from oxfordjournals.org



17343-Review

BY HASAN TAHSIN GOZDAS

Quotes Excluded
Bibliography Excluded0%
SIMILAR

Match Overview

Name of journal: *World Journal of Gastroenterology*

ESPS Manuscript NO: 17343

Columns: LETTERS TO THE EDITOR

Use of entecavir in hepatitis B virus reactivation of a patient with non-Hodgkin's lymphoma

Gozdas HT *et al.* Entecavir use in HBV reactivation

Hasan Tahsin Gozdas, Erkan Arpaci

Hasan Tahsin Gozdas, Department of Infectious Diseases and Clinical Microbiology,
Dr. Münif İslamoğlu Kastamonu State Hospital, 37100 Kastamonu, Turkey

Erkan Arpaci, Department of Medical Oncology, Bülent Ecevit University Faculty of
Medicine, 67980 Zonguldak, Turkey

Author contributions: Both authors contributed to this work.

学术搜索

找到约 225 条结果 (用时0.06秒)

文章

我的图书馆

时间不限

2015以来

2014以来

2011以来

自定义范围...

按相关性排序

按日期排序

搜索所有网页

中文网页

英语网页

☒ 包括专利☒ 包含引用☐ 创建快讯

[HTML] A revisit of prophylactic lamivudine for chemotherapy - associated hepatitis B reactivation in non - Hodgkin's lymphoma: A randomized trial

C Hsu, CA Hsiung, IJ Su, WS Hwang, MC Wang... - ..., 2008 - Wiley Online Library

... The patient population and the chemotherapy regimen used in this study are more homogenous than ... hepatitis; thus, agents with more favorable resistance profiles, such as adefovir or entecavir, may be ... Therefore, in this study we chose to use follow-up ALT levels as the guide ...

被引用次数: 219 相关文章 所有 11 个版本 引用 保存

wiley.com 中的 [HTML]

[HTML] Diagnosis, prevention and management of hepatitis B virus reactivation during anticancer therapy

W Yeo, PJ Johnson - Hepatology, 2006 - Wiley Online Library

... a humanized monoclonal antibody against anti-CD52+ malignant lymphoid cells), used alone or ... Administration reported a possible relationship between fulminant hepatitis and rituximab use. ... of HBsAg Carriers Studied, Rate of HBV Reactivation, Statistical Analysis, Risk Factors ...

被引用次数: 455 相关文章 所有 4 个版本 引用 保存

wiley.com 中的 [HTML]

[HTML] Systematic review: the effect of preventive lamivudine on hepatitis B reactivation during chemotherapy

R Loomba, A Rowley, R Wesley... - Annals of Internal ..., 2008 - Am Coll Physicians

1.

被引用次数: 333 相关文章 所有 8 个版本 引用 保存

annals.org 中的 [HTML]

[HTML] Screening, prevention and treatment of viral hepatitis B reactivation in patients with haematological malignancies

G Lalazar, D Rund, D Shouval - British journal of haematology, 2007 - Wiley Online Library

... While adefovir and lamivudine seem to suppress hepatitis B viral load equally well, entecavir is the ... There have been a few reports on the successful use of adefovir for HBV reactivation ... Interferon alpha, used for the treatment of chronic HBV, has been shown to control chronic ...

被引用次数: 306 相关文章 所有 9 个版本 引用 保存

wiley.com 中的 [HTML]

Comparison of entecavir and lamivudine in preventing hepatitis B reactivation in lymphoma patients during chemotherapy

HR Li, JJ Huang, HQ Guo, X Zhang, Y Xie... - Journal of viral ..., 2011 - Wiley Online Library

... both groups were well balanced at baseline (Table 1). Cyclophosphamide, doxorubicin, vincristine and prednisone (CHOP)-based chemotherapy was used in most ... Use of rituximab, 58, 65.2, 24, 70.6, 0.569. ... Additionally, 34 patients received oral entecavir at a dose of 0.5 mg daily ...

被引用次数: 44 相关文章 所有 3 个版本 引用 保存



n hepatitis B virus reactivation of a patient with non-Hodgkin's lymphoma



网页 新闻 图片 视频 购物 更多 搜索工具

找到约 18,800 条结果 (用时 1.16 秒)

Google 学术 : Use of entecavir in hepatitis B virus reactivation of a patient with non-Hodgkin's lymphoma

... hepatitis B reactivation in non-Hodgkin's lymphoma: A ... - Hsu - 被引用次数 : 219

... and management of hepatitis B virus reactivation ... - Yeo - 被引用次数 : 455

... of preventive lamivudine on hepatitis B reactivation ... - Loomba - 被引用次数 : 336

Randomized Controlled Trial of Entecavir Prophylaxis for ...

jco.ascopubs.org/content/31/22/2765.full ▼ 翻译此页

作者 : YH Huang - 2013 - 被引用次数 : 72 - 相关文章

2013年8月1日 - Conclusion Undetectable HBV viral load before chemotherapy did not confer ... The incidence of HBV reactivation in patients with lymphoma and ... 2012, all patients with histologically proven CD20⁺ non-Hodgkin lymphoma, ...

Fatal Hepatitis B Reactivation Treated With Entecavir in an ...

www.ncbi.nlm.nih.gov > ... > PubMed Central (PMC) ▼ 翻译此页

作者 : R Ferreira - 2012 - 被引用次数 : 8 - 相关文章

Hepatitis B virus (HBV) reactivation is a well-known complication of patients ... Leo et al, male sex, lack of anti-HBs and use of rituximab were additional risk factors. ... was diagnosed with localized diffuse large B-cell non-Hodgkin's lymphoma; ...

Prophylactic Use of Entecavir for Non-Hodgkin's Lymphoma ...

<https://clinicaltrials.gov/ct2/show/NCT00926757> ▼ 翻译此页

2009年6月22日 - Lymphoma patients who had previous infected by HBV but negative for HBsAg ... With Hepatitis B Reactivation in HBsAg (-), Anti-HBc (+)

Non-Hodgkin's trial of entecavir prophylaxis for rituximab-associated hepatitis B virus ...

[PDF] Hepatitis B Reactivation in Cancer Patients - Hematology ...

www.hematologyandoncology.net/files/.../ho0612_kawsar1.pdf ▼ 翻译此页