

Name of journal: *World Journal of Gastroenterology*

ESPS Manuscript NO: 17235

Manuscript Type: Basic Study

TP53 codon 72 Arg/Arg polymorphism is associated with a higher risk for inflammatory bowel disease development

Volodko N *et al.* TP53 72 codon polymorphism in IBD development

Natalia Volodko, Mohamed Salla, Bertus Eksteen, Richard Fedorak, Hien Huynh, Shairaz Baksh

Natalia Volodko, Hien Huynh, Shairaz Baksh, Department of Pediatrics, Faculty of Medicine and Dentistry, University of Alberta, Edmonton, AB T6G 2E1, Canada

Mohamed Salla, Shairaz Baksh, Department of Biochemistry, Faculty of Medicine and Dentistry, University of Alberta, Edmonton, AB T6G 2E1, Canada

Match Overview

3 matches

- | | | |
|---|--|-----|
| 1 | Internet 145 words
crawled on 01-Jul-2015
www.wjgnet.com | 2% |
| 2 | Internet 49 words
crawled on 06-Jul-2014
www.biomedcentral.com | 1% |
| 3 | CrossCheck 25 words
Volodko, Natalia, Marilyn Gordon, Mohamed Salla, Haya A bu Ghazaleh, and Shairaz Baksh. "RASSF tumor suppres ... | <1% |

文章

我的图书馆

时间不限

2015以来

2014以来

2011以来

自定义范围...

按相关性排序

按日期排序

搜索所有网页

中文网页

英语网页

☒ 包括专利☒ 包含引用☐ 创建快讯

[HTML] Evaluation of p53 codon 72 polymorphism in adenocarcinomas of the colon and rectum europepmc.org 中的 [HTML] in La Plata, Argentina.

LO Pérez, MC Abba, FN Dulout... - World journal of ..., 2006 - europepmc.org

... Moreover, no significant differences were found in p53 mutation prevalence between Arg/Arg (40/97 ... S, Saisho H. Analysis of a germ line polymorphism of the p53 gene in ... The TP53 codon 72 polymorphism may affect the function of TP53 mutations in breast carcinomas but not ...

被引用次数: 53 相关文章 所有 10 个版本 引用 保存

[HTML] P53 codon 11, 72, and 248 gene polymorphisms in endometriosis

YY Hsieh, CS Lin - Int J Biol Sci, 2006 - ijbs.com

... The TP53 codon 72 polymorphism may affect the function of TP53 mutations in breast ... Mutability of p53 hotspot codons to benzo(a)pyrene diol epoxide (BPDE) and the ... Genotype and allele frequency of p53 codon 72 polymorphisms in populations with and without endometriosis ...

被引用次数: 55 相关文章 所有 8 个版本 引用 保存 更多

[HTML] p53 Arg72Pro polymorphism and risk of colorectal adenoma and cancer

A Koushik, GJ Tranah, J Ma... - ... journal of cancer, 2006 - Wiley Online Library

... Table 6. Multivariate Odds Ratios for the Association between p53 Codon 72 Genotype and Colorectal Cancer ... studies showing an increased risk of cervical cancer with the Arg/Arg genotype, 22 ... 3 16-bp duplication polymorphism. 15 Alternatively, the Pro form of p53 compared ...

被引用次数: 61 相关文章 所有 4 个版本 引用 保存

P53 codon 72 polymorphism and gastric cancer: A meta - analysis of the literature

Y Zhou, N Li, W Zhuang, GJ Liu, TX Wu... - ... Journal of Cancer, 2007 - Wiley Online Library

... race, patients with gastric cancer had a significantly lower frequency of Arg/Arg (OR = 0.84 ... TP53 polymorphisms and lung cancer risk: a systematic review and meta-analysis. ... The associations of p53 overexpression with p53 codon 72 genetic polymorphism in esophageal cancer ...

被引用次数: 117 相关文章 所有 5 个版本 引用 保存

Prevalence and risk factors of atrophic gastritis and intestinal metaplasia in a Korean population without significant gastroduodenal disease

N Kim, YS Park, SI Cho, HS Lee, G Choe, IW Kim... - ..., 2008 - Wiley Online Library

... of salty or spicy food) are shown in Table 2, which also contains details of subject numbers with bacterial factors (ie cagA, vacA m, oipA), and genetic polymorphisms (ie IL-1B-511 ... Genetic polymorphism. ... p53 codon 72 (Arg/Arg : Arg/Pro : Pro/Pro), 101 : 112 : 57, 37.4 : 41.5 : 21.1.

被引用次数: 70 相关文章 所有 4 个版本 引用 保存

ijbs.com 中的 [HTML]

wiley.com 中的 [HTML]

wiley.com 中的 [HTML]



associated with a higher risk for inflammatory bowel disease development



网页 新闻 图片 购物 视频 更多 ▾ 搜索工具

找到约 42,200 条结果 (用时 0.98 秒)

Google 学术 : TP53 codon 72 Arg/Arg polymorphism is associated with a higher risk for inflammatory bowel disease development

... of p53 codon 72 polymorphism in adenocarcinomas of ... - Pérez - 被引用次数 : 53

P53 codon 11, 72, and 248 gene polymorphisms in ... - Hsieh - 被引用次数 : 55

p53 Arg72Pro polymorphism and risk of colorectal ... - Koushik - 被引用次数 : 61

Association of p53 codon 72 genetic polymorphism with the ...

www.academia.edu/.../Association_of_p53_codon_72_genetic... ▾ 翻译此页

Conclusion The p53 codon 72 genetic polymorphism is associated with UC in northern Iran. ... inflammatory disease with episodic progression that is restricted to the colon.

.... 72 polymorphism in healthy control subjects and patients with UC Arg/Arg ... The Pro allele is associated with a 1.37- to 11.29-fold higher risk for lung ...

TP53 tumor protein p53 [(human)]

www.ncbi.nlm.nih.gov/gene/7157 ▾ 翻译此页

2015年7月5日 - Mutations in this gene are associated with a variety of human cancers, including ... are associated with higher risks for skin oncologic diseases of ... Genetic polymorphisms of ERCC1 and TP53 are risk factors for nephrotoxicity, women. codon 72 of the p53 Arg>Pro polymorphism may not significantly ...

R72P polymorphism of TP53 in ulcerative colitis patients is ...

www.ncbi.nlm.nih.gov/pubmed/20309662 - 翻译此页

作者 : F Eren - 2010 - 被引用次数 : 8 - 相关文章

2010年3月23日 - R72P polymorphism of TP53 in ulcerative colitis patients is ...

polymorphism (SNP) of p53 is Arg>Pro substitution on codon 72 (R72P). ... Pro/Pro