



Is liver biopsy still needed in children with chronic viral hepatitis?



学术搜索

找到约 27,900 条结果 (用时0.22秒)

我的著作引用情况



文章

我的图书馆

时间不限

2015以来

2014以来

2011以来

自定义范围...

按相关性排序

按日期排序

搜索所有网页

中文网页

简体中文网页

☒ 包括专利

☐ 包含引用

小提示: 只搜索中文(简体)结果, 可在 [学术搜索设置](#) 指定搜索语言

Long-term outcome after spontaneous HBeAg seroconversion in patients with chronic hepatitis researchgate.net 中的 [PDF]  
B

YS Hsu, RN Chien, CT Yeh, IS Sheen, HY Chiou... - Hepatology, 2002 - Elsevier

... was documented in 8 (67%) patients on or after HBeAg reversion with 1(13%) developing hepatic decompensation with ... 15. Lin DY, Sheen IS, Chiu CT, Lin SM, Kuo YC, Liaw YF. Ultra-sonographic changes of early liver cirrhosis in chronic hepatitis B: a longitudinal study. ...

被引用次数: 666 相关文章 所有 7 个版本 引用 保存

Interferon alfa therapy for chronic hepatitis B in children: a multinational randomized controlled researchgate.net 中的 [PDF]  
trial

EM Sokal, HS Conjeevaram, EA Roberts, F Alvarez... - Gastroenterology, 1998 - Elsevier

... in general mild and no child had cirrhosis, although 25 (17%) had bridging hepatic fibrosis (3 ... was completed to 48 weeks on the 70 children and 10 (14%) underwent a second liver biopsy. ... The timing of HBV DNA loss in the treated and untreated groups is summarized in Figure ...

被引用次数: 272 相关文章 所有 11 个版本 引用 保存

National Institutes of Health consensus development conference statement: management of hepatitis C: 2002—June 10-12, 2002

NIH This - Management, 2002 - Wiley Online Library

... studies have enrolled only patients with stable HIV infection and well-compensated liver disease ... Thus treatment of HCV infection in patients with HIV is recommended on a case-by-case ... Although treatment of HCV does not appear to compromise treatment of the HIV infection ...

被引用次数: 2244 相关文章 所有 2 个版本 引用 保存 更多



21585-Review

BY POKORSKA-SPIEWAK MARIA

Quotes Excluded  
Bibliography Excluded6%  
SIMILAR

## Match Overview

1	Internet 99 words crawled on 01-Jun-2014 <a href="http://www.ncbi.nlm.nih.gov">www.ncbi.nlm.nih.gov</a>	1%
2	Internet 83 words crawled on 06-Jun-2015 <a href="http://www.easl.eu">www.easl.eu</a>	1%
3	CrossCheck 59 words Dezsőfi, Antal, Ulrich Baumann, Anil Dhawan, Ozlem Durmaz, Björn Fischler, Nedim Hadzic, Loreto Hierro, Floren	1%
4	Internet 50 words crawled on 27-Jun-2015 <a href="http://paperity.org">paperity.org</a>	1%
5	CrossCheck 40 words Lefkowitz, J.H. "Liver Biopsy Assessment in Chronic Hepatitis", Archives of Medical Research, 200708	1%
6	Internet 34 words crawled on 05-Dec-2012 <a href="http://www.siapec.it">www.siapec.it</a>	<1%

Name of Journal: *World Journal of Gastroenterology*

ESPS Manuscript NO: 21585

Manuscript Type: REVIEW

Is liver biopsy still needed in children with chronic viral hepatitis?

4  
Maria Pokorska-Śpiwak, Barbara Kowalik-Mikołajewska, Malgorzata Aniszewska,  
Magdalena Pluta, Magdalena Marczyńska





Is liver biopsy still needed in children with chronic viral hepatitis?



学术搜索

找到约 33,300 条结果 (用时0.15秒)

我的著作引用情况

文章

我的图书馆

时间不限

2015以来

2014以来

2011以来

自定义范围...

按相关性排序

按日期排序

搜索所有网页

中文网页

简体中文网页

☒ 包括专利

☒ 包含引用

小提示: 只搜索中文(简体)结果, 可在 学术搜索设置 指定搜索语言

Long-term outcome after spontaneous HBeAg seroconversion in patients with chronic hepatitis B researchgate.net 中的 [PDF]

YS Hsu, RN Chien, CT Yeh, IS Sheen, HY Chiou... - Hepatology, 2002 - Elsevier

... was documented in 8 (67%) patients on or after HBeAg reversion with 1(13%) developing hepatic decompensation with ... 15. Lin DY, Sheen IS, Chiu CT, Lin SM, Kuo YC, Liaw YF. Ultra-sonographic changes of early liver cirrhosis in chronic hepatitis B: a longitudinal study. ...

被引用次数: 677 相关文章 所有 7 个版本 引用 保存

Interferon alfa therapy for chronic hepatitis B in children: a multinational randomized controlled trial researchgate.net 中的 [PDF]

EM Sokal, HS Conjeevaram, EA Roberts, F Alvarez... - Gastroenterology, 1998 - Elsevier

... in general mild and no child had cirrhosis, although 25 (17%) had bridging hepatic fibrosis (3 ... was completed to 48 weeks on the 70 children and 10 (14%) underwent a second liver biopsy. ...

The timing of HBV DNA loss in the treated and untreated groups is summarized in Figure ...

被引用次数: 274 相关文章 所有 11 个版本 引用 保存

National Institutes of Health consensus development conference statement: management of hepatitis C: 2002—June 10-12, 2002

NIH This - Management, 2002 - Wiley Online Library

... studies have enrolled only patients with stable HIV infection and well-compensated liver disease ...

Thus treatment of HCV infection in patients with HIV is recommended on a case-by-case ... Although treatment of HCV does not appear to compromise treatment of the HIV infection ...

被引用次数: 2250 相关文章 所有 2 个版本 引用 保存 更多

Meeting report: international autoimmune hepatitis group

找到约 672,000 条结果 (用时 0.49 秒)

### Is liver biopsy mandatory in children with chronic hepatitis C?

[www.wjgnet.com/1007-9327/13/4025.asp](http://www.wjgnet.com/1007-9327/13/4025.asp) ▾ 翻译此页

作者：R Iorio - 被引用次数：8 - 相关文章

Since liver histology investigation of a **child with chronic hepatitis C** has few ... is **still** considered a common endpoint of clinical trials, the value of **liver biopsy** in ... has been questioned, advocating that this procedure may not be **necessary** for the ... course when compared to **hepatitis C virus** (HCV) infection in adults[13-16].

### Is liver biopsy mandatory in children with chronic hepatitis C?

[www.ncbi.nlm.nih.gov](http://www.ncbi.nlm.nih.gov) > ... > PubMed Central (PMC) ▾ 翻译此页

作者：R Iorio - 2007 - 被引用次数：8 - 相关文章

2007年8月7日 - Since liver histology investigation of a **child with chronic hepatitis C** has few ... although reduction of fibrosis is **still** considered a common endpoint of clinical trials, the ... that this procedure may not be **necessary** for the initiation of therapy[10]. ... with **hepatitis B virus**) out of 17 who underwent **liver biopsy**.

### Pathology of Chronic Hepatitis C in Children: Liver Biopsy ...

[www.ncbi.nlm.nih.gov](http://www.ncbi.nlm.nih.gov) > ... > PubMed Central (PMC) ▾ 翻译此页

作者：ZD Goodman - 2008 - 被引用次数：105 - 相关文章

Pathology of **Chronic Hepatitis C in Children: Liver Biopsy** Findings in the ... the **hepatitis C virus** (HCV) and with no other identifiable cause for liver disease, ... no disease process other than **hepatitis C** was **required** for entry into the trial. .... Thus, a total of 6 patients had already developed cirrhosis while **still** in childhood.

### Hepatitis - Wikipedia, the free encyclopedia

<https://en.wikipedia.org/wiki/Hepatitis> ▾ 翻译此页

Worldwide, **viral hepatitis** is the most common cause of liver inflammation. ... Acute **viral hepatitis** is more likely to be asymptomatic in **children**. .... Autoimmune hepatitis is