

Name of Journal: *World Journal of Gastroenterology*

ESPS Manuscript NO: 19183

Manuscript Type: TOPIC HIGHLIGHT

2015 Advances in Colorectal Cancer

Irinotecan, a key chemotherapeutic drug for metastatic colorectal cancer

Fujita K *et al.* Irinotecan and metastatic colorectal cancer

Ken-ichi Fujita, Yutaro Kubota, Hiroo Ishida, Yasutsuna Sasaki

Ken-ichi Fujita, Yasutsuna Sasaki, Institute of Molecular Oncology, Showa

University, Tokyo 1428555, Japan

Yutaro Kubota, Hiroo Ishida, Yasutsuna Sasaki, Department of Medical

Match Overview

1	Publications 203 words "Chemotherapy Dosing in the Setting of Liver Dysfunction", <i>Oncology</i> , July 1 2005 Issue	1%
2	CrossCheck 121 words Ken-ichi Fujita, "Pharmacogenetics of Irinotecan Disposition and Toxicity: A Review", <i>Current Clinical Pharmacology</i>	1%
3	Internet 103 words crawled on 18-Jul-2015 www.wjgnet.com	1%
4	Internet 91 words crawled on 24-May-2008 clincancerres.aacrjournals.org	1%
5	Internet 69 words crawled on 20-Oct-2014 theoncologist.alphamedpress.org	1%
6	Internet 52 words crawled on 11-Oct-2010 lib.bioinfo.pl	<1%
7	Internet 50 words crawled on 15-Apr-2009 jco.ascopubs.org	<1%
8	CrossCheck 36 words "Pharmacogenomics in Drug-Metabolizing Enzymes C... alyzing Anticancer Drugs for Personalized Cancer Chem	<1%
9	Internet 30 words crawled on 17-Mar-2012 pubmed.cn	<1%



文章

我的图书馆

时间不限

2015以来

2014以来

2011以来

自定义范围...

按相关性排序

按日期排序

搜索所有网页

中文网页

简体中文网页

包括专利

包含引用

创建快讯

小提示: 只搜索中文(简体)结果, 可在 学术搜索设置 指定搜索语言

Bevacizumab plus irinotecan, fluorouracil, and leucovorin for metastatic colorectal cancer

H Hurwitz, L Fehrenbacher, W Novotny... - ... journal of medicine, 2004 - Mass Medical Soc
 ... Expert Opinion on Drug Discovery1-15. 38. ... (2014) Combining bevacizumab and panitumumab with irinotecan, 5-fluorouracil, and leucovorin (FOLFIRI) as second-line treatment in patients with metastatic colorectal cancer. ... (2014) Chemotherapy-Associated Hepatotoxicity and ...

被引用次数: 8709 相关文章 所有 20 个版本 引用 保存

wisc.edu 中的 [PDF]

... irinotecan, fluorouracil, and leucovorin as first-line treatment for metastatic colorectal cancer: updated analysis of overall survival according to tumor KRAS and BRAF ...

E Van Cutsem, CH Köhne, I Láng... - Journal of Clinical ..., 2011 - jco.ascopubs.org
 ... between KRAS status and treatment effect were noted for all key efficacy end ... Exposure to irinotecan and fluorouracil was similar for patients in both treatment groups in the ITT1 ... chemotherapy (or subsequent EGFR-targeted therapy with or without chemotherapy) was ...

被引用次数: 899 相关文章 所有 9 个版本 引用 保存

ascopubs.org 中的 [PDF]

Cetuximab and chemotherapy as initial treatment for metastatic colorectal cancer

E Van Cutsem, CH Köhne, E Hitre... - ... Journal of Medicine, 2009 - Mass Medical Soc
 ... Mutation at key sites within the gene, commonly at codons 12 and 13, causes constitutive activation of KRAS-associated signaling. ... Bevacizumab plus irinotecan, fluorouracil, and leucovorin for metastatic colorectal cancer. ... (2015) Chemotherapy or Liver Transplantation for ...

被引用次数: 2450 相关文章 所有 10 个版本 引用 保存

researchgate.net 中的 [PDF]

Cetuximab monotherapy and cetuximab plus irinotecan in irinotecan-refractory metastatic colorectal cancer

D Cunningham, Y Humblet, S Siena... - ... journal of medicine, 2004 - Mass Medical Soc
 ... 23 EGFR inhibition by cetuximab may overcome this resistance by abrogating drug efflux.23 ... Irinotecan; mechanisms of tumor resistance and novel strategies for modulating its activity.... Use of chemotherapy plus a monoclonal antibody against HER2 for metastatic breast cancer ...

被引用次数: 4538 相关文章 所有 16 个版本 引用 保存

wisc.edu 中的 [PDF]

Bevacizumab in combination with oxaliplatin-based chemotherapy as first-line therapy in metastatic colorectal cancer; a randomized phase III study

LB Saltz, S Clarke, E Díaz-Rubio... - Journal of Clinical ..., 2008 - jco.ascopubs.org
 ... Other key exclusion criteria were: clinically significant cardiovascular disease; clinically detectable ascites; use ... Hurwitz H, Fehrenbacher L, Novotny W, et al: Bevacizumab plus irinotecan, fluorouracil, and ... M, Hainsworth J, et al: Safety of bevacizumab plus chemotherapy as first ...

被引用次数: 4999 相关文章 所有 11 个版本 引用 保存

ascopubs.org 中的 [HTML]

[网页](#) [新闻](#) [图片](#) [购物](#) [视频](#) [更多 ▾](#) [搜索工具](#)

找到约 128,000 条结果 (用时 0.59 秒)

Google 学术 : Irinotecan, a key chemotherapeutic drug for metastatic colorectal cancer

... , and leucovorin for metastatic colorectal cancer - Hurwitz - 被引用次数 : 8733

... as first-line treatment for metastatic colorectal cancer: ... - Van Cutsem - 被引用次数 : 906

... as initial treatment for metastatic colorectal cancer - Van Cutsem - 被引用次数 : 2457

Colorectal cancer treatment; metastatic cancer - UpToDate

www.uptodate.com/.../colorectal-cancer-treatment-metastatic-ca... ▾ [翻译此页](#)

2015年9月25日 - Chemotherapy does not cure metastatic colorectal cancer, but it can improve With FOLFOX and FOLFIRI, the oxaliplatin or irinotecan are typically four or five key questions a patient might have about a given condition.

New treatments for advanced and metastatic colorectal cancer

www.australianprescriber.com/magazine/25/5/111/3 ▾ [翻译此页](#)

2002年10月1日 - These drugs include raltitrexed, capecitabine, irinotecan and oxaliplatin. ... Key words: raltitrexed, capecitabine, irinotecan, oxaliplatin. ... The most commonly used chemotherapy for colorectal cancer has been 5-fluorouracil ...

How do I treat ... a patient with metastatic colorectal cancer ...

journals.lww.com > Home > February 2011 - Volume 8 - Issue 2 ▾ [翻译此页](#)

作者 : A Grothey - 2011

When I first see a patient with metastatic colorectal cancer, one of the key issues I ... combining all active chemotherapy agents – 5-FU, irinotecan, and oxaliplatin ... Before any treatment for metastatic disease is considered, I obtain a KRAS test ...