




Surgical therapy for hepatolithiasis: a single-center eastern experience



网页 图片 购物 新闻 视频 更多 搜索工具

找到约 8,540 条结果 (用时 0.72 秒)

Google 学术: Surgical therapy for hepatolithiasis: a single-center eastern experience

- ... primary intrahepatic stones: a single-center experience - Nuzzo - 被引用次数: 40
- ... : an 11-year Western single-center experience in 107 ... - Yedibela - 被引用次数: 47
- ... hepatolithiasis: a single-center Western experience - Tabrizian - 被引用次数: 20

Classification and management of hepatolithiasis: A high ...

www.ncbi.nlm.nih.gov > ... > PubMed Central (PMC) 翻译此页
 作者: X Feng - 2012 - 被引用次数: 1 - 相关文章
 Hepatolithiasis is endemic to East Asia, but immigration from the region means that this rare but emerging ... Available treatments include medication and surgery. Liver resection for primary intrahepatic stones: A single-center experience.

Surgical management of hepatolithiasis - National Center ...

www.ncbi.nlm.nih.gov > ... > PubMed Central (PMC) 翻译此页
 作者: SV Sakpal - 2009 - 被引用次数: 32 - 相关文章
 However, non-surgical procedures such as cholangiography, although ... with an apparent decline in the incidence of the disease in some East Asian countries. management of hepatolithiasis: A high-volume, single-center's experience.

Liver resection for primary intrahepatic stones - A single ...

www.researchgate.net/.../5296485_Liver_resection_for_primar... 翻译此页
 Liver resection for primary intrahepatic stones - A single-center experience ...
 Department of Surgery, Hepatobiliary Surgery Unit, Catholic University of the Sacred ...
 ABSTRACT Primary intrahepatic lithiasis occurs frequently in East Asia but is rare in ...

Name of journal: World Journal of Gastroenterology

ESPS Manuscript NO: 20363

Columns: ORIGINAL ARTICLE

Retrospective Study

Oddi sphincter preserved cholangioplasty with hepatico-subcutaneous
stoma for hepatolithiasis

Yu-Gui Lian, Wei-Tao Zhang, Zhi Xu, Xiao-Feng Ling, Li-Xin Wang,

Chun-Sheng Hou, Gang Wang, Long Cui, Xiao-Si Zhou

Abstract

Match Overview

1	CrossCheck 105 words Xiaofeng Ling. "Is Oddi sphincterotomy an indication for hepatolithiasis?", <i>Surgical Endoscopy</i> , 01/28/2009	2%
2	CrossCheck 101 words Tian Yang. "Hepatectomy for Bilateral Primary Hepatolithiasis: A Cohort Study", <i>Annals of Surgery</i> , 01/2010	2%
3	CrossCheck 46 words Li, Shao-Qiang, Li-Jian Liang, Bao-Gang Peng, Yun-Peng Hua, Ming-De Lv, Sun-Jun Fu, and Dong Chen. "Outco	1%
4	CrossCheck 37 words Kazuhisa Uchiyama. "Reducing Residual and Recurrent Stones by Hepatectomy for Hepatolithiasis", <i>Journal of G</i>	1%
5	CrossCheck 37 words Lai, E.C.H.. "Laparoscopic approach of surgical treatment for primary hepatolithiasis: a cohort study", <i>The Ameri</i>	1%
6	CrossCheck 34 words Xiujun Cai. "Laparoscopic hepatectomy for hepatolithiasis: a feasibility and safety study in 29 patients", <i>Surgical E</i>	1%
7	Publications 33 words "Research from Peking University, Department of General Surgery in the area of cholangitis described.", <i>Gastroe</i>	1%
8	CrossCheck 28 words Weidong Pan. "Surgical treatment of complicated hepatolithiasis using the ultrasound-guided fiberoptic choledoc	1%



Oddi sphincter preserved cholangioplasty with hepatico-subcutaneous st



网页 图片 视频 新闻 更多 搜索工具

找到约 71 条结果 (用时 0.61 秒)

Mid-and Long-term Outcomes of Oddi Sphincter-preserved ...

caod.oriprobe.com/.../Mid_and_Long_term_Outcomes_of_Odd... - 翻译此页

Mid-and Long-term Outcomes of Oddi Sphincter-preserved Cholangioplasty with Hepatico-subcutaneous Stoma (OSPCHS) for Hepatolithiasis: Report of 96 ...

肝内胆管结石行保留Oddi括约肌的胆管狭窄整形术96例中 ...

www.zsbeike.com > 医学 > 外科分科

... sphincter-preserved cholangioplasty with hepatico-subcutaneous stoma ... with hepatolithiasis after receiving Oddi sphincter-preserved cholangioplasty with ...

肝内胆管结石行保留Oddi括约肌的胆管狭窄整形术 ... - 万方数据

d.wanfangdata.com.cn > 期刊首页 > 中国微创外科杂志 > 2010年2期

2010年3月26日 - Mid-and Long-term Outcomes of Oddi Sphincter-preserved Cholangioplasty with Hepatico-subcutaneous Stoma (OSPCHS) for Hepatolithiasis: ...

[PDF] 肝内胆管结石行保留Oddi括约肌的胆管狭窄整形术96例中 ...

www.zhiyuanbao.net/.../肝内胆管结石行保留Oddi括约肌_省略_管狭窄...

作者: 凌晓锋 - 被引用次数: 5 - 相关文章

w ith hepatico-subcutaneous stoma, OSPCH S) 96例中长期随访结果。 ... Outcom es ofOddi Sphincter-preserved Cholangioplasty w ith Hepatico-subcutaneous ... m id- and long-term outcomes of patientsw ith hepatolithiasis after receiving Oddi.

肝内胆管结石行保留Oddi括约肌的胆管狭窄整形术96例中 ...

zgwcwk.paperopen.com/oa/DArticle.aspx?type=view&id=201002008

2013年7月16日 - Title: Mid-and Long term Outcomes of Oddi Sphincter preserved Cholangioplasty with Hepatico subcutaneous Stoma (OSPCHS) for ... outcomes of patients with hepatolithiasis after receiving Oddi sphincter preserved ...

Articles

Case law

My library

Any time

Since 2015

Since 2014

Since 2011

Custom range...

Sort by relevance

Sort by date

 include patents include citations Create alert**Is Oddi sphincterotomy an indication for hepatolithiasis?**X Ling, Z Xu, L Wang, C Hou, D Xiu, T Zhang... - *Surgical endoscopy*, 2009 - Springer... 48.3%, 14/29); hepatolobectomy (26.7%, 4/15); **Oddi sphincter preserved cholangioplasty** with **hepatico** ... Both complete eradication of hepatobiliary lesions and keeping the **Oddi sphincter** intact should ... of stricture repair- ment and partial hepatectomy **preserving** a subcutaneous ...

Cited by 6 Related articles All 9 versions Cite Save

Analysis on surgery of complex hepatic duct lithiasis and stricture [J]T Lei - *Journal of Regional Anatomy and Operative Surgery*, 2011 - en.cnki.com.cn... Gang,et al.Department of General Surgery,Peking University Third Hospital,Beijing 100191,China;Mid-and Long-term Outcomes of **Oddi Sphincter-preserved Cholangioplasty** with **Hepatico-subcutaneous Stoma**(OSPCHS) for **Hepatolithiasis**:Report of 96 Cases[J];Chinese ...

Cited by 4 Related articles Cite Save More

Synchronized endoscopic therapy for intrahepatic and extrahepatic bile duct stones: analysis of 36 cases [J]J WEN, P WEN, M GONG, M HAN, X LI... - *China Journal of ...*, 2009 - en.cnki.com.cn... 100191,China;Mid-and Long-term Outcomes of **Oddi Sphincter-preserved Cholangioplasty** with **Hepatico** ... General Hospital of Guangzhou Military District 510010;**Preservation** of yangweisan ... combination of stricture repairment and partial hepatectomy **preserving** a subcutaneous ...

Cited by 2 Related articles Cite Save More

Application of anatomical liver resection in patients with hepatolithiasisX CHEN, Y XU, F CHENG, P Wang, LY Pu, GQ Li - *Jiangsu Med J*, 2006 - en.cnki.com.cn... Gang,et al.Department of General Surgery,Peking University Third Hospital,Beijing 100191,China;Mid-and Long-term Outcomes of **Oddi Sphincter-preserved Cholangioplasty** with **Hepatico-subcutaneous Stoma**(OSPCHS) for **Hepatolithiasis**:Report of 96 Cases[J];Chinese ...

Cited by 1 Related articles Cite Save More

Mid-and Long-term Outcomes of Oddi Sphincter-preserved Cholangioplasty with Hepatico-subcutaneous Stoma (OSPCHS) for Hepatolithiasis: Report of 96 CasesL Xiaofeng, X Zhi, W Gang - *Chinese Journal of Minimally ...*, 2010 - en.cnki.com.cnObjective To summarize the mid-and long-term outcomes of patients with **hepatolithiasis** after receiving **Oddi sphincter-preserved cholangioplasty** with **hepatico-subcutaneous stoma** (OSPCHS) in our hospital. Methods We reviewed 96 cases of **hepatolithiasis**, who ...