



Comparison of Stretta procedure and laparoscopic Toupet fundoplication for GEI



Web

[Images](#)

[Videos](#)

[News](#)

[Shopping](#)

[Maps](#)

[Books](#)

About 2,100 results

Any time

Past hour

Past 24 hours

Past week

Past month

Past year

All results

Verbatim

[Paradigm Shift in the Management of Gastroesophageal Reflux ...](#)

www.ncbi.nlm.nih.gov/pmc/articles/PMC1514514/

To compare the short-term results of the radiofrequency treatment of the ... versus laparoscopic fundoplication (LF) in patients with gastroesophageal reflux ... Patients were offered the Stretta procedure if they had documented GERD A 270° posterior fundoplication (Toupet) was used in patients with impaired esophageal ...

[Refractory gastroesophageal reflux disease](#)

www.ncbi.nlm.nih.gov/pmc/articles/PMC4324866/

Sep 30, 2014 ... Other patients may have typical reflux symptoms without evidence of A recent study compared GERD-related esophageal distension before ... The procedure helps the identification of a group of patients with Laparoscopic Nissen fundoplication (LNF) is currently considered the standard procedure.

[Management Strategies for Gastroesophageal Reflux Disease: An ...](#)

effectivehealthcare.ahrq.gov/.../search-for-guides-reviews-and-reports/?...

Sep 23, 2011 ... For Key Questions related to extraesophageal GERD, we included ... or partial (Toupet) fundoplication, either as an open or as a laparoscopic procedure. ... stay, and the rate of reoperation after a surgical or endoscopic procedure. ... Compared with those who received medical treatment, patients who ...

[Gastroesophageal Reflux Disease \(GERD\): Treatment Devices - Aetna](#)

www.aetna.com/cpb/medical/data/200_299/0213.html

The initial treatment of GERD is geared toward reducing esophageal refluxes. ... the 2 most common procedures are the Nissen fundoplication and the Toupet Although some surgeons propose use of the Stretta procedure for patients Laparoscopic fundoplication has been shown to be an effective anti-reflux operation.

[Gastroesophageal reflux disease related asthma: From preliminary ...](#)

Name of Journal: World Journal of Gastroenterology

ESPS Manuscript NO: 19721

Manuscript Type: ORIGINAL ARTICLE

Prospective Study

Comparison of the Stretta procedure and Toupet fundoplication for gastroesophageal reflux disease-related extra-esophageal symptoms

Chao Yan, Wei-Tao Liang, Zhong-Gao Wang, Zhi-Wei Hu, Ji-Min Wu, Chao Zhang, Mei-Ping Chen

Abstract

AIM: To compare outcomes between the Stretta procedure and laparoscopic Toupet fundoplication (LTF) in patients with gastroesophageal reflux disease

Match Overview

1	CrossCheck 272 words Liang, Wei-Tao, Chao Yan, Zhong-Gao Wang, Ji-Min Wu, Zhi-Wei Hu, Xiu-Lan Zhan, Feng Wang, Song-Song Ma,	7%
2	CrossCheck 176 words Liang, Wei-Tao, Zhong-Gao Wang, Feng Wang, Yue Yang, Zhi-Wei Hu, Jian-Jun Liu, Guang-Chang Zhu, Chao Zh	5%
3	Internet 43 words crawled on 11-Sep-2013 gi-produkte.de	1%
4	CrossCheck 28 words Smith, C.D., "Stretta: ahead of its time or has its time passed?", <i>Gastrointestinal Endoscopy</i> , 2007;70:3	1%
5	Internet 28 words crawled on 03-Oct-2014 www.readbag.com	1%
6	Internet 24 words crawled on 12-Dec-2012 www.touchgastroenterology.com	1%
7	CrossCheck 15 words Albert W. Tsang, "Reoperative laparoscopic paraesophageal herniorrhaphy can produce excellent outcomes", <i>Su</i>	<1%
8	Internet 14 words crawled on 15-Jan-2011 lib.bioinfo.pl	<1%



Comparison of the Stretta procedure and Toupet fundoplication for gas



网页

图片

新闻

视频

更多

搜索工具

找到约 1,220 条结果 (用时 0.53 秒)

Paradigm Shift in the Management of Gastroesophageal ...

www.ncbi.nlm.nih.gov > ... > PubMed Central (PMC) ▾ 翻译此页

作者: WO Richards - 2003 - 被引用次数: 94 - 相关文章

To **compare** the short-term results of the radiofrequency **treatment** of the ... Patients were offered the **Stretta procedure** if they had documented **GERD** and did not have a hiatal ... **treatment-related** reduction in **GERD symptoms** and **esophageal** acid three Collis-Nissen, and three **Toupet funduplications** were performed.

Gastroesophageal reflux disease related asthma: From ...

www.wjgnet.com/2218-6255/full/v5/i1/58.htm ▾ 翻译此页

作者: ZW Hu - 相关文章

2015年3月28日 - **EXTRAESOPHAGEAL GERD SYMPTOMS** ... Recently, Sontag et al[] **compared** floppy Nissen to **Toupet fundoplication**. ... After the **Stretta procedure**, 59 (42.8%) patients achieved complete PPI therapy independence and ...

Management Strategies for Gastroesophageal Reflux Disease

effectivehealthcare.ahrq.gov/.../search-for-guides-reviews-and-... ▾ 翻译此页

作者: C Guide - 2011 - 相关文章

2011年9月23日 - A number of patients have frequent severe **symptoms** requiring long-term regular For Key Questions **related** to **extraesophageal GERD**, we included ... total (Nissen and Nissen-Rossetti) or partial (**Toupet**) **fundoplication**, either as One study that **compared** technical **procedure** parameters observed a ...

Gastroesophageal Reflux Disease Related Asthma from ...

wenku.baidu.com/view/66c33802ec3a87c24128c453.html ▾ 翻译此页

2015年6月15日 - The optimal strategies for the diagnosis of **GERD-related** asthma and its not be performed to treat **extraesophageal symptoms** of **GERD** in patients [20] ...



[网页](#) [图片](#) [视频](#) [新闻](#) [更多 ▾](#) [搜索工具](#)

找到约 1,210 条结果 (用时 0.72 秒)

Paradigm Shift in the Management of Gastroesophageal ...

www.ncbi.nlm.nih.gov > ... > PubMed Central (PMC) ▾ [翻译此页](#)

作者 : WO Richards - 2003 - 被引用次数 : 94 - [相关文章](#)

To **compare** the short-term results of the radiofrequency **treatment** of the ... Patients were offered the **Stretta procedure** if they had documented **GERD** and did not have a hiatal ... **treatment-related** reduction in **GERD symptoms** and **esophageal acid** three Collis-Nissen, and three **Toupet funduplications** were performed.

Gastroesophageal reflux disease related asthma: From ...

www.wjgnet.com/2218-6255/full/v5/i1/58.htm ▾ [翻译此页](#)

作者 : ZW Hu - [相关文章](#)

2015年3月28日 - **EXTRAESOPHAGEAL GERD SYMPTOMS** Recently, Sontag et al[] **compared** floppy Nissen to **Toupet fundoplication**. ... After the **Stretta procedure**, 59 (42.8%) patients achieved complete PPI therapy independence and

Management Strategies for Gastroesophageal Reflux Disease

effectivehealthcare.ahrq.gov/.../search-for-guides-reviews-and-... ▾ [翻译此页](#)

作者 : C Guide - 2011 - [相关文章](#)

2011年9月23日 - A number of patients have frequent severe **symptoms** requiring long-term regular For Key Questions **related** to **extraesophageal GERD**, we included ... total (Nissen and Nissen-Rossetti) or partial (**Toupet**) **fundoplication**, either as One study that **compared** technical **procedure** parameters observed a ...

Related Articles - PubMed Central Canada

pubmedcentralcanada.ca/pmcc/solr/mlt.jsessionid... ▾ [翻译此页](#)

Results 1 - 25 - Twenty-five out of 41 patients also had typical **GERD symptoms** (heartburn and/or regurgitation). ... and pH monitoring; **Extra-esophageal** reflux syndromes; **Chronic** laryngitis ... and **Toupet funduplications** for gastroesophageal