



Exacerbation of ulcerative colitis after anti-IL-6R salvage therapy



学术搜索

获得 2 条结果 (用时0.35秒)

文章

我的图书馆

时间不限

2015以来

2014以来

2011以来

自定义范围...

按相关性排序

按日期排序

搜索所有网页

中文网页

英语网页

☒ 包括专利

☒ 包含引用

创建快讯

### Biological therapy for ulcerative colitis: what is after anti-TNF

G Fiorino, M Cesarini, S Danese - Current drug targets, 2011 - ingentaconnect.com

... Biological Therapy for Ulcerative Colitis: What is after Anti-TNF ... They include anti TNF-  $\alpha$  agents, anti adhesion molecules, anti IL-12/23, anti IL-6R and more, ... 1. INTRODUCTION Ulcerative Colitis (UC) is an inflammatory bowel disease (IBD) that can involve the whole colon and ...

被引用次数: 8 相关文章 所有 3 个版本 引用 保存

### [HTML] Current and emerging drugs for the treatment of inflammatory bowel disease

JK Triantafillidis, E Merikas, ... - ... development and therapy, 2011 - ncbi.nlm.nih.gov

... gastrointestinal tract that includes two entities, namely Crohn's disease (CD) and ulcerative colitis (UC). ... explaining why each patient displays their own clinical picture and response to therapy. 1. ... review we will try to describe the established and emerging therapeutic strategies in ...

被引用次数: 80 相关文章 所有 8 个版本 引用 保存

创建快讯

nih.gov 中的 [HTML]

[关于 Google 学术搜索](#)

[隐私权](#)

[条款](#)

[提供反馈](#)

**Name of journal:** *World Journal of Gastroenterology*

**ESPS Manuscript NO:** 17907

**Manuscript Type:** CASE REPORT

**First case report of exacerbated ulcerative colitis after anti-interleukin-6R salvage therapy**

Atreya R *et al.* Anti-IL-6R therapy in ulcerative colitis

Raja Atreya, Ulrike Billmeier, Timo Rath, Jonas Mudter, Michael Vieth, Helmut Neumann, Markus F Neurath

**Raja Atreya, Ulrike Billmeier, Timo Rath, Helmut Neumann, Markus F Neurath,**  
Medical Clinic 1, Friedrich-Alexander University Erlangen-Nürnberg, D-91054  
Erlangen, Germany

**Jonas Mudter,** Medical Department, Hospital Ostholstein, Eutin, Germany

## Match Overview

1

**Internet** 99 words  
crawled on 01-Jul-2015  
[www.wjgnet.com](http://www.wjgnet.com)

2%



First case report of exacerbated ulcerative colitis after anti-IL-6R salvage the ▾



学术搜索

获得 1 条结果 (用时0.05秒)

文章

我的图书馆

时间不限

2015以来

2014以来

2011以来

自定义范围...

按相关性排序

按日期排序

搜索所有网页

中文网页

英语网页

☒ 包括专利

☒ 包含引用

✉ 创建快讯

Biological therapy for ulcerative colitis: what is after anti-TNF

G Fiorino, M Cesarini, S Danese - Current drug targets, 2011 - ingentaconnect.com

... Biological Therapy for Ulcerative Colitis: What is after Anti-TNF ... They include anti TNF-  $\alpha$  agents, anti adhesion molecules, anti IL-12/23, anti IL-6R and more. ... 1. INTRODUCTION Ulcerative Colitis (UC) is an inflammatory bowel disease (IBD) that can involve the whole colon and ...

被引用次数: 9 相关文章 所有 3 个版本 引用 保存

✉ 创建快讯

[关于 Google 学术搜索](#)

[隐私权](#)

[条款](#)

[提供反馈](#)



文章

我的图书馆

时间不限

2015以来

2014以来

2011以来

自定义范围...

按相关性排序

按日期排序

搜索所有网页

中文网页

简体中文网页

☒ 包括专利☒ 包含引用

创建快讯

小提示：只搜索中文(简体)结果，可在 学术搜索设置 指定搜索语言

**New therapies for inflammatory bowel disease: from the bench to the bedside**

S Danese - Gut, 2012 - gut.bmj.com

... inhibit the effects of IL-12/IL-23 and have shown limited results in early phase clinical ... CRP) levels tend to have a greater response to ustekinumab.24 A more recent report of a ... ustekinumab remain in remission.25 In all three trials no serious adverse events were reported.23–25 ...

被引用次数：150 相关文章 所有 6 个版本 引用 保存

**Efficacy of B-cell-targeted therapy with rituximab in patients with rheumatoid arthritis**

JCW Edwards, L Szczepański... - ... England Journal of ..., 2004 - Mass Medical Soc

... From 70 to 80 percent of patients with non-Hodgkin's lymphoma report adverse events during their first infusion,21 ... Clinical significance of rheumatoid factors in early rheumatoid arthritis: results of a follow up study. ... Case Reports 2014:may30 2, bcr2014204366-bcr2014204366. ...

被引用次数：2159 相关文章 所有 13 个版本 引用 保存

**[HTML] Role of cytokines in inflammatory bowel disease**

F Sanchez-Muñoz, A Domínguez-Lopez... - World journal of ..., 2008 - ncbi.nlm.nih.gov

... The lack of appropriate regulation from T cells, or an over-production of effector T cells, participates in the development and exacerbation of IBD[ 3 ]. ... In a recent study has been reported that IL-18 up-regulation may be found only in a minority of patients with CD[ 34 ]. ...

被引用次数：287 相关文章 所有 9 个版本 引用 保存

**Haemopoietic stem cell transplantation in autoimmune diseases: a European perspective**

RE Hough, JA Snowden... - British journal of ..., 2005 - Wiley Online Library

... Further, the frequency of subsequent relapse could be reduced by transplants early in the ... First, the recipients are usually HLA-identical with their donors and as such may ... Anecdotal case reports of cure of autoimmune disease in patients receiving autologous and allogeneic ...

被引用次数：87 相关文章 所有 7 个版本 引用 保存

**[HTML] Novel Drug Therapies for the Treatment of Crohn's Disease**

P Miheller, AA Csontos, Z Vegh, A Gelley... - ... of Gastrointestinal &amp; ..., 2015 - omicsonline.org

... rituximab was observed to exacerbate the symptoms of UC in one case [75] and ... Expert Opinion First representatives of biologics; the anti-TNF agents revolutionized not only the ... as tomorrow; to provide the best available outcomes to our patients through early patient stratification ...

ucl.ac.uk 中的 [PDF]

nih.gov 中的 [HTML]

wiley.com 中的 [HTML]

omicsonline.org 中的 [HTML]