

学术搜索

找到约 91 条结果 (用时0.07秒)

文章

我的图书馆

时间不限

2015以来

2014以来

2011以来

自定义范围...

按相关性排序

按日期排序

搜索所有网页

中文网页

英语网页

☒ 包括专利☒ 包含引用☒ 创建快讯

Endoscopy in the bariatric surgical patient

CS Huang, FA Farraye - Gastroenterology Clinics of North America, 2005 - Elsevier

... The vertical lesser curvature channel permits easy endoscopic visualization, ... The stoma should be approximately 10 to 12 mm wide, and endoscopically it may appear similar to ... 8A). After passing the endoscope beyond the stoma, complete examination of the unaltered antrum ...

被引用次数: 46 相关文章 所有 6 个版本 引用 保存

researchgate.net 中的 [PDF]

[HTML] Endoscopic fibrin glue injection for closure of pancreaticutaneous fistula following transgastric endoscopic necrosectomy

JW Jang, SHM Do Hyun Park, SS Lee... - World journal of ..., 2008 - ncbi.nlm.nih.gov

... and wound site dehiscence alongside the percutaneous catheter because the endoscope may block ... size (diameter < 1 cm) fistulae, and inner surface should be reached endoscopically. ...

Endoscopic management of gastrocutaneous fistula after bariatric surgery by using a fibrin ...

被引用次数: 4 相关文章 所有 9 个版本 引用 保存

nih.gov 中的 [HTML]

Bronchobiliary fistula successfully treated with n-butyl cyanoacrylate via a bronchial approach

SY Goldman, CR Greben, A Setton, MJ McKinley... - Journal of Vascular and ..., 2007 - Elsevier

... tree (Fig 2). Attempts to access the fistula site through the endoscope were unsuccessful. ... The conservative approach most frequently reported involves endoscopic sphincterotomy with removal of any ... In our patient, we were able to opacify the biliary tree endoscopically, but we ...

被引用次数: 15 相关文章 所有 5 个版本 引用 保存

Biliogastric diversion for the management of high-output duodenal fistula: report of two cases and literature review

K Milias, N Deligiannidis, TS Papavramidis... - Journal of ..., 2009 - Springer

... Endoscopy 1990;22:194-195. 27. Truong S, Böhm G, Klinge U, Stumpf M, Schumpelick V. Results after endoscopic treatment of postoperative upper gastrointestinal fistulas and leaks using combined Vicryl plug and fibrin glue. Surg Endosc 2004;18:1105-1108. ...

被引用次数: 6 相关文章 所有 6 个版本 引用 保存

Endoscopic treatment of iatrogenic gastrointestinal perforations: an overview

N Al Ghossaini, D Lucidarme, P Bulois - Digestive and Liver Disease, 2014 - Elsevier

... The following methods have been described in the literature to close IP endoscopically; however, most of ... Endoscopic treatment with clips can be offered if they are detected immediately, and if their ... 10-13 mm) and/or those located at angulations, requires an endoscope with a ...

被引用次数: 4 相关文章 所有 7 个版本 引用 保存

researchgate.net 中的 [PDF]

Name of journal: *World Journal of Gastroenterology*

ESPS Manuscript NO: 19237

Manuscript Type: CASE REPORT

Endoscopic fibrin sealant closure of duodenal perforation after endoscopic retrograde cholangiopancreatography

Yang HY *et al.* Perforation closure with fibrin sealant

Hsin-Yeh Yang, Jui-Hao Chen

Hsin-Yeh Yang, Jui-Hao Chen, Division of Gastroenterology, Department of Internal Medicine, Shin Kong Wu Ho-Su Memorial Hospital, Taipei 11101, Taiwan

Jui-Hao Chen, Faculty of Medicine, Taipei Medical University, Taipei 11101,

Match Overview

- | Match Number | Source | Words | Similarity |
|--------------|--|-----------|------------|
| 1 | CrossCheck | 115 words | 5% |
| | Soni, Abha. "Fluorid reactive periostitis ossificans of the hu...
erus: Case report and differential diagnosis of periosteal le | | |
| 2 | CrossCheck | 32 words | 1% |
| | Liao, Chao-Sheng. "Application of quantitative estimates ...
fecal hemoglobin concentration for risk prediction of colore | | |
| 3 | CrossCheck | 25 words | 1% |
| | Parlak, Erkan, Aydin Ş. Köksal, Selçuk Dişibeyaz, Oğuz Üs
küdar, and Nurgül Şaşmaz. "Endoscopic Closure of ERCP- | | |
| 4 | CrossCheck | 23 words | 1% |
| | Mutignani, M. "Successful endoscopic closure of a latera...
uodenal perforation at ERCP with fibrin glue", Gastrointesti | | |
| 5 | Internet | 20 words | 1% |
| | crawled on 18-May-2015
www.ncbi.nlm.nih.gov | | |

学术搜索

找到约 121 条结果 (用时0.08秒)

文章

我的图书馆

时间不限

2015以来

2014以来

2011以来

自定义范围...

按相关性排序

按日期排序

搜索所有网页

中文网页

简体中文网页

☒ 包括专利

☒ 包含引用

☒ 创建快讯

Thanks for the feedback! [Back](#)
We'll review this ad to improve your experience in the future.
Help us show you better ads by updating your [ads settings](#).

小提示：只搜索中文(简体)结果，可在 学术搜索设置 指定搜索语言

Endoscopy in the bariatric surgical patient
CS Huang, [FA Farfay](#) - *Gastroenterology Clinics of North America*, 2005 - Elsevier
... The vertical lesser curvature channel permits easy **endoscopic** visualization. ... The stoma should be approximately 10 to 12 mm wide, and **endoscopically** it may appear similar to ... 8A). **After** passing the **endoscope** beyond the stoma, complete examination of the unaltered antrum ...
被引用次数：45 相关文章 所有 6 个版本 引用 保存

[researchgate.net 中的 \[PDF\]](#)

Biliogastric diversion for the management of high-output duodenal fistula: report of two cases and literature review
K Milias, [N Deligiannidis](#), [TS Papavramidis](#),... - *Journal of ...*, 2009 - Springer
... **Endoscopy** 1990;22:194-195. 27. Truong S, Böhm G, Klinge U, Stumpf M, Schumpelick V. Results **after endoscopic** treatment of postoperative upper gastrointestinal fistulas and leaks using combined Vicryl plug and **fibrin** glue. *Surg Endosc* 2004;18:1105-1108. ...
被引用次数：7 相关文章 所有 7 个版本 引用 保存

[HTML] Endoscopic fibrin glue injection for closure of pancreatocutaneous fistula following transgastric endoscopic necrosectomy
JW Jang, SHM Do Hyun Park, SS Lee... - *World journal of ...*, 2008 - [ncbi.nlm.nih.gov](#)
... and wound site dehiscence alongside the percutaneous catheter because the **endoscope** may block ... size (diameter < 1 cm) fistulae, and inner surface should be reached **endoscopically**. ...
Endoscopic management of gastrocuteaneous fistula **after** bariatric surgery by using a **fibrin** ...
被引用次数：5 相关文章 所有 10 个版本 引用 保存

[nih.gov 中的 \[HTML\]](#)

Endoscopic treatment of iatrogenic gastrointestinal perforations: an overview
N Al Ghossaini, D Lucidarme, P Bulois - *Digestive and Liver Disease*, 2014 - Elsevier
... The **following** methods have been described in the literature to close IP **endoscopically**; however, most of ... **Endoscopic** treatment with clips can be offered if they are detected immediately, and if their ... 10-13 mm) and/or those located at angulations, requires an **endoscope** with a ...
被引用次数：8 相关文章 所有 6 个版本 引用 保存

[researchgate.net 中的 \[PDF\]](#)



[网页](#) [图片](#) [视频](#) [新闻](#) [购物](#) [更多 ▾](#) [搜索工具](#)

找到约 6,400 条结果 (用时 1.04 秒)

Google 学术 : Endoscopic fibrin sealant closure of duodenal perforation after endoscopic retrograde cholangiopancreatography

Endoscopy in the bariatric surgical patient - [Huang](#) - 被引用次数 : 45

... management of high-output duodenal fistula: report of ... - [Milias](#) - 被引用次数 : 7

Endoscopic fibrin glue injection for closure of ... - [Jang](#) - 被引用次数 : 5

References - Techniques in Gastrointestinal Endoscopy

www.techgientoscopy.com/article/S1096...2/references ▾ [翻译此页](#)

Closure of transmural defects in the gastrointestinal tract by methods other than clips of gastroduodenal fistula after bariatric surgery by using a fibrin sealant. ... endoscopic closure of a lateral duodenal perforation at ERCP with fibrin glue.

The Management of Endoscopic Retrograde ...

www.ncbi.nlm.nih.gov > ... > Literature > PubMed Central (PMC) - [翻译此页](#)

作者 : KB Cho - 2014 - 被引用次数 : 2 - 相关文章

2014年7月28日 - Traditionally, duodenal perforation has been treated with early surgical repair. Recently, nonoperative early endoscopic management techniques including clips or fibrin glue have been reported. In the ... Endoscopic retrograde cholangiopancreatography (ERCP) is an invasive procedure carrying potential ...

缺少字词 : sealant

Endoscopic treatment of duodenal fistula after incomplete ...

www.ncbi.nlm.nih.gov > ... > PubMed Central (PMC) ▾ [翻译此页](#)