



Coexistence of hepatoma with mantle cell lymphoma in a hepatitis B carr



网页

图片

购物

新闻

视频

更多

搜索工具

找到约 16,700 条结果 (用时 0.62 秒)

Google 学术: Coexistence of hepatoma with mantle cell lymphoma in a hepatitis B carrier

Regression of splenic lymphoma with villous ... - Hermine - 被引用次数: 628

... occurrence of hepatocellular carcinoma and lymphoma ... - Shapira - 被引用次数: 10

... in patients with chronic hepatitis C virus infection - Ramos-Casals - 被引用次数: 76

Coexistence of splenic marginal zone lymphoma with ...

www.ncbi.nlm.nih.gov > ... > Literature > PubMed Central (PMC) - 翻译此页

作者: SH Zhang - 2007 - 被引用次数: 2 - 相关文章

2007年2月6日 - Serum hepatitis B virus surface antigen was positive and ... describing coexistence of hepatocellular carcinoma and splenic marginal zone lymphoma ... and staining of cyclin D1 is helpful for excluding mantle cell lymphoma.

缺少字词: carrier

Regulation of gene expression in HBV-and HCV-related ...

www.ncbi.nlm.nih.gov > ... > Literature > PubMed Central (PMC) - 翻译此页

作者: X Zhou - 2014 - 相关文章

2014年11月15日 - Keywords: Hepatocellular carcinoma, hepatitis B virus, hepatitis C virus, It was reported up-regulated in proliferating, cultured human mantle cell lymphoma, but ... a role in mediating susceptibility to HCC in Chinese HBV carriers [70].
.... adaptive immune responses: a tale of coevolution and coexistence.

Concurrent Infection of Hepatitis B Virus Negatively Affects ...

journals.plos.org/plosone/article?id=10.1371/journal.pone... - 翻译此页

作者: J Chen - 2013 - 被引用次数: 5 - 相关文章

1
Name of Journal: World Journal of Gastroenterology

ESPS Manuscript NO: 21048

Manuscript Type: CASE REPORT

Coexistence of hepatoma with mantle cell lymphoma in a hepatitis B carrier

Mu-Hsien Lee, Yu-Ching Lin, Hao-Tsai Cheng, Wen-Yu Chuang, Hsin-Chih Huang,
Hsiao-Wen Kao

Abstract

The coexistence of hepatocellular carcinoma (HCC) and non-Hodgkin's lymphoma (NHL) in the liver is rare. Reports show that these patients have cirrhotic livers or hepatitis virus infections before they develop HCC and NHL. We present a patient with

Match Overview

1	Internet 119 words crawled on 20-Aug-2010 www.wjgnet.com	4%
2	CrossCheck 55 words Lee, Soon Il, Nae-Yun Heo, Seung Ha Park, Young-Don Jo o, Il Hwan Kim, Jeong-Ik Park, Ji Yeon Kim, Seung Ho Kim,	2%
3	CrossCheck 31 words "Posters", Clinical Microbiology and Infection, 4/2007	1%
4	CrossCheck 18 words Tatsuki R. Kataoka. "Concomitant hepatocellular carcinoma a and non-Hodgkin's lymphoma in a patient with nodular re	1%
5	Internet 14 words crawled on 23-Mar-2012 www.ncbi.nlm.nih.gov	<1%
6	CrossCheck 12 words Tohru Utsunomiya. "Hepatocellular carcinoma infiltrated th non-Hodgkin's lymphoma: Report of a case", Surgery To	<1%
7	Internet 11 words crawled on 11-May-2012 ajblood.us	<1%



Coexistence of hepatoma with mantle cell lymphoma in a hepatitis B ca



网页

图片

新闻

视频

更多

搜索工具

找到约 21,300 条结果 (用时 0.65 秒)

Google 学术: Coexistence of hepatoma with mantle cell lymphoma in a hepatitis B carrier

Regression of splenic lymphoma with villous ... - Hermine - 被引用次数: 638

... occurrence of hepatocellular carcinoma and lymphoma ... - Shapira - 被引用次数: 10

... in patients with chronic hepatitis C virus infection - Ramos-Casals - 被引用次数: 78

Coexistence of splenic marginal zone lymphoma with ...

www.ncbi.nlm.nih.gov > ... > Literature > PubMed Central (PMC) - 翻译此页

作者: SH Zhang - 2007 - 被引用次数: 2 - 相关文章

2007年2月6日 - Serum hepatitis B virus surface antigen was positive and ... describing coexistence of hepatocellular carcinoma and splenic marginal zone lymphoma ... and staining of cyclin D1 is helpful for excluding mantle cell lymphoma.

High Risk of Hepatitis B Reactivation among Patients with ...

www.ncbi.nlm.nih.gov > ... > Literature > PubMed Central (PMC) - 翻译此页

作者: CY Chen - 2015 - 被引用次数: 1 - 相关文章

2015年5月14日 - Sixteen HBV carriers (28.1%) developed hepatitis B reactivation during or after ... acute and chronic liver disease including cirrhosis and hepatocellular carcinoma. an active regimen for aggressive mantle-cell lymphoma.

PLOS ONE: High Risk of Hepatitis B Reactivation among ...

journals.plos.org/plosone/article?id=10.1371/journal.pone... - 翻译此页

2015年5月14日 - Sixteen HBV carriers (28.1%) developed hepatitis B reactivation during or after ... acute and chronic liver disease including cirrhosis and hepatocellular carcinoma. an active regimen for aggressive mantle-cell lymphoma.

[网页](#) [图片](#) [新闻](#) [视频](#) [更多 ▾](#) [搜索工具](#)

找到约 21,100 条结果 (用时 0.65 秒)

Google 学术 : Coexistence of hepatoma with mantle cell lymphoma in a hepatitis B carrier

Regression of splenic lymphoma with villous ... - Hermine - 被引用次数 : 638

... occurrence of hepatocellular carcinoma and lymphoma ... - Shapira - 被引用次数 : 10

... in patients with chronic hepatitis C virus infection - Ramos-Casals - 被引用次数 : 78

Coexistence of splenic marginal zone lymphoma with ...

www.ncbi.nlm.nih.gov > ... > Literature > PubMed Central (PMC) - 翻译此页

作者 : SH Zhang - 2007 - 被引用次数 : 2 - 相关文章

2007年2月6日 - Serum hepatitis B virus surface antigen was positive and ..., describing coexistence of hepatocellular carcinoma and splenic marginal zone lymphoma and staining of cyclin D1 is helpful for excluding mantle cell lymphoma.

High Risk of Hepatitis B Reactivation among Patients with ...

www.ncbi.nlm.nih.gov > ... > Literature > PubMed Central (PMC) - 翻译此页

作者 : CY Chen - 2015 - 被引用次数 : 1 - 相关文章

2015年5月14日 - Sixteen HBV carriers (28.1%) developed hepatitis B reactivation during or after ... acute and chronic liver disease including cirrhosis and hepatocellular carcinoma. an active regimen for aggressive mantle-cell lymphoma.

Concurrent Infection of Hepatitis B Virus Negatively Affects ...

journals.plos.org/plosone/article?id=10.1371/journal.pone... ▾ 翻译此页

作者 : J Chen - 2013 - 被引用次数 : 5 - 相关文章

2013年7月8日 - The patients with HBV infection often develop lymphoma at an early ... Mantle cell lymphoma, 27, T-cell lymphocytic leukemia, 16 HBV carrier (Carrier;