

Name of Journal: *World Journal of Gastroenterology*

ESPS Manuscript NO: 17394

Manuscript Type: BASIC STUDY

HuR mediated post-transcriptional regulation as a new potential adjuvant therapeutic target in chemotherapy for pancreatic cancer

Jakstaite A *et al.* HuR mediated chemoresistance in pancreatic cancer

Aldona Jakstaite, Aurelija Maziukiene, Giedre Silkuniene, Kristina Kmieliute, Antanas Gulbinas, Zilvinas Dambrauskas

Aldona Jakstaite, Aurelija Maziukiene, Giedre Silkuniene, Kristina Kmieliute, Antanas Gulbinas, Zilvinas Dambrauskas, Institute for Digestive System Research, Lithuanian University of Health Sciences, , 50161 Kaunas, Lithuania

Match Overview

1	Internet 116 words crawled on 14-Aug-2013 www.ncbi.nlm.nih.gov	1%
2	Internet 107 words crawled on 07-May-2010 www.bioxplorer.com	1%
3	Internet 103 words crawled on 19-Feb-2014 atgcchecker.com	1%
4	Internet 103 words crawled on 30-Sep-2009 clincancerres.aacrjournals.org	1%
5	Internet 88 words crawled on 17-Jun-2015 www.wjgnet.com	1%
6	CrossCheck 84 words Wang, Jun, Yan Guo, Hui Li Chu, Yaping Guan, Jingwang Bi, and Baocheng Wang. "Multiple Functions of the RNA-	1%
7	CrossCheck 32 words Shaker, Soheir Saad, Amal Ali Hasan, Mona Zakaria El Bostany, and Abeer Said Farag. "The role of cyclooxyg ...	<1%
8	Internet 30 words crawled on 25-Aug-2014 www.cellregenerationjournal.com	<1%
9	CrossCheck 25 words Reim, Daniel, Alexander Novotny, and Helmut Friess. "... ultimodal treatment concepts in pancreatic cancer", Adva	<1%

学术搜索

找到约 214 条结果 (用时0.03秒)

文章

我的图书馆

时间不限

2015以来

2014以来

2011以来

自定义范围...

按相关性排序

按日期排序

搜索所有网页

中文网页

英语网页

☒ 包括专利☒ 包含引用☐ 创建快讯

The Cdk inhibitor p27 in human cancer: prognostic potential and relevance to anticancer therapy

IM Chu, L Hengst, JM Slingerland - Nature Reviews Cancer, 2008 - nature.com

... also known as CSN5 and JAB1), a protein that mediates p27 degradation ... MYC represses the CDKN1B promoter 19, its effects on p27 are predominantly post-transcriptional, ... why oncogenic activation of receptor tyrosine kinases drive PI3K-mediated cytoplasmic mislocalization ...

被引用次数: 513 相关文章 所有 7 个版本 引用 保存

nature.com 中的 [HTML]

The role of let-7 in cell differentiation and cancer

B Boyerinas, SM Park, A Hau... - ... -related cancer, 2010 - Soc Endocrinology

... Current evidence suggests that a significant portion of the human genome is regulated by microRNAs, and many ... The discovery of microRNAs (miRNAs or miRs) in the early 1990s has opened a new era understanding posttranscriptional regulation of genes by ...

被引用次数: 307 相关文章 所有 8 个版本 引用 保存

endocrinology-journals.org 中的 [HTML]

[PDF] Breast cancer growth and metastasis: interplay between cancer stem cells, embryonic signaling pathways and epithelial-to-mesenchymal transition

N Takebe, RQ Warren, SP Ivy - Breast Cancer Res, 2011 - biomedcentral.com

... Numb-mediated Notch inhibition is disrupted in approximately 50% of breast carcinomas, due to ... The Hh ligands Sonic (SHh), Desert (DHh) and Indian (IHh), mediate embryogenesis by ... miRNAs act by inhibiting gene expression at the post-transcriptional level by suppression of ...

被引用次数: 90 相关文章 所有 13 个版本 引用 保存 更多

biomedcentral.com 中的 [PDF]

The past, present, and future of biomarkers: a need for molecular beacons for the clinical management of pancreatic cancer

JR Brody, AK Witkiewicz, CJ Yeo - Advances in surgery, 2011 - Elsevier

... Thus, focusing on other relevant biologic processes such as post-transcriptional gene regulation involved in PDA ... 4) any identifiable pathologic feature of a tumor (eg, lymph node positivity); (5) subcellular localization of a protein in a tumor or stromal cell (eg, HuR); and/or ...

被引用次数: 17 相关文章 所有 5 个版本 引用 保存

Contribution of microRNAs to radio-and chemoresistance of brain tumors and their therapeutic potential

DA Chistiakov, VP Chekhonin - European journal of pharmacology, 2012 - Elsevier

... Help. Download PDF Opens in a new window. ... Contribution of microRNAs to radio- and chemoresistance of brain tumors and their therapeutic potential. ... These tumors exhibit high resistance to radiation therapy and treatment with anti-cancer drugs. ...

researchgate.net 中的 [PDF]

[网页](#) [新闻](#) [图片](#) [视频](#) [购物](#) [更多 ▾](#) [搜索工具](#)

找到约 35,300 条结果 (用时 0.34 秒)

Google 学术 : HuR mediated post-transcriptional regulation as a new potential adjuvant therapeutic target in chemotherapy for pancreatic cancer

... potential and relevance to anticancer therapy - Chu - 被引用次数 : 516

The role of let-7 in cell differentiation and cancer - Boyerinas - 被引用次数 : 312

... growth and metastasis: interplay between cancer stem ... - Takebe - 被引用次数 : 91

HuR mediated post-transcriptional regulation as a new ...

[www.pancreatology.net/article/S1424-3903\(15\)00207.../abstra...](http://www.pancreatology.net/article/S1424-3903(15)00207.../abstra...) ▾ 翻译此页

作者 : Z Dambrauskas - 2015

HuR mediated post-transcriptional regulation as a new potential therapeutic target in adjuvant treatment of pancreatic cancer ... oxygenase-1 (HO-1), which may be related to the increased resistance of pancreatic cancer to the chemotherapy.

2 - Pancreatology

[www.pancreatology.net/issue/S1424-3903\(15\)X0005-6?page...](http://www.pancreatology.net/issue/S1424-3903(15)X0005-6?page...) ▾ 翻译此页

HuR mediated post-transcriptional regulation as a new potential therapeutic target in adjuvant treatment of pancreatic cancer ... Use of gemcitabine-loaded superparamagnetic iron oxide nanoparticles against pancreatic cancer cells in an ...

dCK expression correlates with 5-fluorouracil efficacy and ...

www.ncbi.nlm.nih.gov > ... > Literature > PubMed Central (PMC) - 翻译此页

作者 : F McAllister - 2014 - 被引用次数 : 4 - 相关文章

2014年3月11日 - Keywords: pancreatic cancer, gemcitabine, 5-fluorouracil, HuR, dCK ... in the adjuvant setting, especially in regards to new standard of care ... The