

## 学术搜索

获得 5 条结果 (用时0.07秒)

## 文章

我的图书馆

## 时间不限

2015以来

2014以来

2011以来

自定义范围...

## 按相关性排序

按日期排序

搜索所有网页

中文网页

英语网页

☒ 包括专利☒ 包含引用☐ 创建快讯[\[HTML\] Food Derived Bioactive Peptides and Intestinal Barrier Function](#)[O Martínez-Augustín](#), [B Rivero-Gutiérrez](#)... - [International journal of ...](#), 2014 - [mdpi.com](#)... for food-derived peptides to modify IBF and to contribute to disease **treatment**, but further ... lactic acid bacteria and yeast results in hydrolysis of milk proteins, yoghurt, **kefir** and other ... Different bioactive peptides have been proposed to **treat** hepatitis and **colitis**, in which alteration in ...[相关文章](#) [所有 7 个版本](#) [引用](#) [保存](#) [更多](#)[mdpi.com 中的 \[HTML\]](#)[Evolving roles of probiotics in cancer prophylaxis and therapy](#)[S Patel](#), [A Goyal](#) - [Probiotics and Antimicrobial Proteins](#), 2013 - [Springer](#)... The **cure** rate was 89 %, demonstrating a distinctly high efficacy com- pared to the 20 ... Antoni GL, Teixeira P (2010) Preservation of probiotic strains isolated from **kefir** by spray ... colorectal inflammation and oncogenesis, and liver injuries in **rats** exposed to cycling DSS-**treatment**. ...[被引用次数: 4](#) [相关文章](#) [所有 2 个版本](#) [引用](#) [保存](#)[Extracellular molecular effectors mediating probiotic attributes](#)[L Ruiz](#), [A Hevia](#), [D Bernardo](#)... - [FEMS ...](#), 2014 - [femsle.oxfordjournals.org](#)... the context of IBD, had a positive effect in strengthening epithelial paracellular permeability, thereby decreasing the severity of the **dextran** sodium **sulfate** (DSS) induced ... *L. gasseri*, *L. johnsonii*, *L. brevis*, *L. helveticus*, and *L. crispatus*, as well as about *L. kefir*, *L. parakefir* ...[被引用次数: 1](#) [相关文章](#) [所有 5 个版本](#) [引用](#) [保存](#)[researchgate.net 中的 \[PDF\]](#)[Challenges in translational research on probiotic lactobacilli: from in vitro assays to clinical trials](#)[M Meijerink](#), [A Mercenier](#), [JM Wells](#) - [Beneficial microbes](#), 2013 - [Wageningen Publishers](#)... Beneficial effects of certain probiotic strains have been established in the **treatment** and prevention of various ... The use of probiotics to prevent and **treat** Th2-mediated food allergy by skewing the ... Moreover the *L. casei* Shirota **treated** mice had lower viral titres in the nasal lavages ...[被引用次数: 5](#) [相关文章](#) [所有 5 个版本](#) [引用](#) [保存](#)[\[PDF\] Principal criteria for selection of lactic acid bacteria for potential use as probiotics in foods](#) [academicjournals.org 中的 \[PDF\]](#)[WLG de Almeida Junior](#),... - [African Journal of ...](#), 2015 - [academicjournals.org](#)... of salt, sugar and chemicals like hydrogen peroxide, bacteriocins, artificial flavouring and colouring agents), processing parameters (heat **treatment**, incubation tem ... Gas production by LAB may be required in some products, such as **kefir** and some cheeses like Gouda, Edam and ...[引用](#) [保存](#)☐ 创建快讯

**Name of journal:** *World Journal of Gastroenterology*

**ESPS Manuscript NO:** 19553

**Manuscript Type:** ORIGINAL ARTICLE

### *Basic Study*

**Kefir treatment ameliorates dextran sulfate sodium-induced colitis in rats**

Senol A *et al.* Effect of kefir on experimental colitis model

Altug Senol, Mehmet Isler, Recep Sutcu, Mete Akin, Ebru Cakir, Betul M Ceyhan,  
M Cem Kockar

**Altug Senol, Mehmet Isler, M Cem Kockar**, Department of Gastroenterology,  
Suleyman Demirel University School of Medicine, Isparta 32260, Turkey

**Mete Akin**, Department of Gastroenterology, Akdeniz University School of  
Medicine, Antalya 07058, Turkey

### Match Overview

- |   |   |     |
|---|---|-----|
| 1 | <b>CrossCheck</b> 109 words<br>Zhang, Wei. "Upregulation of nemo-like kinase is an independent prognostic factor in colorectal cancer", World Journal of Gastroenterology               | 2%  |
| 2 | <b>Internet</b> 30 words<br>crawled on 26-Mar-2013<br><a href="http://www.plosone.org">www.plosone.org</a>  | <1% |
| 3 | <b>CrossCheck</b> 24 words<br>Senol, Altug. "Efficacy of intramuscular diclofenac and flutamide replacement in prevention of post-ERCP pancreatitis", World Journal of Gastroenterology | <1% |
| 4 | <b>CrossCheck</b> 22 words<br>Koshino, Kuroda. "Novel isolated cecal pouch model for endoscopic observation in rats", World Journal of Gastroenterology                                 | <1% |
| 5 | <b>CrossCheck</b> 21 words<br>Yu, Hong-Jing. "Probiotic BIFICO cocktail ameliorates Helicobacter pylori induced gastritis", World Journal of Gastroenterology                           | <1% |



小提示: 只搜索中文(简体)结果, 可在 学术搜索设置 指定搜索语言

[HTML] Lysate of Probiotic Lactobacillus plantarum K8 Modulate the Mucosal Inflammatory System in Dextran Sulfate Sodium-induced Colitic Rats

A Young-Sook, S Jae-Ho, K Oran - Korean Journal for Food Science of ..., 2014 - kpubs.org  
... plantarum K8 in dextran sulfate sodium (DSS)-induced colitis. ... A more reliable strategy would be the total prevention of disease symptoms or non-pharmaceutical treatment, such as nutritional therapy with ... plantarum K8-treated groups also showed a dosedependent improvement ...

相关文章 引用 保存 更多

kpubs.org 中的 [HTML]

[HTML] Food derived bioactive peptides and intestinal barrier function

O Martínez-Augustin, B Rivero-Gutiérrez... - International journal of ..., 2014 - mdpi.com  
... for food-derived peptides to modify IBF and to contribute to disease treatment, but further ... lactic acid bacteria and yeast results in hydrolysis of milk proteins, yoghurt, kefir and other ... Different bioactive peptides have been proposed to treat hepatitis and colitis, in which alteration in ...

被引用次数: 2 相关文章 所有 8 个版本 引用 保存 更多

mdpi.com 中的 [HTML]

Evolving roles of probiotics in cancer prophylaxis and therapy

S Patel, A Goyal - Probiotics and Antimicrobial Proteins, 2013 - Springer  
... The cure rate was 89 %, demonstrating a distinctly high efficacy com- pared to the 20 ... Antoni GL, Teixeira P (2010) Preservation of probiotic strains isolated from kefir by spray ... colorectal inflammation and oncogenesis, and liver injuries in rats exposed to cycling DSS-treatment, ...

被引用次数: 6 相关文章 所有 3 个版本 引用 保存

Extracellular molecular effectors mediating probiotic attributes

L Ruiz, A Hevia, D Bernardo... - FEMS ..., 2014 - femsle.oxfordjournals.org  
... the context of IBD, had a positive effect in strengthening epithelial paracellular permeability, thereby decreasing the severity of the dextran sodium sulfate (DSS) induced ... L. gasseri, L. johnsonii, L. brevis, L. helveticus, and L. crispatus, as well as about L. kefir, L. parakefir ...

被引用次数: 3 相关文章 所有 5 个版本 引用 保存

researchgate.net 中的 [PDF]

克弗爾分離菌株Lactobacillus kefiranofaciens M1 對腸道功能調節之影響與機制探討

YP Chen - 臺灣大學動物科學技術學研究所學位論文, 2013 - airtilibrary.com  
... IL-10 was increased in intestinal tissues of the DSS-treated mice given ... alterations in the intestinal microbiome and the effect of Lactobacillus rhamnosus GG treatment. ... Lactobacillus kefiranofaciens M1 isolated from milk kefir grains ameliorates experimental colitis in vitro and in ...

引用 保存

Challenges in translational research on probiotic lactobacilli: from in vitro assays to clinical



网页 图片 视频 新闻 更多 ▾ 搜索工具

找到约 17,900 条结果 (用时 0.42 秒)

### Rebamipide enema is effective for treatment of experimental ...

[www.ncbi.nlm.nih.gov/pubmed/16184415](http://www.ncbi.nlm.nih.gov/pubmed/16184415) ▾ 翻译此页

作者：T Nakashima - 2005 - 被引用次数：17 - 相关文章

... effective for **treatment** of experimental **dextran sulfate sodium induced colitis in rats**.

... acid (5-ASA) enema **treated** once daily significantly **ameliorated** colitis.

缺少字词：kefir

### Protective effect of lactulose on dextran sulfate sodium ...

[www.ncbi.nlm.nih.gov/pubmed/15481321](http://www.ncbi.nlm.nih.gov/pubmed/15481321) ▾ 翻译此页

作者：G Rumi - 2004 - 被引用次数：63 - 相关文章

... effect of lactulose on **dextran sulfate sodium-induced** colonic inflammation in **rats**.

Lactulose **treatment ameliorated** DSS-induced **colitis** in a dose-dependent ...

缺少字词：kefir

### Diplacone and mimulone ameliorate dextran sulfate sodium ...

[www.ncbi.nlm.nih.gov/pubmed/25623260](http://www.ncbi.nlm.nih.gov/pubmed/25623260) ▾ 翻译此页

作者：Z Vočhyánová - 2015 - 被引用次数：1 - 相关文章

2015年1月23日 - ... mimulone **ameliorate** **dextran sulfate sodium-induced colitis in rats**.

... The effect of the **treatment** was assessed by monitoring the disease ...

缺少字词：kefir

### Lysate of Probiotic Lactobacillus plantarum K8 Modulate the ...

[www.researchgate.net/.../272396173\\_Lysate\\_of\\_Probiotic\\_Lact...](http://www.researchgate.net/.../272396173_Lysate_of_Probiotic_Lact...) - 翻译此页

... Inflammatory System in **Dextran Sulfate Sodium-induced Colitic Rats** ... effects of

lysate of Lb. plantarum K8 in **dextran sulfate sodium** (DSS)-induced **colitis**.

... M1 isolated from milk **kefir** grains **ameliorates** experimental **colitis** in vitro and in vivo ...

The Immunoregulatory Effects of Traditional Chinese Medicine on **Treatment** ...