

**Name of journal:** *World Journal of Gastroenterology*

**ESPS Manuscript NO:** 19883

**Manuscript Type:** ORIGINAL ARTICLE

*Retrospective Cohort Study*

**Long term lamivudine treatment of patients with chronic hepatitis B and cirrhosis: A real-life cohort study**

Su MH *et al.* Long term lamivudine treatment of patients with chronic HBV infection

Ming-Hua Su, Ai-Lian Lu, Jian-Ning Jiang, Shi-Hua Li, Shao-Hua Zhong, Bao-Jian Wang, Xiao-Li Wu, Yan-Yan Mo, Peng Liang, Zhi-Hong Liu, Rong Xie, Li-Xia He, Wu-Dao Fu

Ming-Hua Su, Ai-Lian Lu, Jian-Ning Jiang, Shi-Hua Li, Shao-Hua Zhong, Bao-Jian Wang, Xiao-Li Wu, Yan-Yan Mo, Peng Liang, Zhi-Hong Liu, Rong Xie, Li-Xia He, Wu-Dao Fu. Department of Infectious Disease, the First

## Match Overview

1	Internet 97 words crawled on 08-Jul-2015 <a href="http://www.ncbi.nlm.nih.gov">www.ncbi.nlm.nih.gov</a>	2%
2	CrossCheck 55 words Xu, Bei, Lanyi Lin, Guoguang Xu, Yan Zhuang, Qing Guo, Yunye Liu, Hui Wang, Xiaoli Zhou, Shanming Wu, Shisan B	1%
3	Internet 46 words crawled on 02-Apr-2012 <a href="http://www.advancedpracticum.com">www.advancedpracticum.com</a>	1%
4	CrossCheck 30 words Wang, Hao. "Esophagojejunostomy after laparoscopic total gastrectomy by OrViTM or hemi-double stapling technique"	1%
5	CrossCheck 26 words Shin, Seung Hwan, Seung Up Kim, Jun Yong Park, Do Young Kim, Sang Hoon Ahn, Kwang-Hyub Han, and Beom Kyu	<1%
6	CrossCheck 25 words Ma, Sha-Sha. "Effect of entecavir on survival of patients with HBV-related liver failure: A Meta-analysis", World Chinese	<1%
7	CrossCheck 21 words Liu, Xu-Dong. "Globulin-platelet model predicts minimal fibrosis and cirrhosis in chronic hepatitis B virus infected patients"	<1%



学术搜索

找到约 392 条结果 (用时0.07秒)

文章

我的图书馆

时间不限

2015以来

2014以来

2011以来

自定义范围...

按相关性排序

按日期排序

搜索所有网页

中文网页

简体中文网页

☒ 包括专利

☒ 包含引用

☒ 创建快讯

小提示: 只搜索中文(简体)结果, 可在 学术搜索设置 指定搜索语言

... chronic hepatitis B patients with cirrhosis receiving oral antiviral (s) starting with lamivudine monotherapy: results of the nationwide HEPNET. Greece cohort study shifa.com.pk 中的 [PDF]

GV Papatheodoridis, S Manolakopoulos, G Touloumi... - Gut, 2011 - gut.bmj.com

... treated with IFNα (preferably pegylated-IFNα) therapy for 48 weeks or with long-term NUC monotherapy ... Analysis time was the time interval between study entry and HCC diagnosis or end of ... patients with virological remission, HCC was diagnosed at a median of 15 (range 7–30 ...

被引用次数: 104 相关文章 所有 8 个版本 引用 保存

Entecavir plus tenofovir combination as rescue therapy in pre-treated chronic hepatitis B patients: an international multicenter cohort study journal-of-hepatology.eu 中的 [HTML]

J Petersen, V Ratziu, M Buti, HLA Janssen, A Brown, ... - Journal of ..., 2012 - Elsevier

... In terms of preventing lamivudine resistance, the use of peginterferon and lamivudine combination ... treatment induced a median HBV DNA reduction of 3 logs (range, 0–8 ... and hypercholesterolemia suffer from problems of inconsistent adherence during long-term medications. ...

被引用次数: 85 相关文章 所有 11 个版本 引用 保存

Entecavir versus lamivudine for patients with HBeAg-negative chronic hepatitis B hku.hk 中的 [PDF]

CL Lai, D Shouval, AS Lok, TT Chang... - ... England Journal of ..., 2006 - Mass Medical Soc

... In contrast, HBV DNA levels in the lamivudine group remained distributed over a wide range of values, and ... Zink, Cross, Colonno, Fernandes, and Wilber are full-time employees of Bristol-Myers Squibb. ... (2014) IFNL3 (IL28B) polymorphism does not predict long-term response ...

被引用次数: 1206 相关文章 所有 9 个版本 引用 保存

Entecavir treatment reduces hepatic events and deaths in chronic hepatitis B patients with liver cirrhosis wiley.com 中的 [HTML]

GLH Wong, HLY Chan, CWH Mak, SKY Lee... - ..., 2013 - Wiley Online Library

... In this long-term cohort study, we included a real-life cohort of entecavir-treated CHB patients ... Continuous variables were expressed in mean ± standard deviation or median (range) as appropriate. ... The rate and time to undetectability in control patients was not available, as HBV ...

被引用次数: 120 相关文章 所有 6 个版本 引用 保存

A comparison of entecavir and lamivudine for HBeAg-positive chronic hepatitis B researchgate.net 中的 [PDF]

TT Chang, RG Gish, R de Man, A Gadano... - ... England Journal of ..., 2006 - Mass Medical Soc



## 学术搜索

找到约 392 条结果 (用时0.04秒)

## 文章

小提示：只搜索中文(简体)结果，可在 学术搜索设置 指定搜索语言

## 我的图书馆

## 时间不限

2015以来

2014以来

2011以来

自定义范围...


## 按相关性排序

按日期排序

## 搜索所有网页

中文网页

简体中文网页

☒ 包括专利☒ 包含引用 创建快讯

... chronic hepatitis B patients with cirrhosis receiving oral antiviral (s) starting with lamivudine monotherapy: results of the nationwide HEPNET. Greece cohort study

GV Papatheodoridis, S Manolakopoulos, G Touloumi... - Gut, 2011 - gut.bmj.com

... treated with IFN $\alpha$  (preferably pegylated-IFN $\alpha$ ) therapy for 48 weeks or with long-term NUC monotherapy ... Analysis time was the time interval between study entry and HCC diagnosis or end of ... patients with virological remission, HCC was diagnosed at a median of 15 (range 7–30 ...

被引用次数：104 相关文章 所有 8 个版本 引用 保存

Entecavir plus tenofovir combination as rescue therapy in pre-treated chronic hepatitis B patients: an international multicenter cohort study

J Petersen, V Ratziu, M Buti, HLA Janssen, A Brown... - Journal of ..., 2012 - Elsevier

... In terms of preventing lamivudine resistance, the use of peginterferon and lamivudine combination ... treatment induced a median HBV DNA reduction of 3 logs (range, 0–8 ... and hypercholesterolemia suffer from problems of inconsistent adherence during long-term medications. ...

被引用次数：85 相关文章 所有 11 个版本 引用 保存

Entecavir versus lamivudine for patients with HBeAg-negative chronic hepatitis B

CL Lai, D Shouval, AS Lok, TT Chang... - ... England Journal of ..., 2006 - Mass Medical Soc

... In contrast, HBV DNA levels in the lamivudine group remained distributed over a wide range of values, and ... Zink, Cross, Colonna, Fernandes, and Wilber are full-time employees of Bristol-Myers Squibb. ... (2014) IFNL3 (IL28B) polymorphism does not predict long-term response ...

被引用次数：1206 相关文章 所有 9 个版本 引用 保存

Entecavir treatment reduces hepatic events and deaths in chronic hepatitis B patients with liver cirrhosis

GLH Wong, HLY Chan, CWH Mak, SKY Lee... - ..., 2013 - Wiley Online Library

... In this long-term cohort study, we included a real-life cohort of entecavir-treated CHB patients ... Continuous variables were expressed in mean  $\pm$  standard deviation or median (range) as appropriate. ... The rate and time to undetectability in control patients was not available, as HBV ...

被引用次数：120 相关文章 所有 6 个版本 引用 保存

A comparison of entecavir and lamivudine for HBeAg-positive chronic hepatitis B

TT Chang, RG Gish, R de Man, A Gadano... - ... England Journal of ..., 2006 - Mass Medical Soc

shifa.com.pk 中的 [PDF]

journal-of-hepatology.eu 中的 [HTML]

hku.hk 中的 [PDF]

wiley.com 中的 [HTML]

researchgate.net 中的 [PDF]