

## 学术搜索

找到约 996 条结果 (用时0.09秒)

## 文章

我的图书馆

## 时间不限

2015以来

2014以来

2011以来

自定义范围...

按相关性排序

按日期排序

搜索所有网页

中文网页

英语网页

☒ 包括专利☒ 包含引用☐ 创建快讯

## Stereotactic radiotherapy of hepatocellular carcinoma; preliminary results

C Louis, S Dewas, X Mirabel, T Lacormier... - ... research &amp; treatment, 2010 - tct.sagepub.com

... treatment for 25 HCC patients that were not eligible for surgery, embolization, chemother ... berg, DM Stereotactic body radiotherapy: an emerging treatment approach for localized prostate ... Myers, B., Funkhouser, G., Wessels, B., Einstein, D. Cyberknife radiosurgery for squamous ...

被引用次数: 71 相关文章 所有 5 个版本 引用 保存

## Stereotactic body radiation therapy in recurrent hepatocellular carcinoma

WY Huang, YM Jen, MS Lee, LP Chang... - International Journal of ..., 2012 - Elsevier

... The disease then progressed to a 12-cm tumor with portal vein thrombosis. Cyberknife SBRT with 40 Gy in 5 fractions was delivered. ... In this study, our preliminary results support the fact that SBRT could be a treatment option for patients who are unsuitable for surgery. ...

被引用次数: 54 相关文章 所有 8 个版本 引用 保存

## [HTML] ... body radiation therapy for primary hepatocellular carcinoma ineligible for local ablation therapy or surgical resection. Stereotactic radiotherapy for liver cancer

JH Kwon, SH Bae, JY Kim, BO Choi, HS Jang... - ... cancer, 2010 - biomedcentral.com

... In the present study, the 3-year survival rate for Cyberknife SBRT was 58.6%, which was slightly lower than for surgical resection. ... Other local treatment methods, especially RFA, are emerging as alternative curative options for patients unsuitable for surgery or liver ...

被引用次数: 99 相关文章 所有 11 个版本 引用 保存 更多

## Sequential phase I and II trials of stereotactic body radiotherapy for locally advanced hepatocellular carcinoma

A Bujold, CA Massey, JJ Kim, J Brierley... - Journal of Clinical ..., 2013 - jco.ascopubs.org

... Surgery 9 8.8 6 12.0 3 5.8 ... assessed using RECIST version 1.1.27 As a result of lack of standardization in the evaluation of TVT response to therapy, TVT response was not ... Fetoprotein response was also observed in the majority of patients early after treatment (Appen- dix Fig ...

被引用次数: 88 相关文章 所有 7 个版本 引用 保存

## ... to assess the efficacy of conventionally fractionated radiotherapy followed by a stereotactic radiosurgery boost in patients with locally advanced pancreatic cancer

AC Koong, E Christofferson, QT Le... - International Journal of ..., 2005 - Elsevier

... Although surgery is the only potentially curative option, the majority of patients have unresectable or ... 45 Gy) with concurrent 5-FU chemotherapy followed by a CyberKnife SRS boost ... Pancreatic cancer: A report of treatment and survival trends for 100,313 patients diagnosed from ...

被引用次数: 189 相关文章 所有 9 个版本 引用 保存

tcr.org 中的 [PDF]

biomedcentral.com 中的 [HTML]

ascopubs.org 中的 [PDF]

researchgate.net 中的 [PDF]



**Name of Journal:** *World Journal of Gastroenterology*

**ESPS Manuscript NO:** 20271

**Manuscript Type:** Retrospective Study

**Cyberknife treatment for advanced or terminal stage hepatocellular carcinoma**

Kato H *et al.* Cyberknife treatment for HCC

Hiroyuki Kato, Hideo Yoshida, Hiroyoshi Taniguch, Ryutaro Nomura, Kengo Sato, Ichiro Suzuki, Ryo Nakata

**Hiroyuki Kato, Hideo Yoshida, Hiroyoshi Taniguch, Ryo Nakata,** Department of Gastroenterology, Japanese Red Cross Medical Center, Tokyo 150-8935, Japan

**Ryutaro Nomura, Kengo Sato, Ichiro Suzuki,** Cyberknife Center, Japanese Red Cross Medical Center, Tokyo 150-8935, Japan

**Author contributions:** Kato H wrote the manuscript; Yoshida H, Taniguch H, Nomura R, Sato K, Suzuki I, Nakata R contributed to the manuscript discussion and reviewed the manuscript.

**Institutional review board statement:** This study was reviewed and approved by the Ethics Committee of Japanese Red Cross Medical Center. <sup>5</sup> All procedures followed were in accordance with the ethical standards of the responsible committee on human experimentation (institutional and national) and with the Helsinki Declaration of 1975, as revised in 2008.

**Informed consent statement:** <sup>8</sup> All study participants, or their legal guardian, provided informed written consent prior to study enrollment.

## Match Overview

1	<b>CrossCheck</b> 116 words Desai, Devang. "Barbed polyglyconate vs monocryl suture in vesico-urethral anastomosis during robot-assisted ..."	1%
2	<b>CrossCheck</b> 74 words Bujold, A., C. A. Massey, J. J. Kim, J. Brierley, C. Cho, R. K. S. Wong, R. E. Dinniwell, Z. Kassam, J. Ringash, B. C.	1%
3	<b>CrossCheck</b> 69 words "24th Annual Conference of APASL, March 12–15, 2015, Istanbul, Turkey". <i>Hepatology International</i> , 2015.	1%
4	<b>CrossCheck</b> 47 words Bibault, Jean-Emmanuel, Sylvain Dewas, Claire Vautravers-Dewas, Antoine Hollebecque, Hajer Jarraya, Thoma	1%
5	<b>Internet</b> 34 words crawled on 10-Oct-2014 <a href="http://www.ncbi.nlm.nih.gov">www.ncbi.nlm.nih.gov</a>	<1%
6	<b>Internet</b> 32 words crawled on 18-May-2010 <a href="http://www.city-data.com">www.city-data.com</a>	<1%
7	<b>CrossCheck</b> 24 words Wu, Jiannan, Shunrong Li, Weijuan Jia, Heran Deng, Kai Chen, Liling Zhu, Fengyan Yu, and Fengxi Su. "Reduci ..."	<1%
8	<b>CrossCheck</b> 22 words Han, Wei. "Refractory diarrhea: A paraneoplastic syndrome of neuroblastoma", <i>World Journal of Gastroenterology</i>	<1%
9	<b>Internet</b> 21 words crawled on 29-Aug-2015 <a href="http://e-sciencecentral.org">e-sciencecentral.org</a>	<1%



学术搜索

找到约 1,070 条结果 (用时0.09秒)

文章

我的图书馆

时间不限

2015以来

2014以来

2011以来

自定义范围...

按相关性排序

按日期排序

搜索所有网页

中文网页

简体中文网页

☒ 包括专利

☒ 包含引用

☒ 创建快讯

小提示: 只搜索中文(简体)结果, 可在 学术搜索设置 指定搜索语言

### Stereotactic radiotherapy of hepatocellular carcinoma: preliminary results

C Louis, S Dewas, X Mirabel, T Lacomerie... - ... research & treatment, 2010 - tct.sagepub.com  
... treatment for 25 HCC patients that were not eligible for surgery, embolization, chemother... berg, DM Stereotactic body radiotherapy: an emerging treatment approach for localized prostate ... Myers, B., Funkhouser, G., Wessels, B., Einstein, D. Cyberknife radiosurgery for squamous ...

被引用次数: 77 相关文章 所有 4 个版本 引用 保存

### Stereotactic body radiation therapy in recurrent hepatocellular carcinoma

WY Huang, YM Jen, MS Lee, LP Chang... - International Journal of ..., 2012 - Elsevier  
... The disease then progressed to a 12-cm tumor with portal vein thrombosis, Cyberknife SBRT with 40 Gy in 5 fractions was delivered. ... In this study, our preliminary results support the fact that SBRT could be a treatment option for patients who are unsuitable for surgery. ...

被引用次数: 60 相关文章 所有 9 个版本 引用 保存

### Sequential phase I and II trials of stereotactic body radiotherapy for locally advanced hepatocellular carcinoma

A Bujold, CA Massey, JJ Kim, J Brierley... - Journal of Clinical ..., 2013 - jco.ascopubs.org  
... Surgery 9 8.8 6 12.0 3 5.8 ... assessed using RECIST version 1.1.27 As a result of lack of standardization in the evaluation of TVT response to therapy, TVT response was not ... Fetoprotein response was also observed in the majority of patients early after treatment (Appen- dix Fig ...

被引用次数: 107 相关文章 所有 7 个版本 引用 保存

### [HTML] ... body radiation therapy for primary hepatocellular carcinoma ineligible for local ablation therapy or surgical resection. Stereotactic radiotherapy for liver cancer

JH Kwon, SH Bae, JY Kim, BO Choi, HS Jang... - ... cancer, 2010 - biomedcentral.com  
... In the present study, the 3-year survival rate for Cyberknife SBRT was 58.6%, which was slightly lower than for surgical resection. ... Other local treatment methods, especially RFA, are emerging as alternative curative options for patients unsuitable for surgery or liver ...

被引用次数: 101 相关文章 所有 13 个版本 引用 保存 更多

... to assess the efficacy of conventionally fractionated radiotherapy followed by a stereotactic radiosurgery boost in patients with locally advanced pancreatic cancer

ascopubs.org 中的 [PDF]

biomedcentral.com 中的 [HTML]

stanford.edu 中的 [PDF]

[网页](#)[新闻](#)[图片](#)[视频](#)[地图](#)[更多 ▾](#)[搜索工具](#)

找到约 32,300 条结果 (用时 0.67 秒)

## Google 学术 : Cyberknife treatment for advanced or terminal stage hepatocellular carcinoma

Stereotactic radiotherapy of hepatocellular carcinoma: ... - Louis - 被引用次数 : 77

... radiation therapy in recurrent hepatocellular carcinoma - Huang - 被引用次数 : 60

... for locally advanced hepatocellular carcinoma - Bujold - 被引用次数 : 107

## Hepatocellular Carcinoma. Read about ... - Patient

[patient.info](#) > Professional Reference ▾ [翻译此页](#)

Hepatocellular carcinoma (HCC) is the most common type of primary liver cancer. ... be discovered at an earlier stage, there is a lack of curative treatment options in ... For patients being considered for liver transplantation, a Model for End-stage ... that sorafenib should be the first-line treatment in patients with advanced and ...

## Comparative research on the efficacy of CyberKnife® and ...

[www.ncbi.nlm.nih.gov](#) > ... > PubMed Central (PMC) ▾ [翻译此页](#)

作者 : Z Yuan - 2013 - 被引用次数 : 7 - 相关文章

2013年10月29日 - Keywords: hepatic carcinoma, stereotactic body radiation therapy, hepatectomy. Go to: .... One patient suffered a late-developing stenosis of the esophagus, ... of the CyberKnife treatment for Stage I hepatocellular carcinoma is ...

## CyberKnife::FAQ

[www.cyberknife.com/faq/index.aspx](#) ▾ [翻译此页](#)

What side effects can I expect after a CyberKnife treatment? ... What are the different treatment options for treating cancer or benign lesions? ... Hepatocellular carcinoma ... Using advanced robotic technology and the ability to track tumor motion ... Knowing the stage of the disease helps the physician plan treatment and ...