

Match Overview

1	Internet 96 words crawled on 01-Jul-2015 www.wjgnet.com	3%
2	CrossCheck 37 words Ryu, K.N., "Bone bruises: MR characteristics and histologic al correlation in the young pig", Clinical Imaging, 2000;11:2	1%
3	CrossCheck 23 words Basuroy, R., R. Srirajaskanthan, A. Prachalias, A. Quaglia, and J. K. Ramage. "Review article: the investigation and r...	1%
4	CrossCheck 20 words Irvin M. Modlin. "A 50-Year Analysis of 562 Gastric Carcin... ds: Small Tumor or Larger Problem?", The American Journ	1%

Name of journal: *World Journal of Gastroenterology*

ESPS Manuscript NO: 17016

Manuscript Type: CASE REPORT

Recurrent gastric neuroendocrine tumors treated with total gastrectomy

Jung M *et al.* Recurrent gastric neuroendocrine tumors

Myounghwa Jung, Jung-Wook Kim, Jae-Young Jang, Young Woon Chang, Sun Hee
Park, Yong Ho Kim, Youn Wha Kim

Myounghwa Jung, Jung-Wook Kim, Jae-Young Jang, Sun Hee Park, Young Woon
Chang, Department of Internal Medicine, College of Medicine, Kyung Hee
University, Seoul 130-702, South Korea

Yong Ho Kim, Department of Surgery, College of Medicine, Kyung Hee University,
Seoul 130-702, South Korea

文章

我的图书馆

时间不限

2015以来

2014以来

2011以来

自定义范围...

按相关性排序

按日期排序

搜索所有网页

中文网页

英语网页

☒ 包括专利☒ 包含引用☐ 创建快讯

[HTML] The National Cancer Data Base report on poor survival of US gastric carcinoma patients wiley.com 中的 [HTML] treated with gastrectomy

SA Hundahl, JL Phillips, HR Menck - Cancer, 2000 - Wiley Online Library

... Lymphomas, neuroendocrine tumors, and sarcomas of this site were excluded, ... Fundus of stomach, 4%, 1%, 2%, 3%, 2%, 2%, 2%, Body of stomach, 16%, 15%, 7%, 7%, 2%, 10%, 10%. Gastric antrum, 27%, 29%, 47%, 33%, 36%, 21%, 31%, Pylorus, 4%, 1%, 1%, 3%, —, 4%, 3% ...

被引用次数: 568 相关文章 所有 5 个版本 引用 保存

[HTML] Gastric carcinoids: biologic behavior and prognosis after differentiated treatment in relation to type

K Borch, B Åhrén, H Ahlman, S Falkmer... - ... of surgery, 2005 - ncbi.nlm.nih.gov

... other studies, antrectomy is efficient in the majority of cases to prevent tumor recurrence. ... be examined endoscopically once a year with removal of any residual or recurrent tumors. ...

CONCLUSION. Subtyping of gastric carcinoids is helpful in the prediction of tumor aggressiveness ...

被引用次数: 210 相关文章 所有 12 个版本 引用 保存

Aggressive surgery for metastatic liver neuroendocrine tumors

JA Norton, RS Warren, MG Kelly, MB Zuraek... - Surgery, 2003 - Elsevier

... Potent gastric antisecretory drugs like proton pump inhibitors can effectively control long-term ... treatments are needed to decrease the high likelihood of tumor recurrence with surgery ... JH Lewis, A Dubois (Eds.), Current clinical topics in gastrointestinal pharmacology, Blackwell ...

被引用次数: 194 相关文章 所有 8 个版本 引用 保存

[HTML] Treatment of gastric neuroendocrine tumors: the necessity of a type-adapted treatment jamanetwork.com 中的 [HTML]

M Schindl, K Kaserer, B Niederle - Archives of surgery, 2001 - archotol.jamanetwork.com

Research from JAMA Surgery — Treatment of Gastric Neuroendocrine Tumors — The Necessity of a Type-Adapted Treatment.

被引用次数: 91 相关文章 所有 8 个版本 引用 保存

Clinical symptoms, hormone profiles, treatment, and prognosis in patients with gastric carcinoids

D Granberg, E Wilander, M Stridsberg, G Granerus... - Gut, 1998 - gut.bmj.com

... She is free of recurrence without additional treatment. ... These patients should be carefully monitored for development of recurrent disease after primary resection. ... Gastric carcinoids and related endocrine growths, Digestion 1986;35(suppl 1):3-22. ...

被引用次数: 112 相关文章 所有 9 个版本 引用 保存

nih.gov 中的 [HTML]

elsevierhealth.com 中的 [HTML]

jamanetwork.com 中的 [HTML]

bmj.com 中的 [HTML]

[网页](#)[图片](#)[新闻](#)[视频](#)[购物](#)[更多 ▾](#)[搜索工具](#)

找到约 74,500 条结果 (用时 0.56 秒)

Google 学术 : Recurrent gastric neuroendocrine tumors treated with total gastrectomy

... US gastric carcinoma patients treated with gastrectomy - Hundahl - 被引用次数 : 568

... prognosis after differentiated treatment in relation to ... - Borch - 被引用次数 : 211

... surgery for metastatic liver neuroendocrine tumors - Norton - 被引用次数 : 196

Gastric Neuroendocrine Tumors in Our Institutions ...

www.ncbi.nlm.nih.gov > ... > PubMed Central (PMC) ▾ [翻译此页](#)

作者 : S Endo - 2012 - 被引用次数 : 7 - [相关文章](#)

In 2010, World Health Organization classified gastric neuroendocrine tumor (NET) ... NET G1 was treated with observation in 2 patients, endoscopic mucosal a total gastrectomy; however, the other 2 patients lived without recurrence for 62

Department of Surgery - Neuroendocrine Carcinoid Tumor

www.surgery.ucsf.edu/.../neuroendocrine-carcinoid-tumor.aspx ▾ [翻译此页](#)

Recurrent Neuroendocrine Tumor ... The gastrointestinal tract includes the stomach, small intestine, and large intestine. These organs are part of the ... Treatment of neuroendocrine carcinoid tumors usually includes surgery. One of the ...

Treatment of Gastric Neuroendocrine Tumors - JAMA Surgery

archsurg.jamanetwork.com/article.aspx?articleid=390859 ▾ [翻译此页](#)

作者 : M Schindl - 2001 - 被引用次数 : 91 - [相关文章](#)

2001年1月1日 - Nine (56%) of 16 type 1 gastric neuroendocrine tumors were treated by local In case of recurrence or initially advanced disease, additional all patients treated by antral resection (n = 2) or total gastrectomy (n = 4) were ...