

Name of journal: *World Journal of Gastroenterology*

ESPS Manuscript NO: 18136

Manuscript Type: ORIGINAL ARTICLE

Basic Study

Histidine decarboxylase and urinary methylimidazoleacetic acid in gastric neuroendocrine cells and tumours

Tsolakis AV *et al.* HDC and U-MelmAA in gastric NETs

Apostolos V Tsolakis, Lars Grimelius, Göran Granerus, Mats Stridsberg, Sture E Falkmer, Eva T Janson

Apostolos V Tsolakis, Eva T Janson, Section of Endocrine Oncology,
Department of Medical Sciences, Uppsala University, SE-75185 Uppsala, Sweden

Lars Grimelius, Section of Genetics and Pathology, Department of Immunology

Match Overview

1

Internet 98 words
crawled on 01-Jul-2015
www.wjgnet.com

1%

2

CrossCheck 35 words
G. A. Kaltsas. "Expression of connective tissue growth factor and insulin growth factor 1 in normal and neoplastic gas ...

1%

Article types

[Customize ...](#)

 No items found.

Publication dates

[Custom range...](#)

[Clear all](#)

[Show additional filters](#)

Search details






("histidine decarboxylase" [MeSH
Terms] OR ("histidine" [All Fields]
AND "decarboxylase" [All Fields]) OR
"histidine decarboxylase" [All
Fields]) AND ("urinary tract" [MeSH

Search

[See more...](#)

Recent Activity

[Turn Off](#) [Clear](#)

-  Histidine decarboxylase and urinary
methylimidazoleacetic acid in... (0) PubMed
-  Can optical diagnosis of small colon polyps
be accurate? Comparin... (0) PubMed
-  Xanthogranulomatous cholecystitis
mimicking gallbladder carcinoma... (PubMed
-  Colitis-associated colon cancer ; Is it in your
genes? (0) PubMed
-  A General Introduction to the E-utilities -
Entrez Programming Utilities Help

[See more...](#)

文章

我的图书馆

时间不限

2015以来

2014以来

2011以来

自定义范围...

按相关性排序

按日期排序

搜索所有网页

中文网页

简体中文网页

☒ 包括专利☒ 包含引用

创建快讯

您是不是要找: Histidine decarboxylase and urinary *methylimidazole acetic* acid in gastric neuroendocrine cells and tumours

小提示: 只搜索中文(简体)结果, 可在 学术搜索设置 指定搜索语言

Two cases of gastric carcinoids: diagnostic and therapeutic aspects

H Ahlman, A Dahlström, L Enerbäck, G Granérus... - World journal of ..., 1988 - Springer

... Instead, we recommend urinary analyses of MelmAA at an early stage of the investigation. ... drug, the levels of MelmAA were normalized, indicating an effective inhibition of histidine decarboxylase. ... de l'histamine, l'acide acétique t614m6thylimidazole (MelmAA) dans l'urine des 2 ...

被引用次数: 36 相关文章 所有 5 个版本 引用 保存

[HTML] Prospective study of the ability of histamine, serotonin or serum chromogranin A levels to identify gastric carcinoids in patients with gastrinomas

S Bashir, F Gibril, JV Ojeaburu... - Alimentary ..., 2002 - Wiley Online Library

... vivo, its principal metabolite, N-MIAA, can be easily measured in urine. ... in animal models with sustained hypergastrinaemia that developed ECL cell tumours, histidine decarboxylase mRNA expression, oxyntic mucosal histamine content and the daily urinary N-MIAA ...

被引用次数: 33 相关文章 所有 5 个版本 引用 保存

Neuroendocrine tumors

K Oberg, M Stridsberg - Tumor markers. Physiology, pathobiology ..., 2002 - books.google.com

... Serotonin (5-HT) is synthesized from the amino acid tryptophan by hydroxylation and decarboxylation. ... syndrome, which results from hypersecretion of VIP and some- times also peptide histidine methionin (PHM ... NSE can be used if CgA or the urinary markers are not available.

被引用次数: 21 相关文章 引用 保存

Histamine metabolism of gastric carcinoids in *Mastomys natalensis*.

L Kölby, B Wängberg, H Ahlman... - The Yale journal of ..., 1998 - ncbi.nlm.nih.gov

... by conversion of the amino acid histidine by the rate limiting enzyme histidine decarboxylase (HDC ... ImAA is a less specific product since it can also be generated by metabolism of histidine. ... of mucosal HDC mRNA expression, mucosal histamine levels and of urinary excretion of ...

被引用次数: 2 相关文章 所有 6 个版本 引用 保存

Ability of somatostatin receptor scintigraphy to identify patients with gastric carcinoids: a

nih.gov 中的 [PDF]

snmjournals.org 中的 [HTML]