

学术搜索

获得 3 条结果 (用时0.10秒)

文章

我的图书馆

时间不限

2015以来

2014以来

2011以来

自定义范围...

按相关性排序

按日期排序

搜索所有网页

中文网页

英语网页

包括专利

包含引用

创建快讯

[引用] Sp807 Unusual Case of **Esophageal** Disruption Treated with Self-Expanding Metal **Esophageal** Stents

KS Dua, AA Aadam, JT Merrill, M Gasparri - *Gastrointestinal Endoscopy*, 2012 - Mosby

所有 2 个版本 [引用](#) [保存](#)

[引用] SUBJECT INDEX TO VOLUME 75

M abscess formation after EUS-guided - meta, 2012

[引用](#) [保存](#)

[引用] TITLE INDEX (By Abstract Number)

FNA Ultrasound-Guided, IPD Peristaltic, ANE Stent...

[引用](#) [保存](#)

创建快讯

[关于 Google 学术搜索](#)

[隐私权](#)

[条款](#)

[提供反馈](#)

Name of journal: *World Journal of Gastroenterology*

ESPS Manuscript NO: 18406

Manuscript Type: CASE REPORT

Over-the-scope clip to close a gastrocutaneous fistula after esophagectomy

Shan-Shan Shen, Xiao-Qi Zhang, Zhen-Lei Li, Xiao-Ping Zou, Ting-Sheng Ling

Shan-Shan Shen, Xiao-Qi Zhang, Zhen-Lei Li, Xiao-Ping Zou, Ting-Sheng Ling, Department of Gastroenterology, Affiliated Drum Tower Hospital of Nanjing University, Medical School, Nanjing 210008, Jiangsu Province, China

Author contributions: Shen SS wrote the paper and collected some of the patient's clinical data; Li ZL administrated and followed up the patient; Zhang XQ made critical revisions of the paper; Zou XP designed the operation; Ling TS performed the operation and final approved the publication of the paper.

Supported by National Natural Science Foundation of China No. 81201908

Match Overview

- | | | |
|---|---|----|
| 1 | Internet 117 words
crawled on 01-Jul-2015
www.wjgnet.com | 6% |
| 2 | Internet 30 words
crawled on 09-Sep-2012
www.vector-project.com | 1% |
| 3 | CrossCheck 20 words
J. Turner. "Over-the-scope clip to close a fistula after remc ...
ng a percutaneous endoscopic gastrostomy tube", <i>Endosco</i> | 1% |

PubMed

Over-the-scope clip to close a gastrocutaneous fistula after esophagectom

Search

[Create alert](#) [Advanced](#)

[Help](#)

Article types

Customize ...

i No items found.

Publication dates

Custom range...

[Clear all](#)

[Show additional filters](#)

Search details

```
Over-the-scope[All Fields] AND
("surgical instruments"[MeSH Terms]
OR ("surgical"[All Fields] AND
"instruments"[All Fields]) OR
"surgical instruments"[All Fields] OR
```

Search

[See more...](#)

Recent Activity

[Turn Off](#) [Clear](#)

-  Over-the-scope clip to close a gastrocutaneous fistula after esop... PubMed
-  Current management of hepatitis B virus infection before and after liver transpl PubMed
-  Management of hepatitis B virus infection after liver transplanta... (83) PubMed
-  Advances in cryoablation for pancreatic cancer (3) PubMed
-  Concomitant intraductal papillary mucinous neoplasm and neuroendo... (1) PubMed

[See more...](#)

文章

我的图书馆

时间不限

2015以来

2014以来

2011以来

自定义范围...

按相关性排序

按日期排序

搜索所有网页

中文网页

简体中文网页

 包括专利 包含引用 创建快讯

小提示：只搜索中文(简体)结果，可在 [学术搜索设置](#) 指定搜索语言

[引用] Use of an **over-the-scope** clipping device: multicenter retrospective results of the first US experience (with videos)

TH Baron, LMWK Song, A Ross, JL Tokar, S Irani... - *Gastrointestinal ...*, 2012 - Mosby

被引用次数：59 [相关文章](#) [所有 6 个版本](#) [引用](#) [保存](#)

[HTML] Efficacy and safety of **over-the-scope clip**: including complications **after** endoscopic submucosal dissection

N Nishiyama, H Mori, H Kobara, K Rafiq... - *World journal of ...*, 2013 - ncbi.nlm.nih.gov

... Widely used hemostatic procedures, such as hemostatic **clips** and local injections, are ... Recently, **over-the-scope clip** (OTSC) devices have been used for gastrointestinal (GI) bleeding, **fistulae** and ... also discuss the potential use of the OTSC to completely **close** perforations **after** ...

被引用次数：54 [相关文章](#) [所有 10 个版本](#) [引用](#) [保存](#)

nih.gov 中的 [HTML]

Multipurpose use of the 'bear claw'(**over-the-scope-clip** system) to treat endoluminal gastrointestinal disorders

K Mönkemüller, S Peter, J Toshniwal... - *Digestive ...*, 2014 - Wiley Online Library

... GI) defects are **clips** and loops.[1-3] However, **clips** may not have enough tensile force to **close** defects larger ... The OTS **clip** is available in various sizes that are preloaded on the transparent caps. ... figure Figure 1. Various types of **over-the-scope clips** with rounded and sharp teeth ...

被引用次数：38 [相关文章](#) [所有 4 个版本](#) [引用](#) [保存](#)

Benefit of a clipping device in use in intestinal bleeding and intestinal leakage

JG Albert, M Friedrich-Rust, G Woeste, C Strey... - *Gastrointestinal ...*, 2011 - Elsevier

... Pt, Patient; OTSC, **over-the-scope clip**; M, male; TTSC, through-the-scope **clip**; F, female; SEMS, self ... A gastric wall defect for necrotizing pancreatitis was **closed** by using 2 **clips** (patient A1, Fig. ... the time from diagnosis to endoscopic treatment and application of the **clip** was within ...

被引用次数：54 [相关文章](#) [所有 6 个版本](#) [引用](#) [保存](#)

elsevierhealth.com 中的 [HTML]

Over the scope clip: technique and expanding clinical applications

S Singhal, K Changela, H Papafragkakis... - *Journal of clinical ...*, 2013 - journals.lww.com

... original and review articles or abstracts using the key words "endoscopy" and "**over the scope clip**." In this ... applicator cap before **clip** deployment in order to avoid deployment of the **clip** over it. A reloader is available to mount additional **clips** on the cap **after** deployment if multiple ...