



Hypoxia-inducible factor-1 modulates the up-regulation of the human mutT h



学术搜索

文章

我的图书馆

时间不限

2015以来

2014以来

2011以来

自定义范围...

按相关性排序

按日期排序

搜索所有网页

中文网页

英语网页

☒ 包括专利

☒ 包含引用

☐ 创建快讯

您是不是要找: Hypoxia-inducible factor-1 modulates the *upregulation* of the human mutT homologue protein MTH-1 in colorectal cancer

您的搜索 - Hypoxia-inducible factor-1 modulates the up-regulation of the human mutT homologue protein MTH-1 in colorectal cancer - 与所有文章均不相符

建议:

请检查输入字词有无错误。

请尝试其他的查询词

请改用较常见的字词。

请减少查询字词的数量。

请向所有网络查询

您是不是要找: Hypoxia-inducible factor-1 modulates the *upregulation* of the human mutT homologue protein MTH-1 in colorectal cancer

[关于 Google 学术搜索](#)

[隐私权](#)

[条款](#)

[提供反馈](#)

Name of Journal: *World Journal of Gastroenterology*

ESPS Manuscript NO: 19933

Manuscript Type: ORIGINAL ARTICLE

Basic Study

Hypoxia-inducible factor-1 modulates upregulation of mT homolog-1 in colorectal cancer

Qiu Y *et al.* MTH-1 and HIF-1 α in colorectal cancer

Yuan Qiu, Hong Zheng, Li-Hua Sun, Ke Peng, Wei-Dong Xiao, Hua Yang

Correspondence to: Hua Yang, MD, PhD, Department of General Surgery,

Match Overview

1	CrossCheck 89 words Fu, . "Effect of hypoxia-inducible factor 1-1 \pm on Survivin in colorectal cancer", Molecular Medicine Reports, 2010.	2%
2	CrossCheck 47 words Sun, . "Hypoxia-inducible factor-1 \pm modulates the down regulation of the homeodomain protein CDX2 in colorectal cancer", Molecular Medicine Reports, 2010.	1%
3	CrossCheck 30 words So Young Kim. "Hypoxic stress up-regulates the expression of Toll-like receptor 4 in macrophages via hypoxia-inducible factor-1 α ", Molecular Medicine Reports, 2010.	1%
4	Internet 29 words crawled on 09-Apr-2013 theoncologist.alphamedpress.org	1%
5	Internet 27 words crawled on 29-Sep-2015 expertfile.com	<1%
6	Internet 26 words crawled on 23-May-2015 www.diva-portal.org	<1%
7	CrossCheck 22 words Feng, . "Estrogen and progesterone regulate HIF-1 α expression in human endometrial cells via the activation of Akt and ERK1/2", Molecular Medicine Reports, 2010.	<1%

[网页](#)[图片](#)[新闻](#)[视频](#)[购物](#)[更多 ▾](#)[搜索工具](#)

找到约 30,900 条结果 (用时 0.54 秒)

Hypoxia-inducible factor 1 alpha expression increases ...

www.ncbi.nlm.nih.gov > ... > PubMed Central (PMC) ▾ [翻译此页](#)

作者: N Simiontonaki - 2008 - 被引用次数: 45 - 相关文章

2008年11月4日 - Hypoxia-inducible factor 1 alpha (HIF-1 α) is involved in processes promoting ... However, its role in the development of colorectal cancer is unknown. ... HIF-1 α up-regulation in response to LPS-mediated stimulation and ... growth factors, can also activate HIF-1 α under normoxic conditions and modulate the ...

缺少字词: mutt

TWIST1 twist family bHLH transcription factor 1 [(human)]

www.ncbi.nlm.nih.gov/gene/7291 ▾ [翻译此页](#)

B-HLH DNA binding protein, H-twist, TWIST homolog of drosophila, class A basic ... Twist1 and AP-1 cooperatively upregulate integrin α 5 expression to induce invasion ... was associated with poor overall survival in human colorectal cancer. ... cells by hypoxia-induced hypoxia-inducible factor-1alpha-TWIST-p21 axis.

缺少字词: mutt

SNAI1 snail family zinc finger 1 [(human)]

www.ncbi.nlm.nih.gov/gene/6615 ▾ [翻译此页](#)

4 天前 - protein sna, protein snail homolog 1, snail 1 homolog, snail 1 zinc finger ... by HIF-1alpha and TNF-alpha is required for hypoxia-induced invasion in ... Data indicate that zinc finger protein SNAIL modulates ribosomal protein S6 kinase 1 ... associated with poor overall survival in human colorectal cancer.

缺少字词: mutt

Anti-beta Actin antibody [mAbcam 8226] (ab8226

[网页](#)[图片](#)[新闻](#)[视频](#)[购物](#)[更多 ▾](#)[搜索工具](#)

找到约 31,300 条结果 (用时 0.75 秒)

[TWIST1 twist family bHLH transcription factor 1 \[\(human\)\]](#)

www.ncbi.nlm.nih.gov/gene/7291 ▾ [翻译此页](#)

2015年10月4日 - B-HLH DNA binding protein, H-twist, TWIST **homolog** of drosophila, class A ... correlates with integrin alpha5 expression in human **colorectal cancers**. ...

Twist1 and YB-1 promote bladder cancer progression; **upregulation** and ... cells by hypoxia-induced **hypoxia-inducible factor-1**alpha-TWIST-p21 axis.

缺少字词: **mutt**

[Hypoxia-inducible factor 1 alpha expression increases ...](#)

www.ncbi.nlm.nih.gov > ... > [PubMed Central \(PMC\)](#) ▾ [翻译此页](#)

作者: N Simiontonaki - 2008 - [被引用次数: 45](#) - [相关文章](#)

2008年11月4日 - **Hypoxia-inducible factor 1** alpha (HIF-1α) is involved in processes promoting ... However, its role in the development of **colorectal cancer** is unknown. ... **HIF-1α up-regulation** in response to LPS-mediated stimulation and ... growth factors, can also activate **HIF-1α** under normoxic conditions and **modulate** the ...

缺少字词: **mutt**

[SNAI1 snail family zinc finger 1 \[\(human\)\]](#)

www.ncbi.nlm.nih.gov/gene/6615 ▾ [翻译此页](#)

2015年10月4日 - protein sna, protein snail **homolog 1**, snail **1** homolog, snail **1** zinc finger ... by **HIF-1**alpha and TNF-alpha is required for hypoxia-induced invasion in ... Data indicate that zinc finger protein SNAI1 **modulates** ribosomal protein S6 kinase **1** ... associated with poor overall survival in human **colorectal cancer**.

缺少字词: **mutt**

[Unbound MEDLINE | Oncogene. journal articles from PubMed](#)

www.unboundmedicine.com/medline/journal/Oncogene.?... ▾ [翻译此页](#)

TIPE1 (tumor necrosis **factor**-α-induced protein 8-like **1** or TNFAIP8L1) is a newly ...