

Name of journal: *World Journal of Gastroenterology*

ESPS Manuscript NO: 21312

Manuscript Type: RETROSPECTIVE STUDY

Comparison of percutaneous radiofrequency ablation and CyberKnife® for initial solitary hepatocellular carcinoma: A pilot study

Shiozawa K *et al* Radiofrequency ablation and CyberKnife for HCC

Kazue Shiozawa, Manabu Watanabe, Takashi Ikehara, Yasushi Matsukiyo, Michio Kogame, Yui Kishimoto, Yusuke Okubo, Hiroyuki Makino, Nobuhiro Tsukamoto, Yoshinori Igarashi, Yasukiyo Sumino

Kazue Shiozawa, Manabu Watanabe, Takashi Ikehara, Yasushi Matsukiyo, Michio Kogame, Yoshinori Igarashi, Yasukiyo Sumino, Division of Gastroenterology and Hepatology, Department of Internal Medicine, Toho University Medical Center, Omori Hospital 6-11-1, Ota-ku, Tokyo 143-8541, Japan

Match Overview

- | Match Number | Source | Words | Similarity |
|--------------|---|-----------|------------|
| 1 | Internet
crawled on 24-Sep-2015
www.wjgnet.com | 105 words | 1% |
| 2 | CrossCheck
Watanabe, Manabu. "Hepatic artery pseudoaneurysm after endoscopic biliary stenting for bile duct cancer", <i>World Journal of Gastroenterology</i> | 74 words | 1% |
| 3 | CrossCheck
Yang, Wei. "Radiofrequency ablation of hepatocellular carcinoma in difficult locations: Strategies and long-term outcome", <i>World Journal of Gastroenterology</i> | 59 words | 1% |

学术搜索

找到约 62 条结果 (用时0.04秒)

文章

我的图书馆

时间不限

2015以来

2014以来

2011以来

自定义范围...

按相关性排序

按日期排序

搜索所有网页

中文网页

简体中文网页

☒ 包括专利☒ 包含引用☒ 创建快讯

小提示：只搜索中文(简体)结果，可在 学术搜索设置 指定搜索语言

Ablative treatments for lung tumors: radiofrequency ablation, stereotactic radiosurgery, and microwave ablation

G Abbas, MJ Schuchert, A Pennathur, S Gilbert... - Thoracic surgery ..., 2007 - Elsevier

... The percentage difference between these diameters was the deflection score. ... zone was significantly ($P < .01$) greater in the long axis after MWA (3.6 cm) compared with RFA ... Shibata and associates [36] performed a randomized comparison of MVA (N = 36) and RFA (N = 36) for ...

被引用次数: 37 相关文章 所有 4 个版本 引用 保存

New therapeutic approaches for early stage non-small cell lung cancer

A El-Sherif, JD Luketich, RJ Landreneau, HC Fernando - Surgical oncology, 2005 - Elsevier

... more comfortable for patients because of the shorter treatment times compared to the ... NSCLC becomes more prevalent, further studies will be required to compare and determine ... Comparison between sublobar resection and 125 Iodine brachytherapy after sublobar resection in ...

被引用次数: 33 相关文章 所有 5 个版本 引用 保存

How I do it: radiofrequency ablation and cryoablation of lung tumors

A Sharma, WH Moore, M Lanuti... - Journal of thoracic ..., 2011 - journals.lww.com

... How I Do It: Radiofrequency Ablation and Cryoablation of Lung Tumors. ... technique, and follow-up of the 2 main ablative therapies currently used in the lung, radiofrequency ablation and cryoablation. Lung cancer is the most common cause of cancer-related death in adults. ...

被引用次数: 26 相关文章 所有 3 个版本 引用 保存

[PDF] Metastatic cancer to the liver

HR Alexander, CJ Allegra... - Cancer: principles in ..., 2001 - googledrive.com

... difference at 1 year and only a trend toward survival improvement at 2 years.50 The ... in actuarial progression-free or overall survival in a random assignment trial comparing 5-FU and LV ... Survival of this cohort was significantly lower compared with the 335 patients who presented ...

被引用次数: 28 相关文章 所有 2 个版本 引用 保存 更多

Renal tumor ablation

M Aron, IS Gill - Current opinion in urology, 2005 - journals.lww.com

... [15••] compared the efficacy of both cryotherapy and nephrectomy in treating implanted VX-2 carcinoma in rabbit kidneys and observed no difference in the disease-free survival ... RFA is the



Comparison of percutaneous radiofrequency ablation and CyberKnife® for initial



网页

新闻

图片

视频

购物

更多 ▼

搜索工具

找到约 6,030 条结果 (用时 0.64 秒)

Google 学术 : Comparison of percutaneous radiofrequency ablation and CyberKnife® for initial solitary hepatocellular carcinoma: A pilot study

... treatments for lung tumors: radiofrequency ablation, ... - Abbas - 被引用次数 : 37

... approaches for early stage non-small cell lung cancer - El-Sherif - 被引用次数 : 33

How I do it: radiofrequency ablation and cryoablation of ... - Sharma - 被引用次数 : 26

Radiofrequency Ablation of Hepatocellular Cancer in 110 ...

www.ncbi.nlm.nih.gov > ... > PubMed Central (PMC) ▼ [翻译此页](#)

作者 : SA Curley - 2000 - 被引用次数 : 819 - 相关文章

Percutaneous or intraoperative RFA was performed in 76 (69%) and 34 ...

Hepatocellular carcinoma (HCC) is a common cause of death in patients with cirrhosis.

... Radiofrequency ablation (RFA) is a thermal treatment technique designed to for solitary metastatic liver tumors from colorectal cancer: a pilot clinical study.

缺少字词 : cyberknife

Radiofrequency ablation or percutaneous ethanol injection ...

www.ncbi.nlm.nih.gov > ... > PubMed Central (PMC) ▼ [翻译此页](#)

作者 : D Ansari - 2012 - 被引用次数 : 38 - 相关文章

2012年3月14日 - In the context of hepatocellular carcinoma (HCC), both RFA and PEI

are ... For those with initially unresectable colorectal liver metastases (CLM), ... nine controlled studies comparing RFA and liver resection for HCC (Table (Table1).1).

Radiofrequency ablation vs hepatic resection for solitary colorectal ...

缺少字词 : cyberknife

Microwave Ablation of Hepatic Malignancy