



First-line eradication for Helicobacter pylori-positive gastritis by esomeprazo



网页

新闻

图片

购物

视频

更多

搜索工具

找到约 3,960 条结果 (用时 0.94 秒)

CYP2C19 polymorphism influences Helicobacter pylori ...

www.ncbi.nlm.nih.gov > ... > PubMed Central (PMC) ▾ 翻译此页

作者: CH Kuo - 2014 - 被引用次数: 1 - 相关文章

2014年11月21日 - The CYP2C19 genotype is a cardinal factor of H. pylori eradication ...

The efficacy of levofloxacin-based rescue triple therapy might be ... The first-line regimen for H. pylori eradication includes proton pump ... So rabeprazole and esomeprazole appear less influenced by polymorphism of CYP2C19[12,14].

Effects of CYP2C19 Loss-of-Function Variants on the ...

www.ncbi.nlm.nih.gov > ... > PubMed Central (PMC) ▾ 翻译此页

作者: HL Tang - 2013 - 被引用次数: 17 - 相关文章

2013年4月30日 - Eradication of H. pylori infection is recommended to reduce the recurrence of ... effect of the CYP2C19 genotypes on the eradication of H. pylori by PPI-based triple therapies [17]–[32]. ... In line of the fact that there may be a class effect in ... the influence of CYP2C19 variants on all PPI-based triple therapy ...

Efficacy and Tolerability of First-Line Triple Therapy With ...

www.researchgate.net/.../49646192_Efficacy_and_Tolerability... - 翻译此页

ABSTRACT First-line triple therapy with levofloxacin and amoxicillin plus a ... is only one report of such an effect with levofloxacin-based triple therapies. ... plus esomeprazole or rabeprazole as first-line treatment for H pylori infection in Chinese adults. ... The CYP2C19 genotype is a cardinal factor of H. pylori eradication in ...

[PDF] PDF (834K) - World Journal of Gastroenterology

www.wjgnet.com/1007-9327/pdf/v20/i43/16029.pdf ▾ 翻译此页

作者: CH Kuo - 2014 - 被引用次数: 1 - 相关文章

2014年11月21日 - efficacy of levofloxacin-based rescue triple therapy might be also ...

Name of Journal: *World Journal of Gastroenterology*

ESPS Manuscript NO: 20400

Manuscript Type: ORIGINAL ARTICLE

Clinical Trials Study

First-line eradication for *Helicobacter pylori*-positive gastritis by
esomeprazole-based triple therapy is influenced by CYP2C19 genotype

Saito Y *et al.* *H. pylori* eradication by esomeprazole and CYP2C19 genotype

Yoshimasa Saito, Hiroshi Serizawa, Yukako Kato, Masaru Nakano, Masahiko

Nakamura, Hidetsugu Saito, Hidekazu Suzuki, Takanori Kanai

Match Overview

1	CrossCheck 48 words "UEG Week 2014 Poster Presentations", United Europe an Gastroenterology Journal, 2014.	1%
2	CrossCheck 45 words Pan, X.. "Efficacy and tolerability of first-line triple therapy with levofloxacin and amoxicillin plus esomeprazole or r	1%
3	CrossCheck 31 words Kitamura, Katsuya. "0.025-inch vs 0.035-inch guide wire s for wire-guided cannulation during endoscopic retrog ...	1%
4	CrossCheck 27 words Nishi, Takeshi, Noritaka Ariyoshi, Takashi Nakayama, Y oshihide Fujimoto, Kazumasa Sugimoto, Masayuki Taka	1%
5	Internet 24 words crawled on 04-Dec-2014 www.nature.com	1%
6	CrossCheck 23 words McNicholl, A. G., P. M. Linares, O. P. Nyssen, X. Calvet, a nd J. P. Gisbert. "Meta-analysis: esomeprazole or rabepr	1%
7	CrossCheck 22 words V. W. Y. Lee. "Pharmacogenetics of esomeprazole or rab	1%

[网页](#)[新闻](#)[图片](#)[购物](#)[视频](#)[更多 ▾](#)[搜索工具](#)

找到约 2,690 条结果 (用时 0.70 秒)

CYP2C19 polymorphism influences Helicobacter pylori ...

www.ncbi.nlm.nih.gov > ... > PubMed Central (PMC) ▾ [翻译此页](#)

作者: CH Kuo - 2014 - 被引用次数: 3 - 相关文章

2014年11月21日 - The CYP2C19 genotype is a cardinal factor of H. pylori eradication ...

The efficacy of levofloxacin-based rescue triple therapy might be ... The first-line regimen for H. pylori eradication includes proton pump So rabeprazole and esomeprazole appear less influenced by polymorphism of CYP2C19[12,14].

PLOS ONE: Effects of CYP2C19 Loss-of-Function Variants ...

journals.plos.org/plosone/article?id=10.1371/journal.pone... ▾ [翻译此页](#)

2013年4月30日 - Eradication of H. pylori infection is recommended to reduce the ...

effect of the CYP2C19 genotypes on the eradication of H. pylori by PPI-based triple therapies [17]–[32]. ... the influence of CYP2C19 variants on all PPI-based triple therapy ... Of them, the number of esomeprazole arm, lansoprazole arm, ...

IPDF] Review of the evidence for H. Pylori treatment regimens ...

www.who.int/selection_medicines/.../expert/.../Review_171.pdf ▾ [翻译此页](#)

作者: L Wannmacher - 被引用次数: 2 - 相关文章

2011年3月21日 - infection, H. pylori eradication therapy, proton pump inhibitors, histamine-2 gastritis, but there is little evidence of reversal of atrophy or intestinal Based on these results, a triple first-line therapy for 7-14 days seems the therapies at the standard doses is dependent on CYP2C19 genotype status.50.

Efficacy and Tolerability of First-Line Triple Therapy With ...

www.researchgate.net/.../49646192_Efficacy_and_Tolerability... - [翻译此页](#)

找到约 2,870 条结果 (用时 0.76 秒)

CYP2C19 polymorphism influences Helicobacter pylori ...

www.ncbi.nlm.nih.gov > ... > PubMed Central (PMC) ▾ 翻译此页

作者 : CH Kuo - 2014 - 被引用次数 : 4 - 相关文章

2014年11月21日 - The **CYP2C19 genotype** is a cardinal factor of **H. pylori eradication** ... The efficacy of levofloxacin-based rescue **triple therapy** might be ... The **first-line** regimen for **H. pylori eradication** includes proton pump ... So rabeprazole and **esomeprazole** appear less **influenced** by polymorphism of CYP2C19[12,14].

PLOS ONE: Effects of CYP2C19 Loss-of-Function Variants ...

journals.plos.org/plosone/article?id=10.1371/journal.pone... ▾ 翻译此页

2013年4月30日 - **Eradication** of **H. pylori infection** is recommended to reduce the ... effect of the **CYP2C19 genotypes** on the **eradication** of **H. pylori** by PPI-based **triple therapies** [17]–[32]. ... the **influence** of CYP2C19 variants on all PPI-based **triple therapy** ... Of them, the number of **esomeprazole** arm, lansoprazole arm, ...

[PDF] Review of the evidence for H. Pylori treatment regimens D...

www.who.int/selection_medicines/.../expert/.../Review_171.pdf ▾ 翻译此页

作者 : L Wannmacher - 被引用次数 : 2 - 相关文章

2011年3月21日 - **infection**, **H. pylori eradication therapy**, proton pump inhibitors, histamine-2 ... **gastritis**, but there is little evidence of reversal of atrophy or intestinal ... Based on these results, a **triple first-line therapy** for 7-14 days seems the ... **therapies** at the standard doses is dependent on **CYP2C19 genotype** status.50.

Comparison between Single-Dose Esomeprazole- and ...

www.hindawi.com/journals/grp/2012/674324/ ▾ 翻译此页

作者 : HY Shih - 2012 - 被引用次数 : 4 - 相关文章

2012年5月3日 - Single-dose **esomeprazole-based triple therapy** is effective for **H.**