



Complete response by IGRT and concurrent XELOX for widespread lym



网页

新闻

图片

视频

更多

搜索工具

获得 10 条结果 (用时 0.94 秒)

Pancreatic, Neuroendocrine GI, and Adrenal Cancers ...

www.surgery.gr/.../398-pancreatic-neuroendocrine-gi-and-adre... 翻译此页

In 2012, an estimated 43,920 new **cases** were diagnosed, and 37,390 ... A **report** by the American Institute for **Cancer** Research (AICR) and the World ... **Lymph node** metastases and tumor size and differentiation have ... average post-operative mortality rate **following pancreaticoduodenectomy** is ... **Duodenal** obstruction.

缺少字词: xelox

resectable esophageal cancer: Topics by Science.gov

www.science.gov/topicpages/r/resectable+esophageal+cancer.html

[Two **cases** of **lymph node recurrence** after endoscopic mucosal resection of esophageal ... For patients with esophageal **cancer**, only one **report** suggested that blood ... **Complete response** and partial response were observed in 22.9% and ... **cancer** who underwent **concurrent** chemotherapy with IMRT (1) and IGRT (9) ...

unresectable advanced pancreatic - WorldWideScience

worldwidescience.org/topicpages/u/unresectable+advanced+pancreatic.html

Concurrent chemoradiotherapy (CCRT) is the standard treatment for locally advanced ... We **report** the **case** of a 46-year-old patient with an unresectable, locally advanced ... Salvage **pancreaticoduodenectomy** after **complete response** to ... Regional **lymph node recurrence** was found in only 1 patient, and none of the ...

advanced pancreatic adenocarcinoma - WorldWideScience

worldwidescience.org/.../a/advanced+pancreatic+adenocarcinoma.html

We **report** 18 resections among 29 locally advanced pancreatic cancers; ... After surgery, nodular shadows without intrathoracic **lymph node** or distant ... **cases** of pancreatic metastasis from lung **cancer** have already **widespread** ... Dose-Volume Analysis of Predictors for Gastrointestinal Toxicity After **Concurrent Full-Dose**

Match Overview

| | | |
|---|-----------------------------------------------------------------------------------------------------------------------------------------------------|-----|
| 1 | Publications 26 words "Study Results from Chiang Mai University Broaden Understanding of Gastroenterology (A comparative pl", Obesity, FI | 1% |
| 2 | Internet 25 words crawled on 25-Oct-2015 www.wjgnet.com | 1% |
| 3 | CrossCheck 24 words Lee, Sang Yeup, Jae Hoon Lee, Dae Wook Hwang, Song Cheol Kim, Kwang-Min Park, and Young-Joo Lee. "Long-te ... | 1% |
| 4 | Internet 22 words crawled on 29-Apr-2014 www.rare-cancer.org | 1% |
| 5 | CrossCheck 20 words Zhu, Ji, Peng Lian, Fangqi Liu, Ye Xu, Junyan Xu, Zuqing Guan, Liping Liang, Minghe Wang, Sanjun Cai, and Zhen Zh | 1% |
| 6 | CrossCheck 12 words Han, Shu-Gao. "Eosinophilic gastroenteritis associated with eosinophilic cystitis: Computed tomography and magn ... | <1% |
| 7 | CrossCheck 12 words Brady, Carla W. "Liver disease in menopause", World Journal of Gastroenterology, 2015. | <1% |

2
Name of Journal: World Journal of Gastroenterology

ESPS Manuscript NO: 18702

Manuscript Type: CASE REPORT

Widespread lymph node recurrence of major duodenal papilla cancer following pancreaticoduodenectomy

Bai-Sen Li, Hui Shi, Min Wen, Ming-Yong Xiao, Jian Wang

Abstract

Major duodenal papilla cancer (MDPC) represents the primary type of duodenal cancer, and is typically considered a periampullary carcinoma as most tumors arise in this region. This report describes an extremely rare case involving a patient with

Widespread lymph node recurrence of major duodenal papilla cancer following p

网页 图片 视频 新闻 购物 地图 图书

找到约 26,700 条结果

时间不限

过去 1 小时内
过去 24 小时内
过去 1 周内
过去 1 个月内
过去 1 年内

所有结果

精确匹配

[Google 学术: Widespread lymph node recurrence of major duodenal papilla cancer following pancreaticoduodenectomy](#)

[Primary adenocarcinoma of the duodenum: ...](#) - Barnes Jr - 被引用次数: 152

[Surgical treatment of primary duodenal carcinoma: a ...](#) - Scott - Coombes - 被引用次数: 67

[... consecutive tumors of the duodenum, ampulla, head of ...](#) - Michelassi - 被引用次数: 217

[Prognostic Factors for Long-Term Survival in Patients with Ampullary ...](#)

[www.hindawi.com/journals/hpb/2014/970234/](#) ▼

14 Jan 2014 ... Survival analysis showed that positive lymph node involvement, lymphatic ... Ampullary carcinomas arise from the ampulla or papilla of Vater (the duodenal papilla) and ... they represent the second largest proportion (after pancreatic carcinoma) of ... A major component in this issue is tumor recurrence.

[Papillary Tumors: Overview, Tumor Characteristics, Etiology](#)

[emedicine.medscape.com/article/187464-overview](#) ▼

6 May 2015 ... Although malignant tumors of the main papilla are more common, a number ... Duodenal carcinoids account for only 1-5% of the total. ... In 1987, the staging of ampullary carcinomas was added to the tumor, node, ... No specific laboratory studies exist for the diagnosis of pancreatic cancer, but the following ...

[Ampullary Carcinoma Treatment & Management: Surgical Care](#)

[emedicine.medscape.com/article/276413-treatment](#) ▼

20 Mar 2014 ... These researchers concluded that pancreaticoduodenectomy ... Specifically, risk of lymph node metastasis increased with T stage ... local excisions of cancers of the ampulla of Vater to avoid a major resection. ... recurrences in 3 of 12 patients with ampullary cancers following potentially curative resection.

[Ampulla of Vater Carcinoma](#)

[www.thedoctorsdoctor.com/diseases/ampulla-of-vater-ca.htm](#) ▼

网页 图片 新闻 视频 购物 更多 ▾ 搜索工具

找到约 12,100 条结果 (用时 0.72 秒)

Google 学术 : Widespread lymph node recurrence of major duodenal papilla cancer following pancreaticoduodenectomy

Primary adenocarcinoma of the duodenum: ... - Barnes Jr - 被引用次数 : 155

Surgical treatment of primary duodenal carcinoma: a ... - Scott-Coombes - 被引用次数 : 67

... consecutive tumors of the duodenum, ampulla, head of ... - Michelassi - 被引用次数 : 217

Prognostic Factors for Long-Term Survival in Patients with ...

www.hindawi.com/journals/hpb/2014/970234/ ▾ 翻译此页

作者 : F Klein - 2014 - 被引用次数 : 4 - 相关文章

2014年1月14日 - Survival analysis showed that positive lymph node involvement , lymphatic vessel ... Ampullary carcinomas arise from the ampulla or papilla of Vater (the duodenal papilla) and account for ... A radical pancreaticoduodenectomy, performed either as a ... A major component in this issue is tumor recurrence.

Papillary Tumors: Overview, Tumor Characteristics, Etiology

emedicine.medscape.com/article/187464-overview ▾ 翻译此页

2015年5月6日 - ... Surgical Overview; Pancreaticoduodenectomy; Local Excision ... Malignant papillary tumors have a more favorable course after ... A wide variation exists in the endoscopic appearance of normal major duodenal papillae. ... In 1987, the staging of ampullary carcinomas was added to the tumor, node, ...

Ampullary Carcinoma Treatment & Management: Surgical ...

emedicine.medscape.com/article/276413-treatment ▾ 翻译此页

2014年3月20日 - Specifically, risk of lymph node metastasis increased with T stage