

Predict the liver metastasis of gastrointestinal tract cancer by diffusion-weighted i

全部

图片

视频

新闻

购物

地图

图书

找到约 36,700 条结果

时间不限

过去 1 小时内

过去 24 小时内

过去 1 周内

过去 1 个月内

过去 1 年内

所有结果

精确匹配

[Radiology: Apparent Diffusion Coefficient: Potential Imaging ...](#)

[pubs.rsna.org/doi/full/10.1148/radiol.2483071407](https://pubs.rsna.org/doi/full/10.1148/radiol.2483071407)

Apparent Diffusion Coefficient: Potential Imaging Biomarker for Prediction and Early ... of water acquired by using diffusion-weighted (DW) MR imaging as a surrogate ... To our knowledge, the value of early ADC changes in hepatic metastasis ... for patients were: (a) having hepatic metastases from gastrointestinal cancers, ...

[\[PDF\] Apparent Diffusion Coefficient: Potential Imaging Biomarker for ...](#)

[pubs.rsna.org/doi/pdf/10.1148/radiol.2483071407](https://pubs.rsna.org/doi/pdf/10.1148/radiol.2483071407)


3 Sep 2008 ... Purpose: To evaluate the ability of the apparent diffusion coefficient (ADC) to help predict response to chemotherapy in patients with colorectal and gastric hepatic metastases. ... colorectal and gastric cancer patients (16 men, seven women ... of the gastrointestinal tract (colorectal, ... diffusion weighted.

[Diffusion-weighted magnetic resonance imaging in the prediction ...](#)

[www.ncbi.nlm.nih.gov/pubmed/24408046](https://www.ncbi.nlm.nih.gov/pubmed/24408046)

10 Jan 2014 ... Diffusion-weighted magnetic resonance imaging in the prediction and ... of apparent diffusion coefficient (ADC) in both predicting and evaluating the ... Patients affected by liver metastases from cancers of the digestive tract and ... The mean ADC values of SD and PR groups at times 1 (respectively 1.66 ...

MRI of the Gastrointestinal Tract - Google 图书结果



23149-Review

BY DE-XIAN ZHENG

Quotes Excluded  
Bibliography Excluded3%  
SIMILAR

Name of journal: World Journal of Gastroenterology

ESPS Manuscript NO: 23149

Manuscript Type: ORIGINAL ARTICLE

Observational Study

Predict the liver metastasis of gastrointestinal tract cancer by  
diffusion-weighted imaging of apparent diffusion coefficient values

De-Xian Zheng, Shu-Chun Meng, Qing-Jun Liu, Chuan-Ting Li, Xi-Dan Shang,

Yu-Seng Zhu, Tian-Jun Bai, Shi-Ming Xu

## Match Overview

1	CrossCheck 28 words Yonghong Wang, "Retrospective Analysis of the Predictive Effect of Coagulogram on the Prognosis of Intracerebral Hemorrhage"	1%
2	CrossCheck 23 words Yamamoto, Yuichi, Mitsuyoshi Takahara, Tetsuyuki Yasuda, Naoto Katakami, Taka-aki Matsuoka, Hideaki Kaneto	1%
3	CrossCheck 22 words Wang, Xin-Wei, Yan-Lin Zhang, and Ying Xiong, "Impact of ABCB1 Single-Nucleotide Polymorphisms on Treatment Response in Non-Small Cell Lung Cancer"	1%
4	CrossCheck 20 words Shen, Jiē, Qing Wang, Juan Wang, Guō-Hong Su, Juan Wang, Sheng-Hu Guo, Ya Liu, Zheng Wu, Rong-Feng Li	<1%
5	CrossCheck 14 words Cancer Treatment An Update, 1994.	<1%
6	Internet 14 words crawled on 25-Oct-2009 www.freepatentsonline.com	<1%



Predict the liver metastasis of gastrointestinal tract cancer by diffusion-weighted i



全部

图片

视频

新闻

购物

地图

图书

找到约 36,700 条结果

时间不限

过去 1 小时内

过去 24 小时内

过去 1 周内

过去 1 个月内

过去 1 年内

所有结果

精确匹配

[Radiology: Apparent Diffusion Coefficient: Potential Imaging ...](#)

[pubs.rsna.org/doi/full/10.1148/radiol.2483071407](https://pubs.rsna.org/doi/full/10.1148/radiol.2483071407)

Apparent Diffusion Coefficient: Potential Imaging Biomarker for Prediction and Early ... of water acquired by using diffusion-weighted (DW) MR imaging as a surrogate ... To our knowledge, the value of early ADC changes in hepatic metastasis ... for patients were: (a) having hepatic metastases from gastrointestinal cancers, ...

[PDF] [Apparent Diffusion Coefficient: Potential Imaging Biomarker for ...](#)

[pubs.rsna.org/doi/pdf/10.1148/radiol.2483071407](https://pubs.rsna.org/doi/pdf/10.1148/radiol.2483071407)

3 Sep 2008 ... Purpose: To evaluate the ability of the apparent diffusion coefficient (ADC) to help predict response to chemotherapy in patients with colorectal and gastric hepatic metastases. ... colorectal and gastric cancer patients (16 men, seven women ... of the gastrointestinal tract (colorectal, ... diffusion weighted.

[Diffusion-weighted magnetic resonance imaging in the prediction ...](#)

[www.ncbi.nlm.nih.gov/pubmed/24408046](https://www.ncbi.nlm.nih.gov/pubmed/24408046)

10 Jan 2014 ... Diffusion-weighted magnetic resonance imaging in the prediction and ... of apparent diffusion coefficient (ADC) in both predicting and evaluating the ... Patients affected by liver metastases from cancers of the digestive tract and ... The mean ADC values of SD and PR groups at times 1 (respectively 1.66 ...

MRI of the Gastrointestinal Tract - Google 图书结果

[全部](#)[图片](#)[新闻](#)[视频](#)[购物](#)[更多 ▾](#)[搜索工具](#)

找到约 36,400 条结果 (用时 0.67 秒)

### [Radiology: Apparent Diffusion Coefficient: Potential Imaging ...](#)

[pubs.rsna.org/doi/full/10.1148/radiol.2483071407](https://pubs.rsna.org/doi/full/10.1148/radiol.2483071407) - 翻译此页

作者: Y Cui - 2008 - 被引用次数: 281 - 相关文章

**Apparent Diffusion Coefficient: Potential Imaging Biomarker for Prediction and Early ...**  
of water acquired by using **diffusion-weighted** (DW) MR **imaging** as a surrogate ... To  
our knowledge, the **value** of early ADC changes in **hepatic metastasis** ... for patients  
were: (a) having **hepatic metastases** from **gastrointestinal cancers**, ...

### [Apparent Diffusion Coefficient: Potential Imaging Biomarker ...](#)

[pubs.rsna.org/doi/pdf/10.1148/radiol.2483071407](https://pubs.rsna.org/doi/pdf/10.1148/radiol.2483071407) - 翻译此页

作者: Y Cui - 2008 - 被引用次数: 281 - 相关文章

2008年9月3日 - To evaluate the ability of the **apparent diffusion coefficient** (ADC) to  
help ... tients with colorectal and gastric **hepatic metastases**. Materials and.

### [Diffusion-weighted magnetic resonance imaging in the ...](#)

[www.ncbi.nlm.nih.gov/pubmed/24408046](https://www.ncbi.nlm.nih.gov/pubmed/24408046) - 翻译此页

作者: F Mungaï - 2014 - 被引用次数: 8 - 相关文章

2014年1月10日 - **Diffusion-weighted** magnetic resonance **imaging** in the **prediction**  
and ... of **apparent diffusion coefficient** (ADC) in both **predicting** and evaluating the ...  
Patients affected by **liver metastases** from **cancers** of the **digestive tract** and ... The  
mean ADC **values** of SD and PR groups at times 1 (respectively 1.66 ...

### [MRI of the Gastrointestinal Tract - 第 62 页 - Google 图书结果](#)

<https://books.google.nl/books?isbn=3540855327> - 翻译此页

Jaap Stoker - 2010 - Medical

Chenevert TL, Brunberg JA, Pipe JG (1990) Anisotropic diffusion in human white ...