

Name of journal: *World Journal of Gastroenterology*

ESPS Manuscript NO: 19185

Manuscript Type: ORIGINAL ARTICLE

Retrospective Study

Is forceps more useful than visualization for measurement of colon polyp size?

Kim JH *et al.* Usefulness of forceps for polyp size

Jae Hyun Kim, Seun Ja Park, Jong Hoon Lee, Tae Oh Kim, Hyun Jin Kim, Hyung Wook Kim, Sang Heon Lee, Dong Hoon Baek; Busan Ulsan Gyeongnam Intestinal Study Group Society (BIGS)

Jae Hyun Kim, Seun Ja Park, Department of gastroenterology, Kosin University College of Medicine, Busan 602-702, South Korea

Jong Hoon Lee, Department of gastroenterology, Dong-A University College of

Match Overview

- | Match Number | Source | Words | Similarity |
|--------------|--------------|-----------|------------|
| 1 | CrossCheck | 199 words | 4% |
| 2 | CrossCheck | 31 words | 1% |
| 3 | CrossCheck | 25 words | <1% |
| 4 | Internet | 22 words | <1% |
| 5 | Publications | 21 words | <1% |

学术搜索

找到约 3,230 条结果 (用时0.08秒)

文章

我的图书馆

时间不限

2015以来

2014以来

2011以来

自定义范围...

按相关性排序

按日期排序

搜索所有网页

中文网页

简体中文网页

☒ 包括专利

☒ 包含引用

☐ 创建快讯

小提示: 只搜索中文(简体)结果, 可在 学术搜索设置 指定搜索语言

Is in vivo measurement of size of polyps during colonoscopy accurate?

N Gopalswamy, VN Shenoy, U Choudhry... - Gastrointestinal ..., 1997 - Elsevier

... Occasionally the polyp could not be visualized in its entirety when it was more than 1 cm in ... Visual estimation in our study was the next best, whereas the open forceps method was least ... between different modes of measurement found in our study, their clinical impact is trivial as ...

被引用次数: 138 相关文章 所有 7 个版本 引用 保存

The pathologic measurement of polyp size is preferable to the endoscopic estimate

RE Schoen, LD Gerber, C Margulies - Gastrointestinal endoscopy, 1997 - Elsevier

... 8 However, in vitro studies show that using open biopsy forceps does not improve endoscopic estimation of polyp ... Certainly one could not justify the expense of using a biopsy forceps solely as a measuring device ... The endoscopist's estimation of polyp size is poor 20% of the time ...

被引用次数: 146 相关文章 所有 8 个版本 引用 保存

Polyp Measurement Reliability, Accuracy, and Discrepancy: Optical Colonoscopy versus CT Colonography with Pig Colonic Specimens 1

SH Park, EK Choi, SS Lee, JS Byeon, JY Jo, YH Kim... - Radiology, 2007 - pubs.rsna.org

... First, this study does not reflect all aspects of an in vivo human examination, ... error criterion for polyp matching between CT colonography and optical colonoscopy with open biopsy forceps. ... during CT colonography that was placed through the simulated anus (arrow) is observed, ...

被引用次数: 43 相关文章 所有 7 个版本 引用 保存

rsna.org 中的 [HTML]

Flat colorectal lesions in asymptomatic adults: implications for screening with CT virtual colonoscopy

PJ Pickhardt, PA Nugent, JR Choi,... - American Journal of ..., 2004 - Am Roentgen Ray Soc

... linear probe, which has been shown to be more accurate than either visual or biopsy forceps estimation [13 ... Blinded assessment of the flat adenoma in the National Polyp Study (NPS) does not demonstrate an ... Is in vivo measurement of size of polyps during colonoscopy accurate ...

被引用次数: 133 相关文章 所有 8 个版本 引用 保存

colonhealthcenters.com 中的 [PDF]

Does Autofluorescence Imaging Videoendoscopy System Improve the Colonoscopic Polyp Detection Rate?—A Pilot Study

T Matsuda, Y Saito, KI Fu, T Uraoka... - The American journal of ..., 2008 - nature.com

... The size of the lesions was estimated using open endoscopic biopsy forceps. ... Thus, this study

nature.com 中的 [HTML]

[网页](#) [图片](#) [新闻](#) [购物](#) [视频](#) [更多 ▾](#) [搜索工具](#)

找到约 19,000 条结果 (用时 0.47 秒)

Is in vivo measurement of size of polyps during colonoscopy ...

www.ncbi.nlm.nih.gov/pubmed/9434215 ▾ [翻译此页](#)作者 : N Gopalswamy - 1997 - 被引用次数 : 138 - [相关文章](#)

Major studies of colorectal neoplasms have **measured** polyp **size** differently. ... **colon polyps** were **measured** by means of visual estimation, open biopsy **forceps** ... polyps were 5.01 mm to 10 mm, and 20 polyps were **more than** 10 mm in **size**.

缺少字词 : visualization

Endoscopic Measurement of Polyp Size Using a Novel ...

www.hindawi.com/journals/grp/2014/714294/ ▾ [翻译此页](#)作者 : K Kume - 2014 - 被引用次数 : 4 - [相关文章](#)

2014年6月16日 - Although the **size** of **colon polyps** is an important risk factor for colorectal ... Attaching the calibrated hood appears **useful** in the **measurement** of polyp **size** to ... used endoscopic estimation of polyp **size** with open biopsy **forceps** [3]. ... All adenomatous polyps **more than** 5 mm in diameter were removed.

缺少字词 : visualization

[PDF] Use of a novel "Polyp Ruler Snare" to improve assessmen...

<https://depts.washington.edu/uwmedres/.../09-10/Anwar.pdf> ▾ [翻译此页](#)作者 : A Anwar - [相关文章](#)

to improve assessment of colon polyp **size**, ... endoscopists to **more** accurately **measure colorectal polyps**. ... endoscopist. • **Most** endoscopists tend to underestimate the polyp **size** ... the **most** accurate and the open biopsy **forceps** ... found to be **more** accurate **than** endoscopic ... need for **better** and **more** accurate ways for.

缺少字词 : visualization

[PDF] Segmentation and Size Measurement of Polyps in ... - TU...

homepage.tudelft.nl/e3q6n/.../MICCAI2005LNCS3749 JDea.p... ▾ [翻译此页](#)