

[全部](#)[新闻](#)[图片](#)[视频](#)[购物](#)[更多 ▾](#)[搜索工具](#)

找到约 8,370 条结果 (用时 1.14 秒)

Google 学术: Multi-locus genetic risk score predicts risk for Crohn's disease in Slovenian population

... from the XVII World Congress of Psychiatric Genetics, ... - Amstadter - 被引用次数: 5

... of the genetic structure of Europeans and in genetic ... - Esko - 被引用次数: 11

Clostridium difficile in foods and animals: history and ... - Rodriguez-Palacios - 被引用次数: 32

Genetic risk prediction in complex disease

www.ncbi.nlm.nih.gov > ... > PubMed Central (PMC) ▾ [翻译此页](#)

作者: L Jostins - 2011 - 被引用次数: 81 - [相关文章](#)

2011年8月25日 - The importance of genetic factors in risk prediction has long been ... values are dependent on the risk score threshold T. These statistics can be used to ... affected sibling, for instance, predicts Crohn's disease with AUC of 0.56 (10). ... Wray N.R., Goddard M.E. Multi-locus models of genetic risk of disease.
缺少字词: slovenian

Genetic studies of Crohn's disease: Past, present and future

www.ncbi.nlm.nih.gov > ... > PubMed Central (PMC) ▾ [翻译此页](#)

作者: JZ Liu - 2014 - 被引用次数: 17 - [相关文章](#)

Here, we review the history of gene-mapping studies of Crohn's disease, from ... A typical linkage study will report all loci with LOD scores greater than three, which ... Known Crohn's disease risk loci are shown according to their location on the ... from multiple populations can narrow the associated region for risk loci that ...

Name of Journal: *World Journal of Gastroenterology*

ESPS Manuscript NO: 24304

Manuscript Type: ORIGINAL ARTICLE

Case Control Study

Multi-locus genetic risk score predicts risk for Crohn's disease in Slovenian population

Zupančič K *et al.* Predictive risk score for Crohn patients

Katarina Zupančič, Kristijan Skok, Katja Repnik, Rinse K Weersma, Uroš Potočnik, Pavel Skok

Abstract

AIM: To develop a risk model for Crohn's disease (CD) based on homogeneous population.

Match Overview

1	Internet 36 words www.bookcrossing.com	1%
2	Internet 35 words crawled on 27-Jul-2014 www.ncbi.nlm.nih.gov	1%
3	Internet 22 words crawled on 02-Mar-2016 www.wjgnet.com	1%
4	Internet 18 words crawled on 16-Mar-2015 ard.bmj.com	<1%
5	Internet 17 words crawled on 12-Jan-2014 www.ibdgenetics.org	<1%
6	CrossCheck 15 words Loddo, Italia, and Claudio Romano. "Inflammatory Bowel Disease: Genetics, Epigenetics, and Pathogenesis", Fr	<1%
7	CrossCheck 13 words Wang, Xiaoling, Xiaojing Xu, Shaoyong Su, and Harold ... nieder "Familial Adneerogation and Childhood Blood Pres	<1%

学术搜索

获得 6 条结果 (用时0.07秒)

试用新功能

小提示: 只搜索中文(简体)结果, 可在 学术搜索设置 指定搜索语言

时间不限

2016以来

2015以来

2012以来

自定义范围...

按相关性排序

按日期排序

搜索所有网页

中文网页

简体中文网页

☒ 包括专利☒ 包含引用

Novel applications of SNP array data in the analysis of the genetic structure of Europeans and in genetic association studies

T Esko - 2012 - dspace.ut.ee

... One of the seminal works, on which future gene discovery studies were modeled, was ... The failures to pinpoint causal genes in neuropsychiatric disorders have been explained by ... The predictive values of identified genetic variants for disease outcome are improving as more loci ...

被引用次数: 16 相关文章 引用

Selected summaries from the XVII World Congress of Psychiatric Genetics, San Diego, California, USA, 4–8 November 2009

AB Amstadter, V Balachandar, SE Bergen... - ... genetics, 2010 - journals.lww.com

... s Genetic Epidemiology Unit, Queensland Institute of Medical Research, Po Royal Brisbane Hospital, Queensland. ... x Faculty of Medicine University of Ljubljana, Institute of Biochemistry, Medical Center for Molecular Genetics, Ljubljana, Slovenia.

被引用次数: 5 相关文章 所有 5 个版本 引用

Clostridium difficile in foods and animals: history and measures to reduce exposure

A Rodriguez-Palacios, S Borgmann... - Animal Health ... , 2013 - Cambridge Univ Press

... The most widely factor associated with the increased ability to produce toxins in vitro is the presence of a genetic mutation in a gene (tcdC) that ... the genes responsible for the production of toxins A and B. In vivo, the association of tcdC polymorphisms with disease severity is ...

被引用次数: 33 相关文章 所有 10 个版本 引用

„PubMed Commons“: Beschreibung und Analyse von PubMeds neuer Kommentarfunktion

N Köhler - Bibliometrie-Praxis und Forschung, 2014 - bibliometrie-pf.de

... European Alzheimer's Disease Initiative (EADI); Genetic and Environmental Risk in Alzheimer's Disease; Alzheimer's Disease Genetic Consortium; Cohorts for ... Wellcome Trust Case Control Consortium; Biologics in Rheumatoid Arthritis Genetics and Genomics ...

相关文章 所有 2 个版本 引用

ut.ee 中的 [PDF]

osu.edu 中的 [PDF]

bibliometrie-pf.de 中的 [HTML]

[全部](#)[新闻](#)[图片](#)[视频](#)[购物](#)[更多 ▾](#)[搜索工具](#)

找到约 9,530 条结果 (用时 0.71 秒)

Google 学术 : Multi-locus genetic risk score predicts risk for Crohn's disease in Slovenian population

... of the genetic structure of Europeans and in genetic ... - Esko - 被引用次数 : 16

... from the XVII World Congress of Psychiatric Genetics, ... - Amstadter - 被引用次数 : 5

Clostridium difficile in foods and animals: history and ... - Rodriguez-Palacios - 被引用次数 : 33

Genetic studies of Crohn's disease: Past, present and future

www.ncbi.nlm.nih.gov > ... > PubMed Central (PMC) ▾ [翻译此页](#)

作者 : JZ Liu - 2014 - 被引用次数 : 22 - [相关文章](#)

Here, we review the history of gene-mapping studies of Crohn's disease, from ... A typical linkage study will report all loci with LOD scores greater than three, which ... Known Crohn's disease risk loci are shown according to their location on the ... from multiple populations can narrow the associated region for risk loci that ...

缺少字词 : slovenian

Genetic risk prediction in complex disease

www.ncbi.nlm.nih.gov > ... > PubMed Central (PMC) ▾ [翻译此页](#)

作者 : L Jostins - 2011 - 被引用次数 : 82 - [相关文章](#)

2011年8月25日 - The importance of genetic factors in risk prediction has long been ... values are dependent on the risk score threshold T. These statistics can be used to ... affected sibling, for instance, predicts Crohn's disease with AUC of 0.56 (10). Wray N.R., Goddard M.E. Multi-locus models of genetic risk of disease.

缺少字词 : slovenian