

文章

我的图书馆

时间不限

2015以来

2014以来

2011以来

自定义范围...

按相关性排序

按日期排序

搜索所有网页

中文网页

简体中文网页

☒ 包括专利

☒ 包含引用

☒ 创建快讯

您是不是要找: The Impact of **Vascularized** Lymph Node Dissection on the Clinical Outcome of Patients with Advanced Gastric Cancer: A Single-institution Experience

小提示: 只搜索**中文(简体)**结果, 可在 学术搜索设置 指定搜索语言

[HTML] Minimally invasive esophagectomy: **outcomes** in 222 **patients**

JD Luketich, M Alvelo-Rivera, PO Buenaventura... - Annals of ..., 2003 - ncbi.nlm.nih.gov

... Other studies have also demonstrated impaired **vascularization** of the **stomach** and increased ...

BF, Panjehpour M, Ayres M. Photodynamic therapy for Barrett's esophagus: cardiac **effects**, ... **Effect**

of operative volume on morbidity, mortality, and hospital use after esophagectomy for ...

被引用次数: 735 相关文章 所有 10 个版本 引用 保存

Operations for intrahepatic cholangiocarcinoma: **single-institution experience** of 158 **patients**

H Lang, GC Sotiropoulos, G Sgourakis... - Journal of the American ..., 2009 - Elsevier

... Preoperative **clinical** findings and **treatment**. ... number of tumors (solitary versus multifocal), vascular

invasion, macrovascular invasion, **lymphatic** invasion (L... vascular invasion, macrovascular invasion,

lymphangitic invasion, pT (of TNM classification), **lymph node** status, and R ...

被引用次数: 91 相关文章 所有 6 个版本 引用 保存

Indicators of prognosis after transhiatal esophageal resection without thoracotomy for **cancer**

JW van Sandick, JJB van Lanschoot... - Journal of the American ..., 2002 - Elsevier

... Gastrointestinal continuity was preferably reestablished with a narrow **gastric** tube **vascularized**

by the ... Beyond this **effect**, longterm prognosis has not substantially changed over the past ... made

suggestion that the transthoracic approach provides a beneficial **impact** on longterm ...

被引用次数: 67 相关文章 所有 11 个版本 引用 保存

Assessment of pathologic response after preoperative chemoradiotherapy and surgery in

**pancreatic adenocarcinoma**

V Moutardier, V Magnin, O Turrini, F Viret... - International Journal of ..., 2004 - Elsevier

... Almost all the toxic **effects** encountered involved the gastrointestinal tract and consisted of nausea,

vomiting, diarrhea (n = 10 ... Liver arterial **vascularization** was provided by the gastroduodenal artery...

The pathologic findings were helpful in assessing the antitumor **effect** of CRT...

被引用次数: 69 相关文章 所有 6 个版本 引用 保存

**Name of journal:** *World Journal of Gastroenterology*

**ESPS Manuscript NO:** 22990

**Manuscript Type:** Retrospective Study

**Vascularizing lymph node dissection for advanced gastric cancer: A single-institution experience**

Han FH *et al.* VLND for gastric cancer

Fang-Hai Han, Sheng-Ning Zhou, Hong-Ming Li, Yu-Long He, Wen-Hua Zhan

Fang-Hai Han, Sheng-Ning Zhou, Hong-Ming Li, Department of Gastrointestinal Surgery, Sun Yat-sen Memorial Hospital of Sun Yat-sen University, Guangzhou 510000, Guangdong Province, China

### Match Overview

1	<b>Internet</b> 165 words crawled on 23-Dec-2015 <a href="http://www.wjgnet.com">www.wjgnet.com</a>	4%
2	<b>CrossCheck</b> 26 words Li, Dou-Dou. "Linc00675 is a novel marker of short survival ... and recurrence in patients with pancreatic ductal adenocar"	1%



学术搜索

找到约 474 条结果 (用时0.04秒)

- 文章
- 我的图书馆
- 时间不限
- 2016以来
- 2015以来
- 2012以来
- 自定义范围...
- 按相关性排序
- 按日期排序
- 搜索所有网页
- 中文网页
- 简体中文网页
- ☒ 包括专利
- ☒ 包含引用
-  创建快讯

您是不是要找: **Vascularized** lymph node dissection for advanced gastric cancer: A single-institution experience

小提示: 只搜索中文(简体)结果, 可在 学术搜索设置 指定搜索语言

[HTML] Minimally invasive esophagectomy: outcomes in 222 patients nih.gov 中的 [HTML]

JD Luketich, M Alvelo-Rivera, PO Buenaventura... - Annals of ..., 2003 - ncbi.nlm.nih.gov  
... taken to clip any aortoesophageal vessels and to clip any lymphatic branches from ... Transthoracic esophagectomy with radical mediastinal and abdominal lymph node dissection for esophageal carcinoma. ... The vascularization of a gastric tube as a substitute for the esophagus is ...  
被引用次数: 758 相关文章 所有 10 个版本 引用 保存

Operations for intrahepatic cholangiocarcinoma: single-institution experience of 158 patients

H Lang, GC Sotiropoulos, G Sgourakis... - Journal of the American ..., 2009 - Elsevier  
... the majority of patients with ICC present with large, locally advanced or even ... of tumors (solitary versus multifocal), vascular invasion, macrovascular invasion, lymphatic invasion (L ... macrovascular invasion, lymphangitic invasion, pT (of TNM classification), lymph node status, and ...  
被引用次数: 92 相关文章 所有 6 个版本 引用 保存

[HTML] D2 dissection in laparoscopic and open gastrectomy for gastric cancer nih.gov 中的 [HTML]

M Cui, JD Xing, W Yang, YY Ma, ZD Yao... - World journal of ..., 2012 - ncbi.nlm.nih.gov  
... The left gastroepiploic vessel was vascularized, clamped with double Hem-o-lok clips (Teleflex ... complications in the OG group included delayed gastric emptying (n = 3), lymphatic leakage (n ... The regional lymph nodes of the stomach are classified into three groups according to ...  
被引用次数: 35 相关文章 所有 8 个版本 引用 保存

Indicators of prognosis after transhiatal esophageal resection without thoracotomy for cancer

JW van Sandick, JJB van Lanschot... - Journal of the American ..., 2002 - Elsevier  
... continuity was preferably reestablished with a narrow gastric tube vascularized by the ... dissection.<sup>35</sup> It is then believed that the resection of lymph nodes with micrometastases ... is the preferred method to elucidate the prognostic significance of an extended lymph node dissection. ...  
被引用次数: 68 相关文章 所有 11 个版本 引用 保存

Assessment of pathologic response after preoperative chemoradiotherapy and surgery in pancreatic adenocarcinoma

V Moutardier, V Magnin, O Turini, E Viret... - International Journal of ..., 2004 - Elsevier



[全部](#)[图片](#)[视频](#)[新闻](#)[购物](#)[更多 ▾](#)[搜索工具](#)

找到约 32,100 条结果 (用时 0.72 秒)

显示的是以下查询字词的结果：**Vascularized lymph node dissection for advanced gastric cancer: A single-institution experience**

仍然搜索：Vascularizing lymph node dissection for advanced gastric cancer: A single-institution experience

Google 学术：**Vascularized lymph node dissection for advanced gastric cancer: A single-institution experience**

Minimally invasive esophagectomy: outcomes in 222 ... - [Luketich](#) - 被引用次数：759

... for **lymph node** metastasis in early **gastric cancer**— ... - [Lim](#) - 被引用次数：27

... : **single-institution experience** of 158 patients - [Lang](#) - 被引用次数：92

**Clinicopathological features associated with lymph node ...**

[www.ncbi.nlm.nih.gov](http://www.ncbi.nlm.nih.gov) > ... > [PubMed Central \(PMC\)](#) ▾ [翻译此页](#)

作者：L Shen - 2009 - 被引用次数：33 - [相关文章](#)

Keywords: China, Early **gastric cancer**, **Lymph node** metastasis, Risk factor ...  
(**dissection** of all group I, group II and group III **lymph nodes**) with combined ... at a **single institution** in China and to identify the factors associated with LNM. ... EGC accounts for only a small proportion of the **advanced gastric cancers** in China.

**Radiotherapy patterns of care in gastric adenocarcinoma: a ...**

[www.ncbi.nlm.nih.gov](http://www.ncbi.nlm.nih.gov) > ... > [Literature](#) > [PubMed Central \(PMC\)](#) - [翻译此页](#)

作者：J Cheng - 2015 - [相关文章](#)

**Gastric adenocarcinoma** (GAC) is one of the most commonly diagnosed cancers ... D2