

学术搜索

获得 1 条结果 (用时0.06秒)

文章

我的图书馆

时间不限

2015以来

2014以来

2011以来

自定义范围...

按相关性排序

按日期排序

搜索所有网页

中文网页

简体中文网页

☒ 包括专利☒ 包含引用☒ 创建快讯小提示: 只搜索中文(简体)结果, 可在 [学术搜索设置](#) 指定搜索语言

[HTML] The miR-545/374a cluster encoded in the Ftx lncRNA is overexpressed in HBV-related plos.org 中的 [HTML]  
hepatocellular carcinoma and promotes tumorigenesis and tumor ...

Q Zhao, [T Li](#), J Qi, [J Liu](#), C Qin - 2014 - dx.plos.org

... The mechanism of HBV induced **oncogenesis** may involve integration of viral genomic fragments into ... To **evaluate** significant differences between matched HBV-HCC tissue and nontumor tissue, matched ... 374a in HBV-HCC, the influence of gender was also **evaluated** (figure 5C ...

被引用次数: 6 [相关文章](#) [所有 8 个版本](#) [引用](#) [保存](#) [更多](#)☒ 创建快讯

**Name of Journal:** *World Journal of Gastroenterology*

**ESPS Manuscript NO:** 23235

**Manuscript Type:** Retrospective Study

**Oncogenic Wnt3a expression as an estimable prognostic marker for hepatocellular carcinoma**

Pan LH *et al.* Wnt3a in HCC

Liu-Hong Pan, Min Yao, Yin Cai, Juan-Juan Gu, Xu-Li Yang, <sup>4</sup>Li Wang, Deng-Fu Yao

Liu-Hong Pan, Deng-Fu Yao, Research Center of Clinical Medicine, Affiliated Hospital of Nantong University, Nantong 226001, Jiangsu Province, China

Min Yao, Departments of Immunology, Medical College of Nantong University, Nantong 226001, Jiangsu Province, China

## Match Overview

1	CrossCheck 329 words Pan, Lihong, Min Yao, Wenjie Zheng, Juanjuan Gu, Xuli Yang, Liwei Qiu, Yin Cai, Wei Wu, and Dengfu Yao. "Ab	6%
2	Internet 164 words crawled on 23-Dec-2015 <a href="http://www.wjgnet.com">www.wjgnet.com</a>	3%
3	CrossCheck 81 words Lu, Le-Le. "Neuron-glia antigen 2 overexpression in hepatocellular carcinoma predicts poor prognosis", <i>World J</i>	1%
4	CrossCheck 48 words Pan, Liu-Hong. "Oncofetal glypican-3: Specific diagnosis and targeted-therapy for primary liver cancer", <i>World Chi</i>	1%
5	CrossCheck 27 words Sai, Wenli, Li Wang, Wenjie Zheng, Junling Yang, Lihong Pan, Yin Cai, Liwei Qiu, Haijian Zhang, Wei Wu, and	<1%
6	CrossCheck 25 words Yu, Dandan, Zhizhen Dong, Min Yao, Wei Wu, Meijuan Yan, Xiaodi Yan, Liwei Qiu, Jie Chen, Wenli Sai, and Den	<1%
7	CrossCheck 25 words Geng, Ming. "Loss of Wnt5a and Ror2 protein in hepatocellular carcinoma associated with poor prognosis", <i>World</i>	<1%
8	CrossCheck 23 words Shi, Yun. "Chemosensitization of HepG2 cells by suppression of NF- $\kappa$ B/p65 gene transcription with specific-siRN	<1%
9	Internet 23 words crawled on 19-Dec-2015 <a href="http://office.wjgnet.com">office.wjgnet.com</a>	<1%
	CrossCheck 23 words	<1%



学术搜索

获得 11 条结果 (用时0.03秒)

文章

我的图书馆

时间不限

2016以来

2015以来

2012以来

自定义范围...

按相关性排序

按日期排序

搜索所有网页

中文网页

简体中文网页

☒ 包括专利

☒ 包含引用

☐ 创建快讯

小提示: 只搜索中文(简体)结果, 可在 学术搜索设置 指定搜索语言

The role of signaling pathways in the development and treatment of hepatocellular carcinoma nature.com 中的 [HTML]

S Whittaker, R Marais, AX Zhu - *Oncogene*, 2010 - nature.com

... HCC; Bugianesi, 2005); and (2) mutations occurring in one or more **oncogenes** or **tumor** ... transition factor; also known as hepatocyte growth factor receptor (HGFR); MYC, **oncogene** that transcriptionally ... Although sorafenib inhibits **oncogenic** BRAF in vitro and in cell lines, it does ...

被引用次数: 452 相关文章 所有 6 个版本 引用 保存

[HTML] Systemic therapy of hepatocellular carcinoma: current status and future perspectives nih.gov 中的 [HTML]

D Germano, B Daniele - *World journal of gastroenterology: WJG*, 2014 - ncbi.nlm.nih.gov

... Estrogen receptors are **expressed** in normal human liver, in chronic hepatitis, in benign **hepatic** ... In one study, patients with HCC **expressing** somatostatin receptors and randomized to receive octreotide ... High VEGF **expression** has been associated with worse survival[ 36 - 38 ]. ...

被引用次数: 20 相关文章 所有 9 个版本 引用 保存

[HTML] The miR-545/374a cluster encoded in the Ftx lncRNA is overexpressed in HBV-related hepatocellular carcinoma and promotes tumorigenesis and tumor plos.org 中的 [HTML]

Q Zhao, T Li, J Qi, J Liu, C Qin - 2014 - dx.plos.org

... The mechanism of HBV induced **oncogenesis** may involve integration of viral genomic fragments into the human genome ... study in 2013 demonstrated that miR-374a regulates several target genes mediating the **Wnt/β-catenin** ... B. The **expression** of miR-374a/545 in human serum ...

被引用次数: 8 相关文章 所有 8 个版本 引用 保存 更多

Efficacy and safety of vismodegib in advanced basal-cell carcinoma marmurmedical.com 中的 [PDF]

A Sekulic, MR Migden, AE Oro, L Dirix... - ... *England Journal of ...*, 2012 - Mass Medical Soc

... *Oncogene*. 8. ... (2015) Cooperative integration between HEDGEHOG-GLI signalling and other **oncogenic** pathways: implications for **cancer** therapy. ... (2014) Suppression of Hedgehog signalling promotes pro-tumourigenic integrin **expression** and function. ...

被引用次数: 428 相关文章 所有 14 个版本 引用 保存

[图书] ... Factors in Pharyngeal Squamous Cell Carcinoma with Special Reference to Cell uef.fi 中的 [PDF]

Adhesion, P53 Protein **Expression** and Nitric Oxide Synthase **Expression**



[全部](#)[图片](#)[新闻](#)[视频](#)[购物](#)[更多 ▾](#)[搜索工具](#)

找到约 33,400 条结果 (用时 0.66 秒)

## Google 学术 : Oncogenic Wnt3a expression as an estimable prognostic marker for hepatocellular carcinoma

... and treatment of hepatocellular carcinoma - Whittaker - 被引用次数 : 454

Systemic therapy of hepatocellular carcinoma: current ... - Germano - 被引用次数 : 20

... in HBV-related hepatocellular carcinoma and ... - Zhao - 被引用次数 : 8

## Biomarkers for hepatocellular carcinoma: progression in ...

<https://biomarkerres.biomedcentral.com/.../10.../2050-7771-1-1...> ▾ 翻译此页

作者 : K Zhu - 2013 - 被引用次数 : 18 - 相关文章

Hepatocellular carcinoma Early diagnosis Prognosis Biological markers ... The proliferation and survival of cancer cells require a process called oncogene addiction, ... of beta-catenin in HCC cells via the Wnt/beta-catenin signaling pathway [42]. ... its expression is significantly increased in liver diseases such as HCC [44].

## DNA methylation, microRNAs, and their crosstalk as ...

[www.ncbi.nlm.nih.gov](http://www.ncbi.nlm.nih.gov) > ... > PubMed Central (PMC) ▾ 翻译此页

作者 : SL Anwar - 2014 - 被引用次数 : 25 - 相关文章

2014年6月28日 - DNA methylation and microRNA expression are epigenetic ..... leading to activation of  $\beta$ -catening/Wnt signaling and interrupted inhibition of oncogene ST18. .... as a potential prognostic marker for hepatocellular carcinoma.

## Novel hepatocellular carcinoma molecules with prognostic ...

[www.ncbi.nlm.nih.gov](http://www.ncbi.nlm.nih.gov) > ... > PubMed Central (PMC) ▾ 翻译此页

作者 : B Scaggiante - 2014 - 被引用次数 : 31 - 相关文章

2014年2月7日 - Keywords: Hepatocellular carcinoma, Biochemical markers, ... Wnt is known to be involved in cancer acting as an oncogene able to induce the ... In HCC, a