

学术搜索

找到约 18,900 条结果 (用时0.11秒)

我的著作引用情况

文章

小提示: 只搜索中文(简体)结果, 可在 学术搜索设置 指定搜索语言

我的图书馆

[Hepatocellular carcinoma: epidemiology and molecular carcinogenesis](#)[HB El-Serag, KL Rudolph - Gastroenterology, 2007 - Elsevier](#)

ScienceDirect is phasing out support for older versions of Internet Explorer on Jan 12, 2016. ... fifth most common cancer worldwide and the third most common cause of cancer mortality ... 1

[Hepatocellular carcinoma \(HCC\) accounts for between 85% and 90% of primary liver cancers ...](#)

被引用次数: 3186 相关文章 所有 12 个版本 引用 保存

gastrojournal.org 中的 [HTML]

时间不限

2015以来

2014以来

2011以来

自定义范围...

[Hepatocellular carcinoma pathogenesis: from genes to environment](#)[PA Farazi, RA DePinho - Nature Reviews Cancer, 2006 - nature.com](#)

... Although infection is clearly acute in most cases, 10% of adults experience inefficient HBV clearance ... cell-developmental context and increase our ability to develop more accurate mouse models in which ... The precursors of oval cells (that is, adult stem cells) reside in the Canal ...

被引用次数: 1236 相关文章 所有 7 个版本 引用 保存

nature.com 中的 [HTML]

按相关性排序

按日期排序

[Nonalcoholic fatty liver disease and hepatocellular carcinoma: a weighty connection](#)[BQ Starley, CJ Calcagno, SA Harrison - Hepatology, 2010 - Wiley Online Library](#)

... Issue published online: 22 APR 2010; Article first published online: 12 FEB 2010; ... body mass index; CC, cryptogenic cirrhosis; HBV, hepatitis B virus; HCC, hepatocellular carcinoma; HCV, hepatitis ... This older age at presentation correlates to reports of older ages at presentation ...

被引用次数: 666 相关文章 所有 3 个版本 引用 保存

wiley.com 中的 [HTML]

搜索所有网页

中文网页

简体中文网页

 包括专利 包含引用[Gender disparity in liver cancer due to sex differences in MyD88-dependent IL-6 production](#)[WE Naugler, T Sakurai, S Kim, S Maeda, KH Kim... - Science, 2007 - sciencemag.org](#)

... 3 Division of Gastroenterology, The Institute for Adult Diseases, Asahi Life Foundation, 1-6-1 Marunouchi ... n = 3) was assessed by injecting mice with bromodeoxyuridine (BrdU) (1 mg per mouse) 2 hours ... HCCs(D) and sizes (E) in livers of WT and MyD88 -/- male mice 8 months ...

被引用次数: 1037 相关文章 所有 20 个版本 引用 保存

unt.edu 中的 [PDF]

 创建快讯[Oxidative stress in the absence of inflammation in a mouse model for hepatitis C virus-associated hepatocarcinogenesis](#)

aacrjournals.org 中的 [HTML]



Name of Journal: *World Journal of Gastroenterology*

ESPS Manuscript NO: 23771

Manuscript Type: ORIGINAL ARTICLE

Basic Study

Adult mouse model of early hepatocellular carcinoma promoted by alcoholic liver disease

Aditya Ambade, Abhishek Satishchandran, Benedek Gyongyosi, Patrick Lowe, Gyongyi Szabo

Abstract

AIM: To develop a mouse model of alcohol-driven hepatocellular carcinoma (HCC) that develops in livers with alcoholic liver disease (ALD).

METHODS: Adult C57BL/6 male mice received multiple doses of chemical carcinogen diethyl nitrosamine (DEN) followed by 7 wk of 4% Lieber-DeCarli diet. Serum alanine

Match Overview

1	Internet 97 words crawled on 16-Nov-2015 www.ncbi.nlm.nih.gov	2%
2	CrossCheck 54 words Bakiri, Latifa, and Erwin F. Wagner. "Mouse models for liver cancer", <i>Molecular Oncology</i> , 2013.	1%
3	CrossCheck 46 words Mandrekar, P.. "Signalling pathways in alcohol-induced liver inflammation", <i>Journal of Hepatology</i> , 200906	1%
4	CrossCheck 45 words C. Barasain. "Inflammation and Liver Cancer", <i>Annals of the New York Academy of Sciences</i> , 02/2009	1%
5	Internet 32 words crawled on 20-Nov-2015 www.jci.org	1%
6	CrossCheck 19 words Emani, S.. "RNA Stability regulates differential expression of the metastasis protein, osteopontin, in hepatocellular carcinoma"	<1%
7	CrossCheck 15 words Elizabeth Brandon-Warner. "Chronic Ethanol Feeding Accelerates Hepatocellular Carcinoma Progression in a S"	<1%

学术搜索

找到约 18,400 条结果 (用时0.03秒)

小提示: 只搜索中文(简体)结果, 可在 学术搜索设置 指定搜索语言

时间不限

2016以来

2015以来

2012以来

自定义范围...

Hepatocellular carcinoma: epidemiology and molecular carcinogenesis[HB El-Serag, KL Rudolph - Gastroenterology, 2007 - Elsevier](#)... 1 **Hepatocellular carcinoma** (HCC) accounts for between 85% and 90% of primary **liver cancers**. ... there is a growing understanding of the molecular mechanisms that induce hepatocarcinogenesis, which almost never occurs in the healthy **liver** but the **cancer** risk increases ...

被引用次数: 3339 相关文章 所有 12 个版本 引用

gastrojournal.org 中的

按相关性排序

按日期排序

Hepatocellular carcinoma pathogenesis: from genes to environment[PA Farazi, RA DePinho - Nature Reviews Cancer, 2006 - nature.com](#)... Although infection is clearly acute in most cases, 10% of **adults** experience inefficient HBV clearance ... cell-developmental context and increase our ability to develop more accurate **mouse models** in which ... The precursors of oval cells (that is, **adult** stem cells) reside in the Canal ...

被引用次数: 1301 相关文章 所有 6 个版本 引用

nature.com 中的 [HTML]

搜索所有网页

中文网页

简体中文网页

Gender disparity in **liver cancer** due to sex differences in MyD88-dependent IL-6 production[WE Naugler, T Sakurai, S Kim, S Maeda, KH Kim... - ..., 2007 - science.sciencemag.org](#)... 3 Division of Gastroenterology, The Institute for **Adult Diseases**, Asahi Life Foundation, 1-6-1 Marunouchi ... n = 3) was assessed by injecting **mice** with bromodeoxyuridine (BrdU) (1 mg per **mouse**) 2 hours ... HCCs(D) and sizes (E) in **livers** of WT and MyD88 $-/-$ male **mice** 8 months ...

被引用次数: 1090 相关文章 所有 20 个版本 引用

researchgate.net 中的

 包括专利 包含引用**Human fatty liver disease:** old questions and new insights[JC Cohen, JD Horton, HH Hobbs - Science, 2011 - science.sciencemag.org](#)... NAFLD) is a burgeoning health problem that affects one-third of **adults** and an ... TG content (36, 37), and adenoviral-mediated overexpression of PNPLA3-I148M in **mouse liver** causes an ... the development of new therapeutic interventions is the lack of an **animal model** that fully ...

被引用次数: 759 相关文章 所有 12 个版本 引用

nih.gov 中的 [HTML]

[HTML] Nonalcoholic fatty **liver disease** and **hepatocellular carcinoma**: a weighty connection[BQ Starley, CJ Calcagno, SA Harrison - Hepatology, 2010 - Wiley Online Library](#)

wiley.com 中的 [HTML]

全部 图片 新闻 视频 购物 更多 ▾ 搜索工具

找到约 468,000 条结果 (用时 0.57 秒)

Google 学术 : Adult mouse model of early hepatocellular carcinoma promoted by alcoholic liver disease

Hepatocellular carcinoma: epidemiology and ... - El-Serag - 被引用次数 : 3352

Hepatocellular carcinoma pathogenesis: from genes to ... - Farazi - 被引用次数 : 1307

Gender disparity in liver cancer due to sex differences ... - Naugler - 被引用次数 : 1093

Alcoholic hepatitis accelerates early hepatobiliary cancer by ...

www.nature.com > Scientific Reports - 翻译此页

作者 : A Ambade - 2016

2016年2月18日 - Alcohol-related hepatocellular carcinoma (HCC) develops with advanced ... MRI and liver histology of alcohol+DEN mice shows hepatobiliary cysts, early hepatic ... CD133⁺ liver tumor initiating cells have been shown to promote tumor By utilizing adult mice and the Lieber-DeCarli diet, our model ...

Experimental mouse models for hepatocellular carcinoma ...

www.ncbi.nlm.nih.gov > ... > PubMed Central (PMC) ▾ 翻译此页

作者 : F Heindryckx - 2009 - 被引用次数 : 116 - 相关文章

Keywords: Hepatocellular carcinoma, mouse models, hepatology, xenograft, hollow ...

Most cases of HCC develop in a background of chronic liver damage such as ... In the first step, DEN is hydroxylated to α -hydroxynitrosamine (Verna et al. ... DEN can be used as an initiator and phenobarbital (PB) as a promoting agent.

NF- κ B in the liver—linking injury, fibrosis and hepatocellular ...

www.ncbi.nlm.nih.gov > ... > PubMed Central (PMC) ▾ 翻译此页

作者 : T Luedde - 2011 - 被引用次数 : 279 - 相关文章

Hepatic cirrhosis and hepatocellular carcinoma (HCC) are the most common causes ...