



Transplantation of mesenchymal stem cells in combination with Interleukin-1



网页

图片

新闻

视频

购物

更多 ▾

搜索工具

找到约 29,700 条结果 (用时 0.91 秒)

Google 学术: Transplantation of mesenchymal stem cells in combination with Interleukin-1 receptor antagonist, benefits liver regeneration post hepatectomy

... tissue mesenchymal stem cells after transplantation ... - Banas - 被引用次数: 218

Transplantation of mesenchymal stem cells for the ... - Meier - 被引用次数: 28

... -derived mesenchymal stem cells alleviates hepatic ... - Sun - 被引用次数: 30

Secreted factors of human liver-derived mesenchymal stem ...

www.ncbi.nlm.nih.gov/pubmed/22455365 ▾ 翻译此页

作者: SM Fouraschen - 2012 - 被引用次数: 33 - 相关文章

2012年5月15日 - 1. Stem Cells Dev. 2012 Sep 1;21(13):2410-9. doi: ... mesenchymal stem cells promote liver regeneration early after partial hepatectomy.

Mesenchymal Stromal Cell-Derived Factors Promote Tissue ...

www.hindawi.com/journals/jir/aa/202975/ ▾ 翻译此页

作者: SMG Fouraschen - 相关文章

2015年5月27日 - Mesenchymal stromal cell- (MSC-) secreted factors are described to ... factors also promote liver regeneration after resection in the presence of IRI. The combination of ischemic injury with 50% hepatectomy did not allow for interleukin 10 (IL-10) and interleukin 1 receptor antagonist (IL-1Ra) [24, 25].

Secreted Factors of Human Liver-Derived Mesenchymal ...

www.researchgate.net/.../223135215_Secreted_Factors_of_Hu... - 翻译此页

Rapid liver regeneration is required after living-donor liver transplantation ... potential of



21291-Review-check.doc

 Quotes Excluded
 Bibliography Excluded

 9%
 SIMILAR

 Name of Journal: *World Journal of Gastroenterology*

ESPS Manuscript NO: 21291

Manuscript Type: ORIGINAL ARTICLE

Basic Study

The beneficial effect of transplantation of mesenchymal stem cells in combination with Interleukin-1 receptor antagonist on post-hepatectomy liver regeneration

 Sang JF *et al.* MSCs transplantation with IL-1Ra post hepatectomy

Jian-Feng Sang, Xiao-Lei Shi, Bing Han, Xu Huang, Tao Huang, Hao-Zhen Ren, Yi-Tao Ding

Abstract

AIM: To study the therapeutic effect and possible mechanism of

Match Overview

1	CrossCheck 379 words Shi, Xiao-Lei. "Effect evaluation of interleukin-1 receptor antagonist nanoparticles for mesenchymal stem cell tra	5%
2	Internet 92 words crawled on 17-Mar-2010 ajpgi.physiology.org	1%
3	Internet 66 words crawled on 01-Jan-2011 www.wjgnet.com	1%
4	Internet 31 words crawled on 31-Jul-2013 www.stem-cell-rejuvenation.com	<1%
5	Internet 24 words crawled on 14-Dec-2012 cshperspectives.cshlp.org	<1%
6	CrossCheck 19 words Pan, Ning, Xiangwei Lv, Rui Liang, Liming Wang, and Qilong Liu. "Suppression of Graft Regeneration, Not Isch	<1%
7	CrossCheck 17 words Mary C. McKenna. "Interaction between cytokines and ammonia in the mitochondrial permeability transition in	<1%



Beneficial effect of transplantation of mesenchymal stem cells in combination



网页

图片

新闻

视频

购物

更多 ▾

搜索工具

找到约 26,500 条结果 (用时 0.75 秒)

Mesenchymal Stromal Cell-Derived Factors Promote Tissue ...

www.hindawi.com/journals/jir/aa/202975/ ▾ 翻译此页

作者: SMG Fouraschen - 相关文章

2015年5月27日 - Mesenchymal stromal cell- (MSC-) secreted factors are described to ...

This study investigates if liver-derived MSC-secreted factors also promote liver regeneration The combination of ischemic injury with 50% hepatectomy did not interleukin 10 (IL-10) and interleukin 1 receptor antagonist (IL-1Ra) [24 ...

Amniotic-Fluid-Derived Mesenchymal Stem Cells ...

www.ncbi.nlm.nih.gov > ... > PubMed Central (PMC) ▾ 翻译此页

作者: YB Zheng - 2012 - 被引用次数: 18 - 相关文章

2012年7月23日 - Interleukin-1-receptor antagonist (IL-1Ra) plays an ... as a bridge to transplantation or liver regeneration in patients with FHF. both liver regeneration and the differentiation of engrafted stem cells into hepatocytes [10]. In clinical trials, BM-MSCs have had beneficial effects on patients with liver disease.

The Therapeutic Promise of Mesenchymal Stem Cells for ...

www.sciencedirect.com/science/article/pii/S1471491415001781 - 翻译此页

2015年10月22日 - Using Hepatocytes and Mesenchymal Stem Cells To Treat Liver Disease ... This beneficial impact of MSCs is attributable to their pleiotropic mode of IL-13, interleukin 13; IL-1ra, interleukin-1 receptor antagonist; IL-27, interleukin 27; Metabolic Implications of Post-Hepatectomy Acute Liver Failure, and ...

[全部](#) [图片](#) [新闻](#) [视频](#) [购物](#) [更多 ▾](#) [搜索工具](#)

找到约 27,300 条结果 (用时 0.88 秒)

Mesenchymal Stromal Cell-Derived Factors Promote Tissue ...

www.hindawi.com/journals/jir/aa/202975/ ▾ [翻译此页](#)作者：SMG Fouraschen - [相关文章](#)

2015年5月27日 - Mesenchymal stromal cell- (MSC-) secreted factors are described to ... This study investigates if liver-derived MSC-secreted factors also promote liver regeneration The combination of ischemic injury with 50% hepatectomy did not interleukin 10 (IL-10) and interleukin 1 receptor antagonist (IL-1Ra) [24 ...

Amniotic-Fluid-Derived Mesenchymal Stem Cells ...

www.ncbi.nlm.nih.gov ▸ ... ▸ PubMed Central (PMC) ▾ [翻译此页](#)作者：YB Zheng - 2012 - 被引用次数：18 - [相关文章](#)

2012年7月23日 - Interleukin-1-receptor antagonist (IL-1Ra) plays an ... as a bridge to transplantation or liver regeneration in patients with FHF. ... both liver regeneration and the differentiation of engrafted stem cells into hepatocytes [10]. In clinical trials, BM-MSCs have had beneficial effects on patients with liver disease.

Secreted Factors of Human Liver-Derived Mesenchymal ...

www.researchgate.net/.../223135215_Secreted_Factors_of_Hu... - [翻译此页](#)

Rapid liver regeneration is required after living-donor liver transplantation ... Effects of MSC-CM on gene expression in a human hepatocyte-like cell line ... to promote liver regeneration in patients undergoing extensive liver resection or Article: Mesenchymal Stem Cells Overexpressing C-X-C Chemokine Receptor Type ...

Interleukin-1 Receptor Antagonist Modulates the Early ...

www.researchgate.net/.../51700123_Interleukin-1_Receptor_A... - [翻译此页](#)

Official Full-Text Publication: Interleukin-1 Receptor Antagonist Modulates the Early Phase of Liver Regeneration after Partial Hepatectomy in Mice ... Moreover, decreased inflammation is likely to be beneficial to liver regeneration during acute ...