

学术搜索

获得 8 条结果 (用时0.02秒)

小提示: 只搜索中文(简体)结果, 可在 学术搜索设置 指定搜索语言

时间不限

2016以来

2015以来

2012以来

自定义范围...

按相关性排序

按日期排序

搜索所有网页

中文网页

简体中文网页

☒ 包括专利☒ 包含引用

Bacterial infections in end-stage liver disease: current challenges and future directions

JS Bajaj, JG O'Leary, F Wong, KR Reddy, PS Kamath - Gut, 2012 - gut.bmj.com

... mortality. Thus several lines of evidence suggest the influence of outpatient medication on infection risk. Considering ... The Acute Physiology and Chronic Health Evaluation III score is another predictor of early ICU mortality. The ...

被引用次数: 28 相关文章 所有 7 个版本 引用

nih.gov 中的 [HTML]

Can changes in renal function predict variations in β -lactam concentrations in septic patients?

GS Casu, M Hites, F Jacobs, F Cotton, F Wolff... - International journal of ... , 2013 - Elsevier

... The antibiotic regimens on the days on which TDM was performed and the duration of antibiotic ... Therefore, which are the other clinical or biological factors that can influence β -lactam PK ... age does not change over the ICU stay and body weight, although influenced by fluid ...

被引用次数: 13 相关文章 所有 8 个版本 引用

ijaaonline.com 中的 [HTML]

Effects of adherence to ventilator-associated pneumonia treatment guidelines on clinical outcomes

M Sakaguchi, N Shime, N Iguchi, A Kobayashi... - Journal of Infection and ... , 2013 - Springer

... Initial antibiotic regimens were classified as appropriate if all subsequently isolated pathogens were sensitive in vitro to ... ICU mortality 4 (25) 14 (20) 0.73 5 (21) 13 (21) 1.00 ... Compliance with guidelines did not appear to influence the appropriateness of initial antibiotics, length ...

被引用次数: 2 相关文章 所有 12 个版本 引用

[图书] Sepsis, the Liver and the Gut

N Azzopardi, M Fenech, T Piscopo - 2012 - cdn.intechopen.com

... HRS) refers to the rapid deterioration of renal function in patients with liver cirrhosis. ... both community-acquired organisms and hospital-acquired organisms while having minimal influence on the ... Results showed an ICU mortality of 27.8% in the placebo arm compared to 9.4% in ...

相关文章 所有 7 个版本 引用

intechopen.com 中的 [PDF]

Stress doses of hydrocortisone reverse hyperdynamic septic shock: a prospective, randomized,

researchgate.net 中的 [PDF]

24

Name of Journal: *World Journal of Gastroenterology*

ESPS Manuscript NO: 24235

Manuscript Type: ORIGINAL ARTICLE

Retrospective Study

Influence of antibiotic-regimens on intensive-care unit-mortality and liver-cirrhosis as risk factor

Friedrich-Rust M *et al.* Liver cirrhosis and ICU

Mireen Friedrich-Rust, Beate Wanger, Florian Heupel, Natalie Filmann, Reinhard Brodt, Volkhard AJ Kempf, Johanna Kessel, Thomas A Wichelhaus, Eva Herrmann, Stefan Zeuzem, Joerg Bojunga

Mireen Friedrich-Rust, Beate Wanger, Florian Heupel, Stefan Zeuzem, Joerg Bojunga, Department of Internal Medicine I (Gastroenterology, Pulmonology, Endocrinology), J.W.Goethe-University Hospital, 60590 Frankfurt, Germany

Abstract

AIM: To assess the rate of infection, appropriateness of antimicrobial-therapy and

Match Overview

1	Internet 24 words crawled on 14-Jul-2013 www.acep.org	<1%
2	CrossCheck 23 words Luciano Cesar Pontes Azevedo. "NOVEL POTENTIAL THERAPIES FOR SEPTIC SHOCK", Shock, 10/2008	<1%
3	Internet 22 words crawled on 08-Apr-2014 herkules.oulu.fi	<1%
4	Internet 22 words crawled on 17-Oct-2015 jama.jamanetwork.com	<1%
5	CrossCheck 20 words A. Kumar. "Initiation of Inappropriate Antimicrobial Therapy Results in a Fivefold Reduction of Survival in Human	<1%
6	Internet 17 words crawled on 01-Aug-2013 rheumatology.oxfordjournals.org	<1%
7	Internet 17 words crawled on 08-Feb-2015 www.isccr.in	<1%

[全部](#)[图片](#)[新闻](#)[视频](#)[购物](#)[更多 ▾](#)[搜索工具](#)

找到约 265,000 条结果 (用时 0.80 秒)

Bacterial infections in end-stage liver disease: current ...

www.ncbi.nlm.nih.gov > ... > PubMed Central (PMC) ▾ [翻译此页](#)

作者: JS Bajaj - 2012 - 被引用次数: 28 - 相关文章

2012年6月3日 - More importantly, **intensive care unit (ICU) mortality** of patients with

Bacterial translocation is the major pathogenetic **factor** for infections. ... Thus several lines of evidence suggest the **influence** of outpatient medication on infection **risk**. ... **Liver** transplantation is ultimately an effective form of **therapy** for ...

Clinical characteristics and risk factors for mortality in ...

www.sciencedirect.com/science/article/pii/S1684118213001254 - [翻译此页](#)

作者: TY Su - 2013 - 被引用次数: 2 - 相关文章

The disease severity and appropriate **antimicrobial therapy** within 72 hours ... and its **impact** was the increased in-hospital **mortality**, cost, and hospital stay. ... medical center with 308 **intensive care unit (ICU)** beds in northern Taiwan. ... cerebral vascular accident, **liver cirrhosis**, chronic pulmonary disease, and malignancy.

Risk Factors Affecting In-hospital Mortality in Patients with ...

www.sciencedirect.com/science/article/pii/S0929664609602266 - [翻译此页](#)

作者: WH Sheng - 2007 - 被引用次数: 28 - 相关文章

Host **factors** included higher disease severity ($p < 0.0001$), **liver cirrhosis** ($p < 0.0001$), ... Hospital and interventional **factors** included **intensive care** hospitalization ($p = 0.002$), ... regimen for initial treatment, or multiple **antibiotic therapy** were evident. ... Predictors of **mortality** in stroke patients admitted to an **intensive care unit**.

Acquired Liver Injury in the Intensive Care Unit

全部 图片 新闻 视频 购物 更多 ▾ 搜索工具

找到约 168,000 条结果 (用时 0.63 秒)

Bacterial infections in end-stage liver disease: current ...

www.ncbi.nlm.nih.gov > ... > PubMed Central (PMC) ▾ 翻译此页

作者: JS Bajaj - 2012 - 被引用次数: 28 - 相关文章

2012年6月3日 - More importantly, **intensive care unit (ICU) mortality** of patients with ...

Bacterial translocation is the major pathogenetic **factor** for infections. ... Thus several

lines of evidence suggest the **influence** of outpatient medication on infection **risk**. ...

Liver transplantation is ultimately an effective form of **therapy** for ...

Risk factors and outcome of bacterial infections in cirrhosis

www.ncbi.nlm.nih.gov > ... > PubMed Central (PMC) ▾ 翻译此页

作者: T Bruns - 2014 - 被引用次数: 31 - 相关文章

2014年3月14日 - Because **antibiotic prophylaxis** in high-**risk** cirrhotic patients with

low ... are required to answer the question on the **influence** of these gene ... There are

three major **factors** that determine **mortality** of bacterial Impact of chronic **liver**

disease in intensive care unit acquired pneumonia: a prospective study.

Clinical characteristics and risk factors for mortality in ...

www.sciencedirect.com/science/article/pii/S1684118213001254 - 翻译此页

作者: TY Su - 2013 - 被引用次数: 2 - 相关文章

The disease severity and appropriate **antimicrobial therapy** within 72 hours ... medical

center with 308 **intensive care unit (ICU)** beds in northern Taiwan. ... cerebral vascular

accident, **liver cirrhosis**, chronic pulmonary disease, and malignancy.

Pseudomonas aeruginosa bacteremia; **risk factors** for **mortality** and **influence** ...

Risk Factors Affecting In-hospital Mortality in Patients with ...

www.sciencedirect.com/science/article/pii/S0929664609602266 - 翻译此页

作者: WH Sheng - 2007 - 被引用次数: 28 - 相关文章

Host **factors** included higher disease severity ($p < 0.0001$), **liver cirrhosis** ($p < 0.0001$),

Hospital and interventional **factors** included **intensive care** hospitalization ($p =$