

学术搜索

文章

我的图书馆

时间不限

2015以来

2014以来

2011以来

自定义范围...

按相关性排序

按日期排序

搜索所有网页

中文网页

简体中文网页

☒ 包括专利

☒ 包含引用

Pancreaticoduodenal artery aneurysms associated with celiac axis stenosis: report of two cases and review of the literature

P Quandalle, JP Chambon, P Marache... - Annals of vascular ..., 1990 - Elsevier

We have endeavored to define the incidence of pancreaticoduodenal artery aneurysm associated with stenosis of the celiac axis and to address modalities in this setting. This association was found in 23 of 34 cases. Aneurysmal dilation of the pancreatic arteries associated with ...

被引用次数: 97 相关文章 所有 6 个版本 引用 保存

Pancreaticoduodenal artery aneurysms associated with celiac axis stenosis due to compression by median arcuate ligament and celiac plexus

K Suzuki, H Kashimura, M Sato, M Hassan... - Journal of ..., 1998 - Springer

Abstract: Celiac axis stenosis is frequently associated with pancreaticoduodenal artery aneurysms. Although the cause of stenosis was not clear in most of the reported cases, compression of the median arcuate ligament of the diaphragm was found to be ...

被引用次数: 53 相关文章 所有 8 个版本 引用 保存

以上显示的是最相近的搜索结果。 [查看全部搜索结果](#)

Name of Journal: *World Journal of Gastroenterology*

ESPS Manuscript NO: 23510

Manuscript Type: Case Report

**Pancreaticoduodenal artery aneurysm associated with coeliac artery occlusion
from an aortic intramural hematoma**

Sakatani A *et al.* Pancreaticoduodenal aneurysm associated with aortic
intramural hematoma

2
Akihiko Sakatani, Yoshinori Doi, Toshiaki Kitayama, Takaaki Matsuda,
Yasutaka Sasai, Naohiro Nishida, Megumi Sakamoto, Naoto Uenoyama, Kazuo
Kinoshita

Akihiko Sakatani, Department of Gastroenterology and Hepatology, Osaka
University Graduate School of Medicine, Suita 565-0871, Osaka, Japan

Akihiko Sakatani, Yoshinori Doi, Takaaki Matsuda, Yasutaka Sasai, Naohiro

Match Overview

1	Internet 94 words crawled on 01-Jul-2015 www.wjgnet.com	4%
2	CrossCheck 82 words Sakatani, Akihiko. "Protracted anaphylaxis developed after peginterferon α -2a administration for chronic hepatitis C".	3%
3	CrossCheck 32 words M. A. de Moya. "Case 1-2008 -- A 45-Year-Old Man with Sudden Onset of Abdominal Pain and Hypotension", New Eng	1%
4	CrossCheck 21 words Miyayama, Shiro, Takuro Terada, and Masato Tamaki. "Ruptured Pancreaticoduodenal Artery Aneurysm Associated	1%

学术搜索

找到约 18,100 条结果 (用时0.07秒)

文章

我的图书馆

时间不限

2016以来

2015以来

2012以来

自定义范围...

按相关性排序

按日期排序

搜索所有网页

中文网页

简体中文网页

☒ 包括专利

☒ 包含引用

☐ 创建快讯

小提示: 只搜索中文(简体)结果, 可在 学术搜索设置 指定搜索语言

[HTML] Impact of resection status on pattern of failure and survival after pancreaticoduodenectomy for pancreatic adenocarcinoma

CP Raut, JF Tseng, CC Sun, H Wang, RA Wolff... - ... of surgery, 2007 - ncbi.nlm.nih.gov
... ratio [HR] = 1.55; 95% CI, 1.21-1.99), major perioperative complications (HR ... for utilizing an objective, reproducible CT-based system for defining resectability based ... associated with a specialty center (preoperative imaging, experienced surgeons, preoperative therapy) cannot ...
被引用次数: 373 相关文章 所有 11 个版本 引用 保存

nih.gov 中的 [HTML]

Preoperative biliary drainage for cancer of the head of the pancreas

NA van der Gaag, EAJ Rauws... - ... England Journal of ..., 2010 - Mass Medical Soc
... Biliary drainage was defined as successful if the serum bilirubin level decreased by 50% or more within 2 weeks after the procedure. ... All patients received perioperative antibiotics. ... Preoperative biliary drainage for perampullary tumors causing obstructive jaundice: DRainage vs ...
被引用次数: 464 相关文章 所有 9 个版本 引用 保存

uva.nl 中的 [PDF]

Rationale for en bloc vein resection in the treatment of pancreatic adenocarcinoma adherent to the superior mesenteric-portal vein confluence. Pancreatic Tumor ...

GM Fuhrman, SD Leach, CA Staley, JC Cusack... - ... of surgery, 1996 - ncbi.nlm.nih.gov
... dardized preoperative imaging and operative techniques were applied to all registered patients with pancreatic or ... Perioperative (in-hospital or within 30 days of surgery) deaths and complications resulting in ... transfer to the intensive care unit, or delay in discharge (defined as a ...
被引用次数: 378 相关文章 所有 8 个版本 引用 保存

nih.gov 中的 [PDF]

Preoperative staging and tumor resectability assessment of pancreatic cancer: prospective study comparing endoscopic ultrasonography, helical computed ...

A Soriano, A Castells, C Ayuso, JR Ayuso... - The American journal of ..., 2004 - nature.com
... Laparotomy in patients with pancreatic cancer carries a significant perioperative morbidity (20-30%) even ... Definition of this condition is a critical issue, with significant discrepancies among surgical teams ... MR imaging and dual-phase helical CT in the preoperative assessment of ...
被引用次数: 343 相关文章 所有 7 个版本 引用 保存

nature.com 中的 [HTML]

[HTML] Preoperative/neoadjuvant therapy in pancreatic cancer: a systematic review and meta-analysis of response and resection percentages

S Gillen, T Schuster, C Meyer-Zum Büschenfelde... - PloS med, 2010 - dx.plos.org

plos.org 中的 [HTML]

[全部](#)[图片](#)[新闻](#)[视频](#)[购物](#)[更多 ▾](#)[搜索工具](#)

找到约 4,370 条结果 (用时 0.70 秒)

Google 学术 : Pancreaticoduodenal artery aneurysm associated with coeliac artery occlusion from an aortic intramural hematoma

... and management of splanchnic artery aneurysms - Stanley - 被引用次数 : 374

Visceral artery aneurysms: experience in a tertiary-care ... - Hossain - 被引用次数 : 103

... in patients with neurofibromatosis syndrome type I: ... - Oderich - 被引用次数 : 132

Inferior Pancreaticoduodenal Artery Aneurysms in ...

www.ncbi.nlm.nih.gov > ... > PubMed Central (PMC) ▾ [翻译此页](#)

作者 : R Kallamadi - 2009 - 被引用次数 : 19 - [相关文章](#)

Keywords: Inferior pancreaticoduodenal artery aneurysm, celiac axis stenosis, embolization ..., Artery Aneurysms Associated with Celiac Axis Stenosis/Occlusion ... a bypass conduit to the hepatic artery through the renal artery or the aorta.

缺少字词 : intramural hematoma

Ruptured Pancreaticoduodenal Artery Aneurysm Associated ...

www.ncbi.nlm.nih.gov > ... > Literature > PubMed Central (PMC) - [翻译此页](#)

作者 : S Miyayama - 2015 - [相关文章](#)

2015年3月9日 - Keywords: pancreaticoduodenal artery aneurysm, median arcuate ... PDA aneurysm associated with MAL compression and aortic dissection ... retroperitoneal hematoma and Stanford type B aortic dissection that ... and occlusion or stenosis of the celiac artery due to arteriosclerosis or MAL compression.

缺少字词 : intramural

Management of true aneurysms of the pancreaticoduodenal ...

www.ncbi.nlm.nih.gov > ... > PubMed Central (PMC) ▾ [翻译此页](#)