



全部

新闻

图片

购物

视频

更多 ▾

搜索工具

找到约 3,520 条结果 (用时 0.60 秒)

Baseline Prognostic Factors and Statistic Model to Predict ...

www.ncbi.nlm.nih.gov > ... > Literature > PubMed Central (PMC) - [翻译此页](#)

作者: R Zhou - 2013 - 被引用次数: 1 - 相关文章

2013年12月23日 - R > -0.38 suggested early **virological response** to telbivudine. ...

Family history as well as **baseline** bilirubin, AST and **HBV DNA levels** can **predict** early **virological response**. ... **Chronic hepatitis B virus (HBV)** infection is a major health problem ... One hundred and eight **telbivudine-treated CHB patients** (age, ...

A model with combined viral and metabolic factors ...

www.ncbi.nlm.nih.gov > ... > Literature > PubMed Central (PMC) - [翻译此页](#)

作者: F Liu - 2015

2015年11月2日 - The cumulative rates of **virologic response** (VR), biochemical response (BR), and ... and undetectable **HBV DNA level** within 24 weeks can **predict** HBeAg seroconversion. ... **Chronic hepatitis B virus (HBV)** infection currently affects ... It is well established that **patients** with **high serum HBV DNA levels** are ...

Kinetics of hepatitis B surface antigen decline during 3 years ...

onlinelibrary.wiley.com/doi/10.1002/hep.23905/pdf ▾ [翻译此页](#)

作者: K Wurstorn - 2010 - 被引用次数: 174 - 相关文章

levels in **patients** with **chronic hepatitis B** is poorly understood. ... **serum HBsAg levels** during 3 years of **telbivudine treatment**, as well as their relationship.

Hepatitis B surface antigen quantification at hepatitis B e ...

www.sciencedirect.com/science/article/pii/S1201971215002532 - [翻译此页](#)

作者: Y Qiu - 2015

2015年10月20日 ...

Name of Journal: *World Journal of Gastroenterology*

ESPS Manuscript NO: 23933

Manuscript Type: ORIGINAL ARTICLE

Basic Study

Elevated serum interleukin-38 level at baseline predicts
virological response in telbivudine-treated patients with chronic
hepatitis B

Wang HJ *et al.* IL-38 in LdT-treated CHB

Hong-Juan Wang, Yan-Fang Jiang, Xin-Rui Wang, Man-Li Zhang, Pu-Jun
Gao

Abstract

Match Overview

1	CrossCheck 66 words Rudloff, Ina, Jack Godsell, Claudia A. Nold-Petry, James Harris, Alberta Hoi, Eric F. Morand, and Marcel F. Nold. "I	1%
2	Internet 37 words crawled on 14-Feb-2016 acikarsiv.ankara.edu.tr	1%
3	CrossCheck 28 words Ma, L., P. Zhao, Z. Jiang, Y. Shan, and Y. Jiang. "Imbalance of different types of CD4+ forkhead box protein 3 (Fox	1%
4	CrossCheck 23 words Kim, Yu Jin. "Tenofovir rescue therapy for chronic hepatitis B patients after multiple treatment failures", <i>World Jour</i>	<1%
5	CrossCheck 21 words He, D. "Serum levels of interleukin-12 in various clinical states with hepatitis B virus infection", <i>Cellular Immunol</i>	<1%
6	Internet 18 words crawled on 01-Sep-2013 www.karger.jp	<1%
7	CrossCheck 17 words Wang, Li, Xiguang Sun, Jinpeng Qiu, Yanjun Cai, Liang Ma, Pingwei Zhao, and Yanfang Jiang. "Increased Numh	<1%

[全部](#)[新闻](#)[图片](#)[购物](#)[视频](#)[更多 ▾](#)[搜索工具](#)

找到约 6,030 条结果 (用时 0.66 秒)

Serum hepatitis B surface antigen levels predict treatment ...

www.ncbi.nlm.nih.gov > ... > PubMed Central (PMC) ▾ [翻译此页](#)

作者: CH Chen - 2014 - [被引用次数: 7](#) - [相关文章](#)

2014年6月28日 - Quantification of **hepatitis B** surface antigen (HBsAg) has been ... and **predict virological response** or **hepatitis B** e antigen (HBeAg) **Patients** with a **high baseline** HBsAg **level** (> 10000 IU/mL) had a lower who received **telbivudine treatment** for 104 wk, **serum** HBsAg **levels** of 2003;38:1267-1273.

缺少字词: [interleukin](#)

Baseline Prognostic Factors and Statistic Model to Predict ...

www.ncbi.nlm.nih.gov > ... > Literature > PubMed Central (PMC) - [翻译此页](#)

作者: R Zhou - 2013 - [被引用次数: 1](#) - [相关文章](#)

2013年12月23日 - R > -0.38 suggested early **virological response** to telbivudine. ... Family history as well as **baseline** bilirubin, AST and **HBV** DNA **levels** can **predict** early **virological response**. ... **Chronic hepatitis B** virus (HBV) infection is a major health problem ... One hundred and eight **telbivudine-treated** CHB **patients** (age, ...

缺少字词: [interleukin](#)

Hepatitis B flares in chronic hepatitis B: Pathogenesis ...

www.sciencedirect.com/science/article/.../S0168827814006205 ▾ [翻译此页](#)

作者: ML Chang - 2014 - [被引用次数: 18](#) - [相关文章](#)

Hepatitis B flare, defined as an event with abrupt rise of alanine ... ALT over 300 U/L (normal <40 U/L) in **patients** with a **baseline** ALT **level** <200 U/L (<5× ULN)" [4]. ... in **patients** with **chronic** HBV infection also presents with an abrupt **high** rise of ... About 25-30% of **hepatitis B** flares are associated with an elevation of **serum** ...

全部 新闻 图片 购物 视频 更多 ▾ 搜索工具

找到约 6,130 条结果 (用时 0.71 秒)

Serum hepatitis B surface antigen levels predict treatment ...

www.ncbi.nlm.nih.gov > ... > PubMed Central (PMC) ▾ 翻译此页

作者: CH Chen - 2014 - 被引用次数: 7 - 相关文章

2014年6月28日 - Quantification of **hepatitis B** surface antigen (HBsAg) has been ... and **predict virological response** or **hepatitis B e** antigen (HBeAg) ... **Patients** with a **high baseline** HBsAg **level** (> 10000 IU/mL) had a lower who received **telbivudine treatment** for 104 wk, **serum** HBsAg **levels** of 2003;38:1267-1273.

缺少字词: interleukin

Baseline Prognostic Factors and Statistic Model to Predict ...

www.ncbi.nlm.nih.gov > ... > Literature > PubMed Central (PMC) - 翻译此页

作者: R Zhou - 2013 - 被引用次数: 1 - 相关文章

2013年12月23日 - R > -0.38 suggested early **virological response** to telbivudine. ... Family history as well as **baseline** bilirubin, AST and HBV DNA **levels** can **predict** early **virological response**. ... **Chronic hepatitis B** virus (HBV) infection is a major health problem ... One hundred and eight **telbivudine-treated** CHB **patients** (age, ...

缺少字词: interleukin

Clinical utility of hepatitis B surface antigen quantitation in ...

onlinelibrary.wiley.com/doi/10.1002/hep.24473/full ▾ 翻译此页

作者: YF Liaw - 2011 - 被引用次数: 114 - 相关文章

2011年7月25日 - The detection of **hepatitis B** surface antigen (HBsAg) in **serum** was pivotal In HBeAg-negative **patients**, the **baseline** HBsAg **level** could not **predict** the response to ... For HBeAg-negative **patients**, Moucari et al.38 reported an NPV of **virologic response** to **telbivudine** in HBeAg-positive **chronic hepatitis** ...

[PDF] Original article IL-21R gene polymorphisms and serum IL ...