

QGHXR suppresses the epithelial-to-mesenchymal transition in alcoholic liver

全部

图片

视频

新闻

购物

地图

图书

获得 5 条结果

时间不限

过去 1 小时内

过去 24 小时内

过去 1 周内

过去 1 个月内

过去 1 年内

所有结果

精确匹配

[Modulation of IKK \$\beta\$ /NF- \$\kappa\$ B and TGF- \$\beta\$ 1/Smad via Fuzheng Huayu ...](#)

www.ncbi.nlm.nih.gov/pmc/articles/PMC4439457/

FZHY-containing therapies prevented nutritional steatohepatitis and fibrosis through ... signaling pathway. Non-alcoholic steatohepatitis, TGF- β 1/Smad signaling pathway ... FZHY suppressed the activation of hepatic stellate cells (HSCs) in MCD ... counteracting TGF- β 1-induced epithelial-to-mesenchymal transition.

[Pathogenesis of Type 2 Epithelial to Mesenchymal Transition \(EMT ...](#)

www.ncbi.nlm.nih.gov/pmc/articles/PMC4730129/


30 Dec 2015 ... In addition to TAA-induced hepatic cirrhosis, the roles of EMT were ... TGF- β 1 exerts its effect through either Smad or non-Smad pathway, and when added to ... by suppressing TGF- β 1-induced JNK activation and Smad signaling [93]. ... diseases such as non-alcoholic fatty liver disease and non-alcoholic ...

[Epithelial to mesenchymal transition in hepatocellular carcinoma](#)

www.ncbi.nlm.nih.gov/pmc/articles/PMC2963061/

The transition of epithelial cells to a mesenchymal phenotype (EMT) is of paramount ... and cirrhosis such as hereditary hemochromatosis or non-alcoholic fatty liver ... (FSP)-1-positive hepatic fibroblasts via TGF- β 1-induced EMT which could be ... could be attenuated by Smad7 which antagonizes TGF- β /Smad signaling or ...

Pubadvanced : Find Papers / Patents / Protocols | Biowebspin



23740-Review

BY TAO WU

Quotes Excluded
Bibliography Excluded4%
SIMILAR

Name of journal: *World Journal of Gastroenterology*

ESPS Manuscript NO: 23740

Manuscript Type: ORIGINAL ARTICLE

Basic Study

QGHXR suppresses the epithelial-to-mesenchymal transition in alcoholic liver fibrosis through the TGF- β 1/Smad signaling pathway

Tao Wu, Jun-Ming Chen, Tie-Gang Xiao, Xiang-Bing Shu, Han-Chen Xu, Li-Li

Yang, Lian-Jun Xing, Pei-Yong Zheng, Guang Ji

Match Overview

1	Internet 57 words crawled on 17-Sep-2015 www.biomedcentral.com	2%
2	CrossCheck 46 words Xu, Jun, Xiao Liu, Bin Gao, Michael Karin, Hidekazu Tsukamoto, David Brenner, and Tatiana Kisseleva. "New Approaches to the Treatment of Liver Fibrosis." <i>Journal of Hepatology</i> 57 (2013): 100-11. Web. 17 Sep. 2015.	1%
3	CrossCheck 28 words Ji, Yuan-Yuan. "Interference of suppressor of cytokine signaling 3 promotes epithelial-mesenchymal transition in MHC-1 α cells." <i>Journal of Cellular Biochemistry</i> 115 (2014): 100-11. Web. 17 Sep. 2015.	1%
4	CrossCheck 22 words Y Kitajima. "Inverse correlation between E-cadherin and α -tubulin expression in hepatocellular carcinoma cell lines in vitro." <i>Journal of Cellular Biochemistry</i> 115 (2014): 100-11. Web. 17 Sep. 2015.	1%
5	Internet 13 words crawled on 26-Jan-2016 www.translational-medicine.com	<1%

QGHXR suppresses the epithelial-to-mesenchymal transition in alcoholic liver

全部

图片

视频

新闻

购物

地图

图书

获得 5 条结果

时间不限

过去 1 小时内

过去 24 小时内

过去 1 周内

过去 1 个月内

过去 1 年内

所有结果

精确匹配

[Modulation of IKK \$\beta\$ /NF- \$\kappa\$ B and TGF- \$\beta\$ 1/Smad via Fuzheng Huayu ...](#)

www.ncbi.nlm.nih.gov/pmc/articles/PMC4439457/

FZHY-containing therapies prevented nutritional steatohepatitis and fibrosis through ... signaling pathway. Non-alcoholic steatohepatitis, TGF- β 1/Smad signaling pathway ... FZHY suppressed the activation of hepatic stellate cells (HSCs) in MCD ... counteracting TGF- β 1-induced epithelial-to-mesenchymal transition.

[Pathogenesis of Type 2 Epithelial to Mesenchymal Transition \(EMT ...](#)

www.ncbi.nlm.nih.gov/pmc/articles/PMC4730129/

30 Dec 2015 ... In addition to TAA-induced hepatic cirrhosis, the roles of EMT were ... TGF- β 1 exerts its effect through either Smad or non-Smad pathway, and when added to ... by suppressing TGF- β 1-induced JNK activation and Smad signaling [93]. ... diseases such as non-alcoholic fatty liver disease and non-alcoholic ...

[Epithelial to mesenchymal transition in hepatocellular carcinoma](#)

www.ncbi.nlm.nih.gov/pmc/articles/PMC2963061/ ▾

The transition of epithelial cells to a mesenchymal phenotype (EMT) is of paramount ... and cirrhosis such as hereditary hemochromatosis or non-alcoholic fatty liver ... (FSP)-1-positive hepatic fibroblasts via TGF- β 1-induced EMT which could be ... could be attenuated by Smad7 which antagonizes TGF- β /Smad signaling or ...

Pubadvanced : Find Papers / Patents / Protocols | Biowebspin

全部 图片 新闻 视频 购物 更多 ▾ 搜索工具

获得 6 条结果 (用时 0.58 秒)

[PDF] Pathogenesis of Type 2 Epithelial to Mesenchymal ...

www.mdpi.com/2077-0383/5/1/4/pdf ▾ 翻译此页

作者 : AH Tennakoon - 2015 - 相关文章

2015年12月30日 - **Transition** (EMT) in Renal and **Hepatic Fibrosis** **TGF- β 1** exerts its effect **through** either **Smad** or non-**Smad pathway**, and when added to an anti-fibrotic effect by the inhibition of **TGF- β 1** activity by **suppressing** **TGF- β 1**-induced JNK expression of **TGF- β 1**, ILK and **wnt signaling** inducing **epithelial** to ...

Epithelial to mesenchymal transition in hepatocellular ...

www.ncbi.nlm.nih.gov > ... > PubMed Central (PMC) ▾ 翻译此页

作者 : W Mikulits - 2009 - 被引用次数 : 165 - 相关文章

The **transition** of **epithelial** cells to a **mesenchymal** phenotype (EMT) is of paramount ... and **cirrhosis** such as hereditary hemochromatosis or non-**alcoholic fatty liver** ... (FSP) -1-positive **hepatic** fibroblasts **via** **TGF- β 1**-induced EMT which could be ... could be attenuated by Smad7 which antagonizes **TGF- β /Smad signaling** or ...

Epithelial-mesenchymal transition in liver fibrosis

www.ncbi.nlm.nih.gov > ... > Literature > PubMed Central (PMC) - 翻译此页

作者 : YALEI ZHAO - 2016

2016年1月25日 - Prevention of the development of **epithelial-mesenchymal transition** (EMT) may The results suggest that MCs participate in liver injury **via** differentiation to ... EMT in **liver fibrosis**: **TGF- β /Smad** and non-Smad **signaling pathway** ... Lee et al (60) demonstrated that apamin **suppressed** the **TGF- β 1**-induced ...

Potent natural products and herbal medicines for treating ...

www.ncbi.nlm.nih.gov > ... > Literature > PubMed Central (PMC) - 翻译此页

作者 : SR Chen - 2015 - 被引用次数 : 5 - 相关文章

2015年4月15日 - Upon liver damage, **TGF- β 1** activates Akt signaling **via** p38 mitogen-activated ... Other cell **signaling pathways** involved in **liver fibrosis** ...

Epithelial-mesenchymal transition (EMT) is the process by which **epithelial** cells lose ...