



TrkB/BDNF signaling pathway as a potential therapeutic target for colorectal c...



学术搜索

找到约 157 条结果 (用时0.09秒)

我的著作引用情况



文章

小提示：只搜索中文(简体)结果，可在 学术搜索设置 指定搜索语言

我的图书馆

时间不限

2015以来

2014以来

2011以来

自定义范围...

按相关性排序

按日期排序

搜索所有网页

中文网页

简体中文网页

☒ 包括专利☐ 包含引用

The neurotrophic receptor TrkB: a drug target in anti-cancer therapy?

CJ Desmet, DS Peeper - Cellular and Molecular Life Sciences CMLS, 2006 - Springer

... The TrkB-BDNF axis might there- fore play a role in tumor and metastasis neo ... trkB re- ceptors have dominant inhibitory effects on brain-derived neu- rotrophic factor signaling. ... and Konnerth A. (2003) Truncated TrkB-T1 mediates neurotrophin- evoked calcium signalling in glia ...

被引用次数: 83 相关文章 所有 10 个版本 引用 保存

Biological effects of TrkA and TrkB receptor signaling in neuroblastoma

A Schramm, JH Schulte, K Astrahantseff, O Apostolov... - Cancer letters, 2005 - Elsevier

... Trk-mediated differentiation of NB cells, whereas inhibition of the PI3K survival pathway has no ... treatment of SY5Y-TrkA cells, whereas it was decreased in response to TrkB/BDNF signaling [40]. ... An effect of TrkB signaling on the invasive activity of neuroblastoma cells has been ...

被引用次数: 125 相关文章 所有 9 个版本 引用 保存

Zeb1 is required for TrkB-induced epithelial-mesenchymal transition, anoikis resistance and metastasis

MA Smit, DS Peeper - Oncogene, 2011 - nature.com

... Zeb1 also in RIE-1 TB cells (rat intestinal epithelial cells expressing TrkB+BDNF) and observed a ... Pharmacological inhibition of mitogen-activated protein kinase (MAPK) pathway. Sn9H2 from K. Becker (Rosivatz et al., 2006)) and cleaved caspase 3 (Asp175, Cell Signaling).

被引用次数: 47 相关文章 所有 5 个版本 引用 保存

nature.com 中的 [HTML]

Microarray analysis reveals differential gene expression patterns and regulation of single target genes contributing to the opposing phenotype of TrkA-and TrkB- ...

nature.com 中的 [HTML]

Name of journal: World Journal of Gastroenterology

ESPS Manuscript NO: 18632

Manuscript Type: REVIEW

TrkB/BDNF signaling pathway as a potential therapeutic target for colorectal cancer

Hussein Akil, Aurélie Perraud, Marie-Odile Jauberteau, Muriel Mathonnet

Abstract

Colorectal cancer (CRC) is the second most common cause of cancer-related death in western countries. Approximately one-quarter of newly diagnosed patients for CRC

Match Overview

1	Internet 61 words crawled on 04-Jun-2010 bloodjournal.hematologylibrary.org	1%
2	CrossCheck 53 words Dawson, Heather, Sandra Grundmann, Viktor H. Koelzer, José A. Galván, R. Kirsch, Eva Karamitopoulou, Alessandro	1%
3	Internet 52 words crawled on 07-Mar-2014 www.tdx.cat	1%
4	CrossCheck 41 words Biomarkers in Disease Methods Discoveries and Applications, 2015	<1%



TrkB/BDNF signaling pathway as a potential therapeutic target for colorectal c...



学术搜索

找到约 157 条结果 (用时0.09秒)

我的著作引用情况



文章

小提示：只搜索中文(简体)结果，可在 学术搜索设置 指定搜索语言

我的图书馆

时间不限

2015以来

2014以来

2011以来

自定义范围...

按相关性排序

按日期排序

搜索所有网页

中文网页

简体中文网页

☒ 包括专利☐ 包含引用

The neurotrophic receptor TrkB: a drug target in anti-cancer therapy?

CJ Desmet, DS Peeper - Cellular and Molecular Life Sciences CMLS, 2006 - Springer

... The TrkB-BDNF axis might there- fore play a role in tumor and metastasis neo ... trkB re- ceptors have dominant inhibitory effects on brain-derived neu- rotrophic factor signaling. ... and Konnerth A. (2003) Truncated TrkB-T1 mediates neurotrophin- evoked calcium signalling in glia ...

被引用次数: 83 相关文章 所有 10 个版本 引用 保存

Biological effects of TrkA and TrkB receptor signaling in neuroblastoma

A Schramm, JH Schulte, K Astrahantseff, O Apostolov... - Cancer letters, 2005 - Elsevier

... Trk-mediated differentiation of NB cells, whereas inhibition of the PI3K survival pathway has no ... treatment of SY5Y-TrkA cells, whereas it was decreased in response to TrkB/BDNF signaling [40]. ... An effect of TrkB signaling on the invasive activity of neuroblastoma cells has been ...

被引用次数: 125 相关文章 所有 9 个版本 引用 保存

Zeb1 is required for TrkB-induced epithelial-mesenchymal transition, anoikis resistance and metastasis

MA Smit, DS Peeper - Oncogene, 2011 - nature.com

... Zeb1 also in RIE-1 TB cells (rat intestinal epithelial cells expressing TrkB+BDNF) and observed a ... Pharmacological inhibition of mitogen-activated protein kinase (MAPK) pathway. Sn9H2 from K. Becker (Rosivatz et al., 2006)) and cleaved caspase 3 (Asp175, Cell Signaling).

被引用次数: 47 相关文章 所有 5 个版本 引用 保存

Microarray analysis reveals differential gene expression patterns and regulation of single target genes contributing to the opposing phenotype of TrkA-and TrkB- ...

nature.com 中的 [HTML]

nature.com 中的 [HTML]

网页 图片 新闻 购物 视频 更多 ▾ 搜索工具

找到约 18,300 条结果 (用时 1.28 秒)

Google 学术 : Tropomyosin-related kinase B /brain derived-neurotrophic factor signaling pathway as a potential therapeutic target for colorectal cancer

... pathway is an increasingly important target in cancer ... - Thiele - 被引用次数 : 113

... receptor TrkB: a drug target in anti-cancer therapy? - Desmet - 被引用次数 : 84

Biological effects of TrkA and TrkB receptor signaling in ... - Schramm - 被引用次数 : 126

Brain-Derived Neurotrophic Factor (BDNF)-Induced ...

journals.plos.org/plosone/article?id=10.1371/journal.pone... ▾ 翻译此页

作者 : K Tanaka - 2014 - 被引用次数 : 3 - 相关文章

2014年5月6日 - Tropomyosin-related receptor kinase B (TrkB) signaling, stimulated by ... We sought to examine the clinical relevance of BDNF/TrkB expression in colorectal cancer ... Kinase B (Trk B) Signaling Is a Potential Therapeutic Target for ... of the BDNF/TrkB pathway in tumor progression in gastric cancer [26].

Brain-derived neurotrophic factor/tropomyosin-related ...

www.nature.com > ... > Archive > Molecular Diagnostics ▾ 翻译此页

作者 : Y Okugawa - 2013 - 被引用次数 : 17 - 相关文章

2012年11月22日 - Brain-derived neurotrophic factor/tropomyosin-related kinase B pathway in gastric cancer ... The BDNF/TrkB pathway has a key role in the development of the ... Previously, we used RNA interference in colorectal cancer (CRC) cells to ... patients and enhanced malignant potential in terms of proliferation, ...

(BDNF)-induced tropomyosin-related kinase B ... - PubFacts