

Primary hepatic epithelioid angiomyolipoma: a malignant potential tumor which sh

全部 图片 视频 新闻 购物 地图 图书

找到约 8,340 条结果

时间不限

过去 1 小时内  
过去 24 小时内  
过去 1 周内  
过去 1 个月内  
过去 1 年内

所有结果

精确匹配

[Google 学术: Primary hepatic epithelioid angiomyolipoma: a malignant potential tumor which should be recognized](#)

[Perivascular epithelioid cell neoplasms of soft tissue ...](#) - Folpe - 被引用次数: 524

[... of the perivascular epithelioid clear cell family of tumors ...](#) - Folpe - 被引用次数: 205

[Perivascular epithelioid cell tumor \(PEComa\) of the ...](#) - Vang - 被引用次数: 262

[Improving recognition of hepatic perivascular epithelioid cell tumor ...](#)

[www.ncbi.nlm.nih.gov/pmc/articles/PMC4419086/](http://www.ncbi.nlm.nih.gov/pmc/articles/PMC4419086/)

7 May 2015 ... In addition, PEComa imaging findings mimic those of **malignant liver tumors**, and ... However, PEComas and **epithelioid angiomyolipomas** (EAMLs) are still ... of **hepatic** PEComas, including our case, to examine **potential** key features .... Our search of PubMed and Scopus identified 33 cases with **primary** ...

[\[PDF\] Renal epithelioid angiomyolipoma: a malignant disease](#)

[www.sin-italy.org/](http://www.sin-italy.org/)

[web%5Ceventi%5CSIN%5Carchivio%5Cjn%5C2011%5Cjnephrol...](#)

19 Nov 2009 ... Renal angiomyolipoma, a mesenchymal **tumor** of the kid- ... It **should** be carefully ... plored for this newly **recognized malignant** variant re- ... the **liver**. Takumi et al ( 17) reported a case of metastatic **epithelioid angiomyolipoma** detected at autopsy ... sociated with **primary tumors** greater than 15 cm, longer.

[Primary perivascular epithelioid cell tumor of the liver: new case ...](#)

[www.diagnosticpathology.org/content/9/1/149](http://www.diagnosticpathology.org/content/9/1/149)

17 Jul 2014 ... Perivascular epithelioid cell **tumors** (PEComas) encompass a group of rare ... The following report presents an additional case of **primary liver** PEComa appearing ... Monotypic **epithelioid angiomyolipoma** **should** be differentiated from ... only were considered as a neoplasm of uncertain **malignant potential**.

[\[PDF\] PDF Diagnostic Pathology](#)

## Match Overview

1	<b>CrossCheck</b> 40 words Zhao, Yanfeng, Han Ouyang, Xiaoyi Wang, Feng Ye, and Jing Liang. "MRI manifestations of liver epithelioid and non ..."	1%
2	<b>Internet</b> 32 words crawled on 14-Oct-2015 <a href="#">journals.lww.com</a>	1%
3	<b>CrossCheck</b> 31 words Xu, Peng-Ju. "Epithelioid angiomyolipoma of the liver: Cross-sectional imaging findings of 10 immunohistochemically"	1%
4	<b>CrossCheck</b> 27 words Saito, Yu, Mitsuo Shimada, Tohru Utsunomiya, Yuji Morine, Satoru Imura, Tetsuya Ikemoto, Hiroki Mori, Jun Hanaoka,	1%

Name of Journal: World Journal of Gastroenterology

ESPS Manuscript NO: 24393

Manuscript Type: ORIGINAL ARTICLE

*Retrospective Study*

**Primary hepatic epithelioid angiomyolipoma: a malignant potential tumor which should be recognized**

Jie Liu, Cheng-Wu Zhang, De-Fei Hong, Ran Tao, Yuan Chen, Min-Jie Shang, Yu-Hua Zhang

**Abstract**

Primary hepatic epithelioid angiomyolipoma: a malignant potential tumor which sh

全部 图片 视频 新闻 购物 地图 图书

找到约 7,420 条结果

时间不限

过去 1 小时内  
过去 24 小时内  
过去 1 周内  
过去 1 个月内  
过去 1 年内

所有结果

精确匹配

[Google 学术: Primary hepatic epithelioid angiomyolipoma: a malignant potential tumor which should be recognized](#)

[Perivascular epithelioid cell neoplasms of soft tissue ...](#) - Folpe - 被引用次数: 533

[... of the perivascular epithelioid clear cell family of tumors ...](#) - Folpe - 被引用次数: 206

[Perivascular epithelioid cell tumor \(PEComa\) of the ...](#) - Vang - 被引用次数: 270

[Improving recognition of hepatic perivascular epithelioid cell tumor ...](#)

[www.ncbi.nlm.nih.gov/pmc/articles/PMC4419086/](http://www.ncbi.nlm.nih.gov/pmc/articles/PMC4419086/)

7 May 2015 ... In addition, PEComa imaging findings mimic those of malignant liver tumors, and ... However, PEComas and epithelioid angiomyolipomas (EAMLs) are still ... of hepatic PEComas, including our case, to examine potential key features .... Our search of PubMed and Scopus identified 33 cases with primary ...

[Hepatic epithelioid angiomyolipoma with an unusual pathologic ...](#)

[www.ncbi.nlm.nih.gov/pmc/articles/PMC4203263/](http://www.ncbi.nlm.nih.gov/pmc/articles/PMC4203263/)

15 Aug 2014 ... Hepatic epithelioid angiomyolipoma (AML) is a rare lesion that is ... Angiomyolipoma (AML) is a well-recognized mesenchymal tumor that consists of ... Based on the dominant cell type, AML can be subdivided into various forms [3]. .... and the epithelioid AMLs are thought to possess malignant potential [16].

[Hepatic angiomyolipoma: a series of six cases with emphasis on ...](#)

[www.ncbi.nlm.nih.gov/pmc/articles/PMC3430108/](http://www.ncbi.nlm.nih.gov/pmc/articles/PMC3430108/) ▼

29 Jul 2012 ... Hepatic angiomyolipoma is rare and may pose differential diagnostic ... Nevertheless, in our experience, hepatic AML is still under-recognized by both ... classified as "angiomyolipoma", "perivascular epithelioid cell tumor" or "PEComa", .... However, the natural history and malignant potential of hepatic ...

[\[PDF\] Renal epithelioid angiomyolipoma: a malignant disease](#)

[www.cia-italy.org/](http://www.cia-italy.org/)



全部 图片 新闻 购物 视频 更多 ▾ 搜索工具

找到约 7,400 条结果 (用时 0.59 秒)

## Google 学术 : Primary hepatic epithelioid angiomyolipoma: a malignant potential tumor which should be recognized

Perivascular epithelioid cell neoplasms of soft tissue ... - Folpe - 被引用次数 : 534

... of the perivascular epithelioid clear cell family of tumors ... - Folpe - 被引用次数 : 206

Perivascular epithelioid cell tumor (PEComa) of the ... - Vang - 被引用次数 : 270

## Improving recognition of hepatic perivascular epithelioid cell ...

www.ncbi.nlm.nih.gov > ... > Literature > PubMed Central (PMC) - 翻译此页

作者 : T Maebayashi - 2015 - 被引用次数 : 1 - 相关文章

2015年5月7日 - Core tip: Hepatic perivascular epithelioid cell tumors (PEComas) are very rare. .... Our search of PubMed and Scopus identified 33 cases with primary ... to the WHO classification[2], an angiomyolipoma is recognized as a PEComa. .... of these findings are of uncertain malignant potential, and PEComas with ...

## Hepatic angiomyolipoma: a series of six cases with ... - NCBI

www.ncbi.nlm.nih.gov > ... > PubMed Central (PMC) ▾ 翻译此页

作者 : A Agaimy - 2012 - 被引用次数 : 13 - 相关文章

2012年7月29日 - Hepatic angiomyolipoma is rare and may pose differential diagnostic ... Nevertheless, in our experience, hepatic AML is still under-recognized by both ... classified as "angiomyolipoma", "perivascular epithelioid cell tumor" or "PEComa". .... However, the natural history and malignant potential of hepatic ...

## Hepatic epithelioid angiomyolipoma with an unusual ... - NCBI

www.ncbi.nlm.nih.gov > ... > Literature > PubMed Central (PMC) - 翻译此页

作者 : Y Zhou - 2014 - 被引用次数 : 2 - 相关文章

2014年8月15日 - Hepatic epithelioid angiomyolipoma (AML) is a rare lesion that is ... Angiomyolipoma (AML) is a well-recognized mesenchymal tumor that consists of ...