

[全部](#)[图片](#)[购物](#)[新闻](#)[视频](#)[更多 ▾](#)[搜索工具](#)

找到约 630 条结果 (用时 0.88 秒)

Frontiers | TNF Receptor 2 and Disease: Autoimmunity and ...

journal.frontiersin.org/article/10.3389/fimmu.2013.../full ▾ [翻译此页](#)

作者: QL Faustman - 2013 - 被引用次数: 23 - 相关文章

TNF Signals through TNFR1 and TNFR2 receptors (A) but abnormalities in this ... the pancreas after elimination of autoreactive T cells with low-dose TNF (58, 59). ... of TNFR2 triggered multi-organ inflammation especially in the presence of TNF. ... also appears promising for hepatitis or autoimmunity in murine models (96).

缺少字词: hepatobiliary r2

Multiple roles for tumor necrosis factor- α and lymphotoxin α ...

[www.ncbi.nlm.nih.gov/.../PubMedCentral\(PMC\)](http://www.ncbi.nlm.nih.gov/.../PubMedCentral(PMC)) ▾ [翻译此页](#)

作者: H McDevitt - 2002 - 被引用次数: 104 - 相关文章

2002年5月9日 - The cytokines TNF- α and LT α / β and their receptors play key roles in the ... system and in immune regulation, inflammation, and autoimmunity. ... in spontaneous models in the mouse and in patients with autoimmune disease. ... Studies in R1, R2 or double-receptor-deficient mice have shown that TNFR1 is ...

缺少字词: hepatobiliary

Tnf tumor necrosis factor [(Norway rat)]

www.ncbi.nlm.nih.gov/gene/24835 ▾ [翻译此页](#)

2015年12月22日 - acts as a cytokine; binds TNF receptors; plays a role in regulation of cell ... TNF-alpha mRNA expression increased significantly in liver, lung, spleen, and ... that activation of the NF-kappaB pathway in pancreatic beta-cells leads to rapid ... The chronic inflammatory network elicited by systemic inflammation ...

缺少字词: hepatobiliary



24286-Review-check.docx

Quotes Excluded
Bibliography Excluded7%
SIMILARName of journal: *World Journal of Gastroenterology*

ESPS Manuscript NO: 24286

Manuscript Type: ORIGINAL ARTICLE

Basic Study

Multiorgan chronic inflammatory hepatobiliary pancreatic murine model deficient in tumor necrosis factor receptors 1 and 2

Oz HS. Chronic inflammatory multiorgan hepatobiliary pancreatitis model

Helieh S Oz

Abstract

AIM: To provoke persistent/chronic multiorgan inflammatory response and to contribute to stones formation followed by fibrosis in hepatobiliary and pancreatic tissues.

Match Overview

1	Internet 61 words crawled on 17-Jan-2014 www.ncbi.nlm.nih.gov	1%
2	CrossCheck 49 words Oz, Helieh S. "Gene expression profiling and endotheli ... in acute experimental pancreatitis", <i>World Journal of Ga</i>	1%
3	Publications 45 words P Lange. "Immunotoxic effects of dialkyltins used for st ... bilization of plastics.", <i>Polish journal of pharmacology an</i>	1%
4	CrossCheck 42 words Foster, J. R.. "A Review of Animal Models of Nonneoplas ... tic Pancreatic Diseases", <i>Toxicologic Pathology</i> , 2014.	1%
5	Internet 28 words www.nihs.go.jp	<1%
6	Internet 27 words crawled on 20-Sep-2010 www.springer.com	<1%
7	Internet 22 words crawled on 14-Mar-2016 tnn.uah.edu	<1%

[全部](#)[图片](#)[新闻](#)[视频](#)[购物](#)[更多 ▾](#)[搜索工具](#)

找到约 30,200 条结果 (用时 0.90 秒)

Google 学术: Multiorgan chronic inflammatory hepatobiliary pancreatic murine model deficient in tumor necrosis factor receptors 1 and 2

... of septic shock with the tumor necrosis factor receptor: ... - Fisher Jr - 被引用次数: 1138

Physiology and immunology of the cholinergic ... - Tracey - 被引用次数: 981

Role of tumor necrosis factor- α in acute pancreatitis: ... - Malleo - 被引用次数: 129

The function of tumour necrosis factor and receptors ... - NCBI

www.ncbi.nlm.nih.gov > ... > Literature > PubMed Central (PMC) - 翻译此页

作者: G Kollias - 1999 - 被引用次数: 123 - 相关文章

The function of tumour necrosis factor and receptors in models of multi-organ ... may lead to chronic activation of innate immune cells and to chronic inflammatory Different roles of tumour necrosis factor alpha and interleukin 1 in murine B. Resistance to cerebral malaria in tumor necrosis factor-alpha/beta-deficient ...

缺少字词: hepatobiliary

The function of tumour necrosis factor and receptors in ...

europepmc.org/articles/PMC1766575/pdf/v058p00132.pdf - 翻译此页

作者: G Kollias - 1999 - 被引用次数: 123 - 相关文章

receptors in models of multi-organ inflammation, rheumatoid ... cells and to chronic inflammatory re- sponses ... functioning of its two tumour necrosis factor receptors ... recently backcrossed Rag-1 deficient mice ... nism to explain disease pathogenesis in

全部 图片 新闻 视频 购物 更多 ▾ 搜索工具

找到约 29,900 条结果 (用时 0.55 秒)

Google 学术 : Multiorgan chronic inflammatory hepatobiliary pancreatic murine model deficient in tumor necrosis factor receptors 1 and 2

... of septic shock with the tumor necrosis factor receptor: ... - Fisher Jr - 被引用次数 : 1140

Physiology and immunology of the cholinergic ... - Tracey - 被引用次数 : 982

Role of tumor necrosis factor- α in acute pancreatitis: ... - Malleo - 被引用次数 : 130

The function of tumour necrosis factor and receptors in ...

www.ncbi.nlm.nih.gov > ... > Literature > PubMed Central (PMC) - 翻译此页

作者 : G Kollias - 1999 - 被引用次数 : 123 - 相关文章

The function of tumour necrosis factor and receptors in models of multi-organ ... may lead to chronic activation of innate immune cells and to chronic inflammatory ...

Different roles of tumour necrosis factor alpha and interleukin 1 in murine B.

Resistance to cerebral malaria in tumor necrosis factor-alpha/beta-deficient

缺少字词 : hepatobiliary

The function of tumour necrosis factor and receptors in ...

europepmc.org/articles/PMC1766575/pdf/v058p00132.pdf - 翻译此页

作者 : G Kollias - 1999 - 被引用次数 : 124 - 相关文章

receptors in models of multi-organ inflammation, rheumatoid ... cells and to chronic inflammatory re- sponses ... functioning of its two tumour necrosis factor receptors ... recently backcrossed Rag-1 deficient mice nism to explain disease pathogenesis in murine tory pathology in the liver, pancreas and lung at. 2-3 ...

缺少字词 : hepatobiliary

Apoptosis: Targets in Pancreatic Cancer | Molecular Cancer ...

molecular-cancer.biomedcentral.com/articles/10.1186/1476-4598-1-140 ▾ 翻译此页

作者 : S Westphal - 2002 - 被引用次数 : 140 - 相关文章