

125I-labeled anti-bFGF monoclonal antibody inhibits growth of hepatocellula

全部

图片

视频

新闻

购物

地图

图书

找到约 38,800 条结果

时间不限

过去 1 小时内

过去 24 小时内

过去 1 周内

过去 1 个月内

过去 1 年内

所有结果

精确匹配

[Google 学术: 125I-labeled anti-bFGF monoclonal antibody inhibits growth of hepatocellular carcinoma](#)

[Identification of a monoclonal antibody TV-1 directed ...](#) - Epstein - 被引用次数: 50

[Inhibition of angiogenesis at endothelial cell level](#) - Jekunen - 被引用次数: 23

[A Novel Monoclonal Antibody to Fibroblast Growth Factor 2 ...](#)

www.ncbi.nlm.nih.gov/pmc/articles/PMC3324641/ ▼

16 Feb 2012 ... The Fibroblast Growth Factor (FGF) family plays important roles in embryonic ... The role of FGF2 in hepatocellular carcinoma (HCC; hepatoma) has been ... An anti-FGF2 mAb inhibited proliferation of many HCC cell lines, and ... anti-FGF2 mAb; bound FGF2-Flag was detected with a labeled anti-Flag mAb.

[Molecularly Targeted Therapy of Human Hepatocellular Carcinoma ...](#)

www.ncbi.nlm.nih.gov/pmc/articles/PMC4448128/

29 May 2015 ... FA8H1 was labeled with ¹³¹I, and two HCC xenograft models were ... Monoclonal antibodies (mAbs) can be used for molecular imaging as ... We previously produced a high-affinity murine anti-vascular endothelial growth factor receptor ... Prominent inhibition of tumor volume and weight with high dose of ...

[IPDF Production of Basic Fibroblast Growth Factorlike Factor by Cultured](#)



24726-Review

BY PENG-HUI HU

Quotes Excluded
Bibliography Excluded1%
SIMILAR

Name of journal: *World Journal of Gastroenterology*

ESPS Manuscript NO: 24726

Manuscript Type: ORIGINAL ARTICLE

Basic Study

¹²⁵I-labeled anti-bFGF monoclonal antibody inhibits growth of
hepatocellular carcinoma

Peng-Hui Hu, Lan-Hong Pan, Patrick Ting-Yat Wong, Wen-Hui Chen,

Yan-Qing Yang, Hong Wang, Jun-Jian Xiang, Meng Xu

Match Overview

1

Internet 26 words
crawled on 15-Sep-2014
www.hematologyandoncology.net

1%

125I-labeled anti-bFGF monoclonal antibody inhibits growth of hepatocellular c

全部

图片

视频

新闻

购物

地图

图书

找到约 39,500 条结果

时间不限

过去 1 小时内

过去 24 小时内

过去 1 周内

过去 1 个月内

过去 1 年内

所有结果

精确匹配

[Google 学术: 125I-labeled anti-bFGF monoclonal antibody inhibits growth of hepatocellular carcinoma](#)

[Identification of a monoclonal antibody, TV-1, directed ...](#) - Epstein - 被引用次数: 50

[Inhibition of angiogenesis at endothelial cell level](#) - Jekunen - 被引用次数: 23

[A Novel Monoclonal Antibody to Fibroblast Growth Factor 2 ...](#)

www.ncbi.nlm.nih.gov/pmc/articles/PMC3324641/ ▼

16 Feb 2012 ... The Fibroblast Growth Factor (FGF) family plays important roles in embryonic ... The role of FGF2 in hepatocellular carcinoma (HCC; hepatoma) has been ... An anti-FGF2 mAb inhibited proliferation of many HCC cell lines, and ... anti-FGF2 mAb; bound FGF2-Flag was detected with a labeled anti-Flag mAb.

[Molecularly Targeted Therapy of Human Hepatocellular Carcinoma ...](#)

www.ncbi.nlm.nih.gov/pmc/articles/PMC4448128/

29 May 2015 ... FA8H1 was labeled with ¹³¹I, and two HCC xenograft models were ... Monoclonal antibodies (mAbs) can be used for molecular imaging as ... We previously produced a high-affinity murine anti-vascular endothelial growth factor receptor ... Prominent inhibition of tumor volume and weight with high dose of ...

[PDF] [Identification of a Monoclonal Antibody, TV-1 ...](#) - Cancer Research

cancerres.aacrjournals.org/content/55/12/2673.full.pdf ▼



[全部](#) [图片](#) [新闻](#) [视频](#) [购物](#) [更多 ▾](#) [搜索工具](#)

找到约 38,200 条结果 (用时 0.55 秒)

Google 学术 : 125I-labeled anti-bFGF monoclonal antibody inhibits growth of hepatocellular carcinoma

Identification of a monoclonal antibody, TV-1, directed ... - Epstein - 被引用次数 : 50

Inhibition of angiogenesis at endothelial cell level - Jekunen - 被引用次数 : 23

A Novel Monoclonal Antibody to Fibroblast Growth Factor 2 ...

www.ncbi.nlm.nih.gov > ... > PubMed Central (PMC) ▾ [翻译此页](#)

作者 : L Wang - 2012 - 被引用次数 : 21 - [相关文章](#)

2012年2月16日 - The Fibroblast Growth Factor (FGF) family plays important roles in embryonic ... The role of FGF2 in hepatocellular carcinoma (HCC; hepatoma) has been ... An anti-FGF2 mAb inhibited proliferation of many HCC cell lines, and ... anti-FGF2 mAb; bound FGF2-Flag was detected with a labeled anti-Flag mAb.

Molecularly Targeted Therapy of Human Hepatocellular ...

www.ncbi.nlm.nih.gov > ... > Literature > PubMed Central (PMC) - [翻译此页](#)

作者 : J Huang - 2015 - 被引用次数 : 1 - [相关文章](#)

2015年5月29日 - The therapeutic effect of ¹³¹I-labeled FA8H1 in the BEL-7402 ...

Human liver cancer, particularly hepatocellular carcinoma (HCC), is the ... Monoclonal antibodies (mAbs) can be used for molecular imaging as ... We previously produced a high-affinity murine anti-vascular endothelial growth factor receptor 2 ...

缺少字词 : bfgf

Therapeutic effect of a TM4SF5-specific monoclonal ... - NCBI

www.ncbi.nlm.nih.gov > ... > PubMed Central (PMC) ▾ [翻译此页](#)

作者 : YE Kim - 2014 - 被引用次数 : 1 - [相关文章](#)

2014年8月5日 - After 72 h, the distribution of the labeled antibody was quantified by ...

Anti-TM4SF5 monoclonal antibody inhibits colon cancer growth in an allograft mouse model molecule TM4SF5 inhibits the growth of hepatocellular carcinoma. ... FGF-2 inhibits TNF- α mediated apoptosis through upregulation of