

[全部](#) [图片](#) [视频](#) [新闻](#) [购物](#) [地图](#) [图书](#)

找到约 1,230,000 条结果

**时间不限**

过去 1 小时内  
过去 24 小时内  
过去 1 周内  
过去 1 个月内  
过去 1 年内

**所有结果**

精确匹配

[\[PDF\] Cancer of the Stomach - Gov.UK](#)[https://www.gov.uk/government/uploads/.../cancer\\_stomach.pdf](https://www.gov.uk/government/uploads/.../cancer_stomach.pdf)

In Western countries, the **incidence** of cancer localised to the distal part of the ... precursor **lesions**, are often ulcerated and occur more frequently in the distal **stomach**. .... Genetic **factors** Evidence for a genetic predisposition to the disease comes from both epidemiological **studies** and **case** reports of **gastric** cancer families.

[Gastric Adenocarcinoma](#)[www.ncbi.nlm.nih.gov/pmc/articles/PMC1356843/](http://www.ncbi.nlm.nih.gov/pmc/articles/PMC1356843/)

Despite the decreasing worldwide **incidence**, **gastric** cancer accounts for 3% to 10% ... the etiologic **influence** may reside more in environmental than ethnicity **factors**. .... In a **case-control study**, Ramon et al identified diets rich in salt, smoked or .... the gastrointestinal lumen or infiltrative **lesions** that impair **stomach** distension.

[\[PDF\] Management of oesophageal and gastric cancer. \(SIGN Guideline ...](#)[www.sign.ac.uk/pdf/sign87.pdf](http://www.sign.ac.uk/pdf/sign87.pdf)

High quality **case control** or cohort **studies** with a very low risk of confounding or ... of the treatment of 3,293 oesophageal and **gastric** cancer patients in .... Both cancers have a peak **incidence** at an older age in women than ... **factor** for Barrett's oesophagus and oesophageal adenocarcinoma.<sup>32</sup> In the UK, patients with.

[Modern Pathology - Gastritis and Carditis - Nature](#)[www.nature.com/modpathol/journal/v16/n4/full/3880769a.html](http://www.nature.com/modpathol/journal/v16/n4/full/3880769a.html)

Atrophic gastritis, Carditis, **Gastric** cardia, **Gastric** Crohn's disease, Gastritis, Helicobacter, ... Agreement is best in **cases** where peptic ulcer or another focal **lesion** is identified. .... and host **factors** that **control** the development of autoimmunity (22, 23). .... Additional **studies** report an increase in the **incidence** of atrophy (4.7% ...

[Chronic Gastritis: Background, Pathophysiology, Etiology](#)

**Name of Journal: World Journal of Gastroenterology**

**ESPS Manuscript NO: 24335**

**Manuscript Type: ORIGINAL ARTICLE**

*Case Control Study*

**Factors affecting the occurrence of gastric varioliform lesions: A case-control study**

Tian-Hui Zou, Ru-Hua Zheng, Qin-Yan Gao, Xuan Kong, Xiao-Yu Chen, Zhi-Zheng Ge, Ying-Xuan Chen, Xiao-Ping Zou, Jing-Yuan Fang

#### **Abstract**

**AIM:** To investigate the factors influencing the occurrence of gastric varioliform lesions (GVLs) and their possible link with gastric cancer.

**METHODS:** A 1:1 matched case-control study was performed to

#### Match Overview

There are no matching sources for this report.

[全部](#) [图片](#) [视频](#) [新闻](#) [购物](#) [地图](#) [图书](#)

找到约 1,180,000 条结果

**时间不限**

过去 1 小时内  
过去 24 小时内  
过去 1 周内  
过去 1 个月内  
过去 1 年内

**所有结果**

精确匹配

[Helicobacter pylori: the link with gastric cancer. - NCBI](#)[www.ncbi.nlm.nih.gov/pubmed/8061590](http://www.ncbi.nlm.nih.gov/pubmed/8061590)

In the Correa model of **gastric** carcinogenesis, environmental **factors** (salt, nitrate, ... The **incidence** of H. pylori decreases with progressing preneoplastic **lesions**. ... Three prospective nested **case-control studies** showed that infection with H. pylori ... environmental **factors** are important in **determining** the **gastric** cancer risk .

[Gastric Adenocarcinoma - NCBI - National Institutes of Health](#)[www.ncbi.nlm.nih.gov/pmc/articles/PMC1356843/](http://www.ncbi.nlm.nih.gov/pmc/articles/PMC1356843/)

Despite the decreasing worldwide **incidence**, **gastric** cancer accounts for 3% to 10% ... the etiologic **influence** may reside more in environmental than ethnicity **factors**. ... In a **case-control study**, Ramon et al identified diets rich in salt, smoked or .... the gastrointestinal lumen or infiltrative **lesions** that impair **stomach** distension.

[Effects of Helicobacter pylori infection and smoking on gastric ... - NCBI](#)[www.ncbi.nlm.nih.gov/pmc/articles/PMC2904855/](http://www.ncbi.nlm.nih.gov/pmc/articles/PMC2904855/)

If past risk **factor** trends continue, **gastric** cancer **incidence** will decline an additional ... Yet, annual **cases** will increase from 116,000 to 201,000 due to population ... on cancer risk via reduced progression of precancerous **lesions** to cancer [15, 16]. ... which includes H. pylori infection and smoking as **factors** that **affect** disease ...

[Modern Pathology - Gastritis and Carditis - Nature](#)[www.nature.com/modpathol/journal/v16/n4/full/3880769a.html](http://www.nature.com/modpathol/journal/v16/n4/full/3880769a.html)

Atrophic gastritis, Carditis, **Gastric** cardia, **Gastric** Crohn's disease, Gastritis, Helicobacter, ... Agreement is best in **cases** where peptic ulcer or another focal **lesion** is identified. .... and host **factors** that **control** the development of autoimmunity (22, 23). .... Additional **studies** report an increase in the **incidence** of atrophy (4.7% ...

[\[PDF\] Chapter 5 - The Stomach - Canadian Association of Gastroenterology](#)

全部 新闻 视频 图片 购物 更多 ▾ 搜索工具

找到约 1,200,000 条结果 (用时 0.58 秒)

### Gastric Adenocarcinoma - NCBI - National Institutes of Health

[www.ncbi.nlm.nih.gov](http://www.ncbi.nlm.nih.gov) > ... > PubMed Central (PMC) ▾ 翻译此页

作者: BJ Dicken - 2005 - 被引用次数: 536 - 相关文章

Despite the decreasing worldwide **incidence**, **gastric** cancer accounts for 3% to 10% ... the etiologic **influence** may reside more in environmental than ethnicity **factors**. ... In a **case-control study**, Ramon et al identified diets rich in salt, smoked or .... the gastrointestinal lumen or infiltrative **lesions** that impair **stomach** distension.

### [PDF] Gastric Cancer

[www.med.or.jp/english/pdf/2002\\_03/125\\_129.pdf](http://www.med.or.jp/english/pdf/2002_03/125_129.pdf) ▾ 翻译此页

作者: S SAJI - 相关文章

The **factors** responsible for these phenomena include the decreased **incidence of gastric** cancer as a result of primary prevention and early detection by ... As a result of a **case-control study** (CCT) of **gastric** cancer and a .... protruded **lesions** (type I), greater attention is needed for ... (**varioliform**) erosion, **intestinal** metaplasia,.

### Risk factors for gastric cancer - UpToDate

[www.uptodate.com/contents/risk-factors-for-gastric-cancer](http://www.uptodate.com/contents/risk-factors-for-gastric-cancer) ▾ 翻译此页

作者: AOO Chan - 被引用次数: 4 - 相关文章

2015年11月5日 - PRECURSOR **LESIONS** FOR **INTESTINAL** TYPE **CANCERS** ...

**Incidence of gastric** cancer among patients with **gastric** precancerous **lesions**: observational ... A **case-control study** of diet and **gastric** cancer in northern Italy. .... in the human interferon-gamma receptor **affecting** Helicobacter pylori infection.

### Modern Pathology - Gastritis and Carditis - Nature

[www.nature.com](http://www.nature.com) > ... > Archive > The 2002 Long Courses - 翻译此页

作者: DA Owen - 2003 - 被引用次数: 85 - 相关文章

Atrophic gastritis, Carditis, **Gastric** cardia, **Gastric** Crohn's disease, Gastritis, Helicobacter, ... Agreement is best in **cases** where peptic ulcer or another focal **lesion** is identified. .... and host **factors** that **control** the development of autoimmunity (22,