

[全部](#)[图片](#)[新闻](#)[视频](#)[更多 ▾](#)[搜索工具](#)

找到约 19,400 条结果 (用时 0.55 秒)

### Non-invasive assessment of liver fibrosis

[www.ncbi.nlm.nih.gov](http://www.ncbi.nlm.nih.gov) > ... > PubMed Central (PMC) ▾ [翻译此页](#)

作者 : V Papastergiou - 2012 - 被引用次数 : 34 - 相关文章

The presence and **degree** of **hepatic fibrosis** is crucial in order to make .... Its use for diagnosing cirrhosis in **primary biliary cirrhosis** [31] and primary ..... The AST/ALT ratio as an **indicator** of cirrhosis in patients with **PBC**. .... Clinical feasibility of liver elastography by **acoustic radiation force impulse imaging** (ARFI) Dig Liver ...

### Noninvasive assessment of hepatic fibrosis - UpToDate

[www.uptodate.com/.../noninvasive-assessment-of-hepatic-fibro...](http://www.uptodate.com/.../noninvasive-assessment-of-hepatic-fibro...) ▾ [翻译此页](#)

2015年10月21日 - **Hepatic fibrosis** occurs in response to chronic liver injury. ... A novel panel of blood markers to **assess** the **degree** of **liver fibrosis**. ... patients with **primary biliary cirrhosis**; markers of fibrosis in **primary biliary cirrhosis**. .... **assessment** with **acoustic radiation force impulse imaging** versus transient elastography.

### Non-Invasive markers for hepatic fibrosis | BMC ...

[bmcgastroenterol.biomedcentral.com/.../10.../1471-230X-11-9...](http://bmcgastroenterol.biomedcentral.com/.../10.../1471-230X-11-9...) ▾ [翻译此页](#)

作者 : A Baranova - 2011 - 被引用次数 : 141 - 相关文章

The rate of adoption of non-invasive diagnostic tests for **liver fibrosis** differs from country ... However disruptive, **hepatic fibrosis** even early **cirrhosis** can be reversed by .... The **degree** of activity is **assessed** by the integration of the severity of both ..... evaluation of **liver fibrosis** using **acoustic radiation force impulse imaging** in ...

### Effects of patient factors on noninvasive liver stiffness ...

[bmcgastroenterol.biomedcentral.com/.../10.../1471-230X-12-1...](http://bmcgastroenterol.biomedcentral.com/.../10.../1471-230X-12-1...) ▾ [翻译此页](#)

作者 : SH Chen - 2012 - 被引用次数 : 24 - 相关文章

The **degree** of hepatic necroinflammatory activity independently and ... **Liver fibrosis** Cirrhosis **Acoustic radiation force impulse** FibroTest ActiTest Chronic hepatitis C ...

**Name of journal:** *World Journal of Gastroenterology*

**ESPS Manuscript NO:** 24484

**Manuscript Type:** ORIGINAL ARTICLE

*Observational Study*

**Primary biliary cirrhosis degree assessment by acoustic radiation force  
impulse imaging and hepatic fibrosis indicators**

Hai-Chun Zhang, Rong-Fei Hu, Ting Zhu, Ling Tong, Qiu-Qin Zhang

**Abstract**

### Match Overview

There are no matching sources for this report.

Primary biliary cirrhosis degree assessment by acoustic radiation force impu

全部

图片

视频

新闻

购物

地图

图书

找到约 22,700 条结果

时间不限

过去 1 小时内

过去 24 小时内

过去 1 周内

过去 1 个月内

过去 1 年内

所有结果

精确匹配

### [Non-invasive assessment of liver fibrosis](http://www.ncbi.nlm.nih.gov/pmc/articles/PMC3959378/)

[www.ncbi.nlm.nih.gov/pmc/articles/PMC3959378/](http://www.ncbi.nlm.nih.gov/pmc/articles/PMC3959378/)

The presence and **degree** of **hepatic fibrosis** is crucial in order to make .... Its use for diagnosing cirrhosis in **primary biliary cirrhosis** [31] and primary ..... The AST/ ALT ratio as an **indicator** of cirrhosis in patients with **PBC**. .... Clinical feasibility of liver elastography by **acoustic radiation force impulse imaging** (ARFI) Dig Liver....

### [Non-invasive diagnosis of advanced fibrosis and cirrhosis - NCBI](http://www.ncbi.nlm.nih.gov/pmc/articles/PMC4258552/)

[www.ncbi.nlm.nih.gov/pmc/articles/PMC4258552/](http://www.ncbi.nlm.nih.gov/pmc/articles/PMC4258552/)

7 Dec 2014 ... Moreover, the rate of progression of fibrosis to liver cirrhosis can be variable. .... that **acoustic radiation force imaging** (ARFI) had excellent accuracy for .... found to correlate with the histological stage of **PBC** and **degree** of cholestasis. .... Non- invasive **assessment of liver fibrosis** with **impulse** elastography: ....

### [Noninvasive assessment of hepatic fibrosis: Overview of serologic ...](http://www.uptodate.com/.../noninvasive-assessment-of-hepatic-fibrosis-overview-of-serologic-and-radiographic-tests)

[www.uptodate.com/.../noninvasive-assessment-of-hepatic-fibrosis-overview-of-serologic-and-radiographic-tests](http://www.uptodate.com/.../noninvasive-assessment-of-hepatic-fibrosis-overview-of-serologic-and-radiographic-tests)

1 Mar 2016 ... **Hepatic fibrosis** occurs in response to chronic liver injury. .... A novel panel of blood markers to **assess** the **degree** of **liver fibrosis**. .... patients with **primary biliary cirrhosis**: markers of fibrosis in **primary biliary cirrhosis**. .... **assessment** with **acoustic radiation force impulse imaging** versus **transient elastography**.



全部 图片 新闻 视频 购物 更多 ▾ 搜索工具

找到约 22,700 条结果 (用时 0.78 秒)

### Non-invasive assessment of liver fibrosis

[www.ncbi.nlm.nih.gov](http://www.ncbi.nlm.nih.gov) > ... > PubMed Central (PMC) ▾ 翻译此页

作者: V Papastergiou - 2012 - 被引用次数: 32 - 相关文章

The presence and **degree** of **hepatic fibrosis** is crucial in order to make .... Its use for diagnosing cirrhosis in **primary biliary cirrhosis** [31] and primary ..... The AST/ALT ratio as an **indicator** of cirrhosis in patients with **PBC**. .... Clinical feasibility of liver elastography by **acoustic radiation force impulse imaging** (ARFI) Dig Liver ...

### Noninvasive assessment of hepatic fibrosis: Overview of ...

[www.uptodate.com/.../noninvasive-assessment-of-hepatic-fibro...](http://www.uptodate.com/.../noninvasive-assessment-of-hepatic-fibro...) ▾ 翻译此页

2016年3月1日 - **Hepatic fibrosis** occurs in response to chronic liver injury. .... A novel panel of blood markers to **assess** the **degree** of **liver fibrosis**, ... patients with **primary biliary cirrhosis**: markers of fibrosis in **primary biliary cirrhosis**. .... **assessment** with **acoustic radiation force impulse imaging** versus transient elastography.

### Non-Invasive markers for hepatic fibrosis | BMC ...

[bmcgastroenterol.biomedcentral.com/.../10.../1471-230X-11-9...](http://bmcgastroenterol.biomedcentral.com/.../10.../1471-230X-11-9...) ▾ 翻译此页

作者: A Baranova - 2011 - 被引用次数: 148 - 相关文章

The rate of adoption of non-invasive diagnostic tests for **liver fibrosis** differs from country to country, but remains ..... **Acoustic radiation force impulse** (ARFI).

### [PDF] Acoustic Radiation Force Impulse (ARFI) – a new modalit...

[www.medultrason.ro/assets/Magazines/...2010.../06Sporea.pdf](http://www.medultrason.ro/assets/Magazines/...2010.../06Sporea.pdf) ▾ 翻译此页

作者: I Sporea - 被引用次数: 81 - 相关文章

Keywords: Liver stiffness, Transient Elastography, ARFI (**Acoustic Radiation Force** ... ARFI, for **liver fibrosis assessment**, as compared to percu- ... haemochromatosis, **primary biliary cirrhosis** or non-al- .... (p<0.0001), but there was a certain **degree** of overlap be- .... **radiation force impulse imaging** versus transient elastogra-.

### Non-invasive monitoring of liver fibrosis - British Medical ...