

学术搜索

找到约 975 条结果 (用时0.09秒)

文章

我的图书馆

时间不限

2016以来

2015以来

2012以来

自定义范围...

按相关性排序

按日期排序

搜索所有网页

中文网页

简体中文网页

☒ 包括专利

☒ 包含引用

☐ 创建快讯

小提示: 只搜索中文(简体)结果, 可在 学术搜索设置 指定搜索语言

Predicting cirrhosis risk based on the level of circulating hepatitis B viral load

UH Iløeje, [Hi Yang](#), J Su, CL Jen, SL You, CJ Chen - Gastroenterology, 2006 - Elsevier

... Cirrhosis develops as a result of hepatic inflammation and subsequent fibrosis in chronic ... We examined the incidence of cirrhosis in a population of untreated chronic HBV-infected ... Multiple Cox Proportional Hazard Regression Analyses of Risk Factors Associated With Cirrhosis ...

被引用次数: 1257 相关文章 所有 9 个版本 引用 保存

Natural history of chronic hepatitis B: special emphasis on disease progression and prognostic factors journal-of-hepatology.eu 中的 [HTML]

G Fattovich, F Bortolotti, F Donato - Journal of hepatology, 2008 - Elsevier

... 10.8 copies/ml], ALT elevation and moderate or severe necroinflammation with variable amounts of fibrosis on liver ... Natural history of perinatally acquired chronic hepatitis B. ... The rate of spontaneous HBeAg seroconversion is low, less than 2% per year among children aged 3 ...

被引用次数: 704 相关文章 所有 7 个版本 引用 保存

Epidemiology of viral hepatitis and hepatocellular carcinoma

HB El-Serag - Gastroenterology, 2012 - Elsevier

... a 5- to 100-fold increase in the risk of developing HCC among persons chronically infected with ... study associated higher total serum levels of testosterone with risk of advanced hepatic fibrosis and inflammatory activity in male veterans with chronic HCV infections ...

被引用次数: 917 相关文章 所有 12 个版本 引用 保存

[HTML] The natural history of chronic hepatitis B virus infection

BJ McMahon - Hepatology, 2009 - Wiley Online Library

... to severe hepatic fibrosis before the observation period began and liver fibrosis may be in the process of slow regression. ... Spontaneous Clearance of HBsAg. ... A growing number of published studies have provided evidence that the natural history of chronic HBV infection differs ...

被引用次数: 424 相关文章 所有 14 个版本 引用 保存

[HTML] Natural history of hepatitis-related hepatocellular carcinoma

DYK But, [CL Lai](#), [MF Yuen](#) - World Journal of Gastroenterology, 2008 - office.wjgnet.com

... patients (F4) was the highest with 5.8% per year, compared to those who had less fibrosis (F1-3 of 5 cm or more were the strongest predictors of metastatic disease by logistic regression analysis[28]. ... A, Vilana R, Ayuso Mdel C, Sala M, Bru C, Rodes J, Bruix J. Natural history of ...

nih.gov 中的 [HTML]

wiley.com 中的 [HTML]

wjgnet.com 中的 [HTML]

Name of journal: *World Journal of Gastroenterology*

ESPS Manuscript NO: 25354

Manuscript Type: Topic Highlight

2016 Hepatitis B virus: Global view

Natural regression of fibrosis in chronic hepatitis B

Ohkoshi S *et al.* Regression of fibrosis in CH B

1

Shogo Ohkoshi, Haruka Hirono, Kazuhiko Watanabe, Katsuhiko Hasegawa,
Kenya Kamimura, Masahiko Yano

Shogo Ohkoshi, Haruka Hirono, Kazuhiko Watanabe, Katsuhiko Hasegawa,
Department of Internal Medicine, School of Life Dentistry at Niigata, The
Nippon Dental University, Niigata-city 951-8580. Japan

Match Overview

1

CrossCheck 247 words

Ohkoshi, Shogo. "Contributions of transgenic mouse studies on the research of hepatitis B virus and hepatitis C virus ...

7%

小提示: 只搜索中文(简体)结果, 可在 学术搜索设置 指定搜索语言

Natural history of liver fibrosis progression in patients with chronic hepatitis C

T Poynard, P Bedossa, P Opolon - The Lancet, 1997 - Elsevier

... Our cross-sectional study was designed to describe the natural history of liver fibrosis progression and to identify risk factors in a large group of patients who had ... Multivariate logistic regression was done to analyse the independent association of each factor with fibrosis. ...

被引用次数: 2995 相关文章 所有 10 个版本 引用 保存

Natural history of chronic hepatitis B: special emphasis on disease progression and prognostic factors

G Fattovich, F Bortolotti, F Donato - Journal of hepatology, 2008 - Elsevier

... 10 8 copies/ml)], ALT elevation and moderate or severe necroinflammation with variable amounts of fibrosis on liver ... Natural history of perinatally acquired chronic hepatitis B. ... The rate of spontaneous HBeAg seroconversion is low, less than 2% per year among children aged 3 ...

被引用次数: 722 相关文章 所有 7 个版本 引用 保存

[HTML] Sustained disease remission after spontaneous HBeAg seroconversion is associated with reduction in fibrosis progression in chronic hepatitis B Chinese ...

CK Hui, N Leung, TWH Shek, H Yao, WK Lee... - ..., 2007 - Wiley Online Library

... The natural history of chronic hepatitis B acquired perinatally has been categorized as having 3 phases ... Although spontaneous HBeAg seroconversion is associated with a reduced risk of cirrhosis and HCC, the effect of HBeAg seroconversion on regression of fibrosis ...

被引用次数: 71 相关文章 所有 5 个版本 引用 保存

[HTML] Reversal of hepatic fibrosis—fact or fantasy?

SL Friedman, MB Bansal - Hepatology, 2006 - Wiley Online Library

... Based on the current limitations in diagnosing fibrosis and understanding the natural history of ... on these recent findings in animals, the molecular determinants of fibrosis regression in animals ... and sources regulating matrix protease activity and cross-linking in the fibrotic milieu. ...

被引用次数: 352 相关文章 所有 5 个版本 引用 保存

[HTML] Estimation of stage - specific fibrosis progression rates in chronic hepatitis C virus infection: A meta - analysis and meta - regression

HH Thein, Q Yi, GJ Dore, MD Krahn - Hepatology, 2008 - Wiley Online Library

... The impact of potentially important covariates on fibrosis progression was examined by a ... The meta-regression model included study design and population as described above, publication ... positivity, HCV RNA positivity, and genotype as explanatory factors, and natural log of ...

被引用次数: 408 相关文章 所有 6 个版本 引用 保存

[HTML] Daily cannabis smoking as a risk factor for progression of fibrosis in chronic hepatitis C

wiley.com 中的 [HTML]

全部 图片 新闻 视频 购物 更多 ▾ 搜索工具

找到约 488,000 条结果 (用时 0.37 秒)

Google 学术 : Natural regression of fibrosis in chronic hepatitis B

... fibrosis progression in patients with chronic hepatitis C - Poynard - 被引用次数 : 2996

Natural history of chronic hepatitis B: special emphasis ... - Fattovich - 被引用次数 : 725

... reduction in fibrosis progression in chronic hepatitis B ... - Hui - 被引用次数 : 71

Regression of fibrosis after HBV antiviral therapy. Is cirrhosis...

onlinelibrary.wiley.com/doi/10.1111/liv.12395/pdf - 翻译此页

the issue of reversibility of liver fibrosis after antiviral therapy in Chronic Hepatitis B.

Natural course of chronic HBV infection. The natural history of chronic HBV ...

Quantification of liver fibrosis in chronic hepatitis B virus infect...

[www.ncbi.nlm.nih.gov](https://www.ncbi.nlm.nih.gov/pmc/articles/PMC4111111/) > ... > Literature > PubMed Central (PMC) - 翻译此页

作者 : CF Jieanu - 2015 - 相关文章

Chronic hepatitis B virus infection (HBV) is considered a global public issue with ...

Chronic infection alters the natural history of fibrosis progression with a more ...

Prediction of fibrosis progression in chronic viral hepatitis - N...

[www.ncbi.nlm.nih.gov](https://www.ncbi.nlm.nih.gov/pmc/articles/PMC4111111/) > ... > PubMed Central (PMC) ▾ 翻译此页

作者 : GLH Wong - 2014 - 被引用次数 : 11 - 相关文章

2014年9月25日 - The new notion of regression of advanced fibrosis or even cirrhosis

is now ... Chronic hepatitis B (CHB) patients may have variable disease course with ...

the natural history of CHB with higher levels of HBV replication and a ...