

High circulating tumor cell concentrations in a specific subtype of gastric cancer

全部

图片

视频

新闻

购物

地图

图书

找到约 76,600 条结果

时间不限

过去 1 小时内

过去 24 小时内

过去 1 周内

过去 1 个月内

过去 1 年内

所有结果

精确匹配

Google 学术: [High circulating tumor cell concentrations in a specific subtype of gastric cancer with diffuse bone metastasis at diagnosis](#)

[Gastroenteropancreatic neuroendocrine tumours](#) - Modlin - 被引用次数: 942

[Circulating tumor cells, disease progression, and ...](#) - Cristofanilli - 被引用次数: 2390

[Cancer of unknown primary site](#) - Pavlidis - 被引用次数: 122

[Metastatic breast cancer: the potential of miRNA for diagnosis and ...](#)

[www.ncbi.nlm.nih.gov/pmc/articles/PMC4368851/](http://www.ncbi.nlm.nih.gov/pmc/articles/PMC4368851/)

27 Feb 2015 ... Clearly, the identification of **circulating** miRNA **specific** to **metastatic** breast ...

**circulating** miRNA were identified in patients with **diffuse** large B-cell lymphoma [ 18]. ....

Significantly, brain **metastasis** for the HER2 + ve **subtype** is **high** [64], .... significantly

**increased** in lymph node **metastases** of **gastric cancer**. ...

[May Circulating microRNAs be Gastric Cancer Diagnostic ...](#)

[www.jcancer.org/v06p1206.htm](http://www.jcancer.org/v06p1206.htm) ▼

20 Sep 2015 ... Keywords: **gastric cancer**, **circulating** miRNA, **diagnosis**, **biomarkers** ...

However, none of these markers are **specific** or sensitive in GC, especially in the early stage.

... be a **diagnostic** biomarker for other cancers, including **diffuse** large B- **cell** ... the miR-18a

**concentration** in cultured medium was **increased**, ...

[Prognostic biomarker in advanced gastric cancer - Mi - Translational ...](#)

<http://www.ncbi.nlm.nih.gov/pmc/articles/PMC4000000/>



24863-Review

BY KAZUHIRO SHIMAZU

Quotes Excluded  
Bibliography Excluded0%  
SIMILAR

## Match Overview

**Name of Journal:** *World Journal of Gastroenterology*

**ESPS Manuscript NO:** 24863

**Manuscript Type:** ORIGINAL ARTICLE

*Observational Study*

**High circulating tumor cell concentrations in a specific subtype of gastric cancer with diffuse bone metastasis at diagnosis**

There are no matching sources for this report.

High circulating tumor cell concentrations in a specific subtype of gastric cancer

全部

图片

视频

新闻

购物

地图

图书

找到约 83,000 条结果

时间不限

过去 1 小时内

过去 24 小时内

过去 1 周内

过去 1 个月内

过去 1 年内

所有结果

精确匹配

[Circulating tumor cell count as a biomarker of a specific gastric ...](#)

[www.ncbi.nlm.nih.gov/pmc/articles/PMC4734320/](http://www.ncbi.nlm.nih.gov/pmc/articles/PMC4734320/)

24 Dec 2015 ... Keywords: **circulating tumor cells**, **bone metastasis**, disseminated ... The frequency of **bone metastasis** in **gastric cancer** patients with DIC is also **high** at 87% (5). ... **diagnosed** with scirrhus-type **gastric cancer**, with **bone metastases** to .... Thus, **gastric cancer subtypes** that are characterized by multiple bone ...

[Metastatic breast cancer: the potential of miRNA for diagnosis and ...](#)

[link.springer.com/article/10.1007/s10555-015-9551-7](http://link.springer.com/article/10.1007/s10555-015-9551-7)

27 Feb 2015 ... Clearly, the identification of **circulating** miRNA **specific** to **metastatic** breast ... **circulating** miRNA were identified in patients with **diffuse** large B-cell lymphoma [ 18]. .... Further examining **metastasis** by molecular breast cancer **subtypes**, ..... significantly **increased** in lymph node **metastases** of **gastric cancer**. ...

[May Circulating microRNAs be Gastric Cancer Diagnostic ...](#)

[www.jcancer.org/v06p1206.htm](http://www.jcancer.org/v06p1206.htm)

20 Sep 2015 ... Keywords: **gastric cancer**, **circulating** miRNA, **diagnosis**, **biomarkers** ... Nowadays , several serum **tumor** markers have been used in clinic for several ... a **diagnostic** biomarker for other cancers, including **diffuse** large B-cell lymphoma, ... **cell** line, the miR-18a **concentration** in cultured medium was **increased**, ...

[Stomach cancer - Wikipedia, the free encyclopedia](#)



[全部](#)[图片](#)[新闻](#)[视频](#)[购物](#)[更多 ▾](#)[搜索工具](#)

找到约 69,700 条结果 (用时 0.98 秒)

### Circulating tumor cell count as a biomarker of a specific gastric cancer ...

[www.ncbi.nlm.nih.gov](http://www.ncbi.nlm.nih.gov) > [NCBI](#) > [Literature](#) > [PubMed Central \(PMC\)](#) - [翻译此页](#)

作者: M INOUE - 2016 - [相关文章](#)

2015年12月24日 - Keywords: circulating tumor cells, bone metastasis, disseminated ... The frequency of bone metastasis in gastric cancer patients with DIC is also high at 87% (5). ... diagnosed with scirrhus-type gastric cancer, with bone metastases to .... Thus, gastric cancer subtypes that are characterized by multiple bone ...

缺少字词: concentrations

### Metastatic breast cancer: the potential of miRNA for diagnosis and ...

[www.ncbi.nlm.nih.gov](http://www.ncbi.nlm.nih.gov) > [NCBI](#) > [Literature](#) > [PubMed Central \(PMC\)](#) ▾ [翻译此页](#)

作者: A McGuire - 2015 - 被引用次数: 4 - [相关文章](#)

2015年2月27日 - Clearly, the identification of circulating miRNA specific to metastatic breast ... circulating miRNA were identified in patients with diffuse large B-cell lymphoma [18]. .... Significantly, brain metastasis for the HER2 + ve subtype is high [64], .... significantly increased in lymph node metastases of gastric cancer: ...

### May Circulating microRNAs be Gastric Cancer Diagnostic Biomarkers?

[www.jcancer.org/v06p1206.htm](http://www.jcancer.org/v06p1206.htm) ▾ [翻译此页](#)

作者: X Wu - 被引用次数: 3 - [相关文章](#)

2015年9月20日 - Keywords: gastric cancer, circulating miRNA, diagnosis, biomarkers ... Nowadays, several serum tumor markers have been used in clinic for several ... a diagnostic biomarker for other cancers, including diffuse large B-cell lymphoma, ... cell line, the miR-18a concentration in cultured medium was increased, ...

### Stomach cancer - Wikipedia, the free encyclopedia

[https://en.wikipedia.org/wiki/Stomach\\_cancer](https://en.wikipedia.org/wiki/Stomach_cancer) ▾ [翻译此页](#)

Stomach cancer, also known as gastric cancer, is cancer developing from the lining of the .... Some studies show increased risk with alcohol consumption as well ... Diagnosis of hereditary diffuse