

POLYETHYLENE GLYCOLS: AN EFFECTIVE STRATEGY FOR LIMITING I

全部

图片

视频

新闻

购物

地图

图书

找到约 64,500 条结果

时间不限

过去 1 小时内

过去 24 小时内

过去 1 周内

过去 1 个月内

过去 1 年内

所有结果

精确匹配

Google 学术: POLYETHYLENE GLYCOLS: AN EFFECTIVE STRATEGY FOR LIMITING LIVER ISCHEMIA REPERFUSION INJURY

... effective strategy to reduce ischemia-reperfusion injury - Reddy - 被引用次数: 129

... to prevent ischemia - reperfusion injury to the liver - de Rougemont - 被引用次数: 104

New strategies to optimize kidney recovery and ... - Bon - 被引用次数: 43

An Effective Strategy to Prevent Liver Ischemia Reperfusion Injury

www.hindawi.com/journals/omcl/2016/9096549/ ▼

2 Nov 2015 ... Hepatic ischemia reperfusion injury (IRI) is an inevitable clinical problem for liver surgery. Polyethylene glycols (PEGs) are water soluble ...


Polyethylene glycol rinse solution: An effective way to prevent ...

www.ncbi.nlm.nih.gov/pmc/articles/PMC4239509/ ▼

21 Nov 2014 ... Polyethylene glycol rinse solution: An effective way to prevent ... Ischemia-reperfusion injury (IRI) is an inherent risk of LT, and is often ... AMPK activation before or during organ preservation helps to limit organ injury and maintain graft ... Liver graft washout with a PEG-35 rinse solution is a useful strategy ...

Hepatic ischemia and reperfusion injury: Effects on the liver ...

www.sciencedirect.com/science/article/pii/S0168827813004339 ▼



25455-Review

BY GIANFRANCO PASUT

Quotes Excluded
Bibliography Excluded7%
SIMILAR

Name of journal: *World Journal of Gastroenterology*

ESPS Manuscript NO: 25455

Manuscript Type: Review

Polyethylene glycols: An effective strategy for limiting liver ischemia reperfusion injury

Gianfranco Pasut, Arnau Panisello, Emma Folch-Puy, Alexandre Lopez, Carlos Castro-Benítez, Maria Calvo, Teresa Carbonell, Agustín García-Gil, René Adam, Joan Roselló-Catafau

Match Overview

1	Internet 34 words crawled on 04-Mar-2016 www.wjgnet.com	1%
2	CrossCheck 29 words Reardon, Sara. "Supercooled livers last for days". <i>Nature</i> , 2014.	1%
3	CrossCheck 29 words Cheng, Tian-Lu, Kuo-Hsiang Chuang, Bing-Mae Chen ... and Steve R. Roffler. "Analytical Measurement of PEGylat	1%
4	Internet 25 words crawled on 30-Jul-2014 www.nibib.nih.gov	1%
5	Internet 24 words crawled on 14-Mar-2010 intl-ajpheart.physiology.org	1%
6	CrossCheck 19 words I B Mosbah. "IGL-1 solution reduces endoplasmic retic ... um stress and apoptosis in rat liver transplantation", <i>Cell</i>	1%

[全部](#)[图片](#)[新闻](#)[视频](#)[购物](#)[更多 ▾](#)[搜索工具](#)

找到约 10,500 条结果 (用时 0.76 秒)

Google 学术: Polyethylene glycols: An effective strategy for limiting liver ischemia reperfusion injury

... effective strategy to reduce ischemia-reperfusion injury - Reddy - 被引用次数: 132

... to prevent ischemia - reperfusion injury to the liver - de Rougemont - 被引用次数: 106

New strategies to optimize kidney recovery and ... - Bon - 被引用次数: 45

Polyethylene Glycol Preconditioning: An Effective Strategy to Prevent ...

www.hindawi.com/journals/omcl/2016/9096549/ ▾ 翻译此页

作者: M Bejaoui - 2016 - 相关文章

2015年11月2日 - Hepatic ischemia reperfusion injury (IRI) is an inevitable clinical problem for liver surgery. Polyethylene glycols (PEGs) are water soluble ...

Polyethylene glycol rinse solution: An effective way to prevent ... - NCBI

www.ncbi.nlm.nih.gov ▸ NCBI ▸ Literature ▸ PubMed Central (PMC) ▾ 翻译此页

作者: MA Zaouali - 2014 - 被引用次数: 6 - 相关文章

2014年11月21日 - Polyethylene glycol rinse solution: An effective way to prevent ... Ischemia-reperfusion injury (IRI) is an inherent risk of LT, and is often AMPK activation before or during organ preservation helps to limit organ injury and maintain graft Liver graft washout with a PEG-35 rinse solution is a useful strategy ...

全部 图片 新闻 视频 购物 更多 ▾ 搜索工具

找到约 58,600 条结果 (用时 0.69 秒)

Google 学术 : Polyethylene glycols: An effective strategy for limiting liver ischemia reperfusion injury

... effective strategy to reduce ischemia-reperfusion injury - Reddy - 被引用次数 : 133

... to prevent ischemia-reperfusion injury to the liver - de Rougemont - 被引用次数 : 107

New strategies to optimize kidney recovery and ... - Bon - 被引用次数 : 45

Polyethylene Glycol Preconditioning: An Effective Strategy to Prevent ...

www.hindawi.com/journals/omcl/2016/9096549/ ▾ 翻译此页

作者 : M Bejaoui - 2016 - 相关文章

2015年11月2日 - Hepatic ischemia reperfusion injury (IRI) is an inevitable clinical problem for liver surgery. Polyethylene glycols (PEGs) are water soluble ...

Polyethylene glycol rinse solution: An effective way to prevent ... - NCBI

www.ncbi.nlm.nih.gov > NCBI > Literature > PubMed Central (PMC) ▾ 翻译此页

作者 : MA Zaouali - 2014 - 被引用次数 : 6 - 相关文章

2014年11月21日 - Polyethylene glycol rinse solution: An effective way to prevent ... Ischemia-reperfusion injury (IRI) is an inherent risk of LT, and is often AMPK activation before or during organ preservation helps to limit organ injury and maintain graft Liver graft washout with a PEG-35 rinse solution is a useful strategy ...

High-molecular-weight polyethylene glycol inhibits myocardial ...

https://www.researchgate.net/.../269519555_High-molecular-weight_polyeth... - 翻译此页

Objectives: Cardiac ischemia-reperfusion (I-R) injury remains a significant problem as

Polyethylene Glycol Preconditioning: An Effective Strategy to Prevent Liver ... polyethylene glycol: A new strategy to limit ischemia-reperfusion injury.